



MONTÓ
profesional

PRODUCT CATALOGUE 2025

ISO 9001 N° ES023390
ISO 14001 N° ES023391

BUREAU VERITAS
Certification



Let's help build more sustainable housing.

Let's make the world
look better.



At MONTÓ, we have a wide range of products that contribute to the construction of LEED, BREEAM and VERDE certified homes.

Because we have a mission and a commitment:

#MakeTheWorldLookBetter

MONTÓ
paints

I. Information



What is Gêa?

Our awareness of the importance of a commitment to respect the environment led us to develop the **GEA range of sustainable products**, which respect the environment and have been tested throughout their life cycles — from manufacture, transport, installation and use through to end-of-life — and have certifications at EU and global level that confirm that their manufacturing processes, distribution and use have been optimised to reduce energy consumption and contamination.

Environmental Product Declaration (EPD)



These standard-form documents provide quantified and verified information on

- Use of resources including energy, water, renewable and non-renewable resources,
- Emissions into the air, discharges into water and onto land, and hazardous and non-hazardous waste produced.

EPDs describe the true environmental performance of a Material and are a fundamental tool in promoting the shift to more sustainable building.

Gêa range products have EPDs

LEED® Certification



LEED® certification (Leadership in Energy and Environmental Design) was created in the USA and represents independent verification that the construction and/or operation and maintenance of a building or a new residential development meets the highest efficiency standards for sustainable building/development.

Gêa range products contribute to LEED® certification.

BREEAM® Certification



This British certification assesses impacts in 10 categories and awards a final score that serves as a reference for more sustainable construction both in the design phase and in the execution and maintenance phases, with different assessment and certification schemes available depending on the typology and use of the building.

The products in the Gêa range can contribute to BREEAM® certification

VERDE Certification



VERDE certification (Building Reference Efficiency Evaluation) was created by the Green Building Council España (GBCE), an association formed by agents in the building sector in 2009.

VERDE certification confirms or certifies the sustainability of a building with regard to the degree to which it respects the environment, its resource efficiency, its comfort, impact on the quality of life of residents or users, its compatibility with the environment and the Materials used.

Products in the Gêa range contribute to VERDE certification

Ecolabel



Ecolabel is the European Union's official environmental excellence certification. An Ecolabel mark distinguishes products whose life cycle contains lower adverse environmental effects, and limited use of substances harmful to health compared to other products in the same category, so as to contribute to more efficient use of resources and to a high level of protection of the environment and human health (in other words, lower content of substances hazardous to health and the environment can be said to protect human health and the environment).

Low-emission paints



Low-emission paints have a low concentration of VOCs (volatile organic compounds) with a very low level of emissions at room temperature, and are therefore more environmentally friendly.

It all started with a brush stroke

Just as dreams do. On a small scale. Making paint at home. And it was the first brush stroke of what many years later would become one of the country's main paint brands. Now producing more than 200,000 litres of paint a day, on a surface area of 116,000m², employing more than 400 people in order to deliver the best products to 27 countries around the world. It's now over 60 years since that initial dream and something tells us... that the future is full of colour.



MONTÓ

0. Family -1

Line -2



Product -3 v

Description -7

Uses -8

Prime with / Finish with -9

Certificate -10

Mixture ratio / Mixture life -11



Thinning %

-12

-13

-14

-15

-16

-17

-18

-19

-21 Size

Size

Size

502393 -4 Colours and references -20

-22 €

€

€

-1 Family	The grouping of different lines with common characteristics forms a "FAMILY". The family of emulsion paints is therefore formed by the matt line, the satin line and all-purpose line. This listing is divided up into families which in turn are divided into lines. The families are numerically ordered and shown at the top of the page.
-2 Line	The grouping of different products with common characteristics forms a set we call a "LINE". Therefore we find the matt finish emulsions set forming the MATT LINE, etc.
-3 Product	Actual name given to the product by PINTURAS MONTÓ.
-4 Code	Basic coding of the product comprising three digits for the colour and three for the size.
-5 Container	Picture of the container with which the product is supplied. When the same container is used for several products, these are labelled and the image appears on the first one only.

-6 Symbols	Marking that reminds us of an important fact about the product to be taken into account.
	Ecological label referred to the European Union Standard.
	New Product
	Dual-component products. A: Base: B: Catalyst. When A + B are used, the sizes and prices represent the both of them together. When B is used, it represents the size and the price of the catalyst.
	Contains anti-mould preservative.
	Interior emissions certificate according to French decree number 2011/321 of the Ministry of Ecology.
	Standard colour usable as a tintometric base. They are not MONTOMIX line.
	Can contribute to LEED® certification
	Can contribute to VERDE certification
	Certified non-toxic. Suitable for toys.
	Products with a guarantee certificate issued in years (up to) by PINTURAS MONTÓ. Table Page 155
	Tinting systems available in the tintometric system: MONTOMIX and/or COLOR@.
	MONTOMIX Tintometric System Bases
	Certified for reaction to fire according to Euroclasses.
	Colour available in cold facades version
	Can contribute to BREEAM® certification
	Complies with Environmental Product Declaration

Water based resins	Acrylic, Styrenic Acrylic, Vinyl, Photoreticulable Acrylic, Siloxane, Silicate, Pliolite, Polyurethane, Epoxy, Acrylic Urethane
Solvent-based resins	Acrylic, Alkyd-based, Epoxy, Urethane, Polyurethane, Chlorinated rubber, Pliolite

I. Information

-7 Description	Brief description of the product and a list of the more significant qualities which make it different from other similar products.
-8 Substrate/ Uses	We list in order of importance the various types of surfaces the product is generally designed for : • CONSTRUCTION : Building surfaces (cement, plaster, concrete, etc.) • WOOD : Wooden surfaces or derivatives (chipboard, DM, etc.) • METAL : Ferrous or non-ferrous metal surfaces (iron, galvanised metal, aluminium, etc.)
-9 Anchor with / Finish with	Shows us the various alternatives to use as a base for a finishing product and vice-versa.
-10 Certificate	Officially certified product.
-11 Mixture ratio / Mixture life	<p>Mixture ratio: This area is used to indicate the mixing proportion in dual-component products. The first figure refers to the base mixing units and the second to the catalyst units. Please bear in mind that products with two components should be mixed properly according to the instructions. The lack or excess of catalyst may seriously reduce the quality of the product.</p> <p>Mixture life: For dual-component products, this shows us the maximum time of application of the product once it has been mixed. Please bear in mind that the absence of hardness of the product once its lifetime is over, does not necessarily mean that it is in good condition, since its original properties may be reduced. This time is based on 20°C, doubling at 10°C and halving at 30°C.</p>
-12 Uses	<p>INDOOR/OUTDOOR: Firstly, it shows whether the product is recommended for indoor or outdoor use, according to our criteria. It must be remembered that in Spain, due to a lack of regulations in this regard, the specification is dependent upon the opinion of the manufacturer. PINTURAS MONTÓ has made its decision in each case taking into account the qualities of the product (strength, elasticity, resistance to UV rays, waterproofing, rust resistance, flexibility, etc.) as well as the demands of the location at which it is to be used, therefore we have taken into account areas which suffer the most adverse weather conditions.</p>
-13 Finish	<p>First, the usual appearance of the product is shown once applied and dried, and with respect to various factors: • SMOOTH/RUGGED: Uniformity of the painted surface through the action of the product applied. It is shown only for those products which can have both effects and a smooth finish should be assumed when nothing to the contrary is indicated. • GLOSS: - Matt: Total absence of gloss. - Semi-matt: Light silky appearance. (False gloss in matt) -Satin: Some light refraction (see gloss index). - Semi-gloss: High light refraction -Gloss: Excellent light refraction. • TRANSPARENCY: Absence of pigments. • TOUCH: -Crystalline, - Smooth, -Velvety, -Rough, -Silky. • Gloss index: For satin emulsion paints, the gloss meter measurement at an angle of 85° is shown. • Coverage level: For satin emulsion paints, the coverage level is shown according to the GTF internal standard.</p>
-14 Performance	<p>The performance of a paint is a relative value in so far as it can vary for a single product according to the absorption of the base, the roughness of the surface, the way it is applied, the thickness of the coat applied, the colour underneath, the colour of the product, etc. For this reason the performance shown under this section should not be taken as a guide.</p>
-15 Specific weight	<p>This is special information giving us the weight in kilos of a litre of a product at 25°C, very handy for converting units of the weight into volume and vice versa. For products with a catalyst, the percentage of the catalyst should be taken into account along with the specific weight of each component. Example: Specific weight of the product TORNADO Matt: 1.67 Kg/L. •1 litre of TORNADO Matt weighs x,xx0 kg. •1 kilo of TORNADO Matt is equivalent to 0.599 litres (1:1.67 = 0.599).</p>
-16 Repainting	<p>The expected waiting time before the previous coat may be repainted with the same product. MINIMUM REPAINTING TIME: The minimum time before another coat may be added. MAXIMUM REPAINTING TIME: The maximum time before another coat may be added. If this time is exceeded before repainting, sandpaper the surface first.</p>
-17 Drying	<p>In this section different terms are used according to the process that is to be carried out, taking as a constant factor a temperature of 20°C. TOUCH-DRY TIME: Expected time for the painted surface to lose its tack. HANDLING TIME: Anticipated time that must pass before the painted articles can be handled carefully without being damaged. STACK TIME: Anticipated time after which the painted articles can be stacked. SANDING TIME: The necessary time to wait before sanding.</p>



I. Información

-18 Dilución / Limpieza



Se indica el diluyente utilizado para mezclar con el producto. No siempre éstos admiten un disolvente para ser aplicados, Por ello, utilizamos la expresión AL USO y "LIMPIEZA" (disolvente sólo para la limpieza de herramientas)

-19 Aplicación



Tipo de Herramientas y % de dilución. Las palabras abreviadas "Bro." (Brush) - "Rod." (Roller) - "Pist." (Spray gun), seguidas de una cifra con un %, nos indican las posibles alternativas de aplicación y la dilución máxima aconsejada. Este porcentaje de dilución, es variable según casos, dado que no necesita igual dilución la primera mano que la última, al igual que se utilizarán distintos porcentajes para superficies muy absorbentes o poco absorbentes e incluso variarían en función de la temperatura ambiente. Debe tenerse en cuenta que la excesiva adición de disolvente o la adición de un disolvente no adecuado a una pintura puede provocar problemas de cobertura, descuelgue y pérdida de Gloss.

-20 Colores y referencia

En este apartado se enumeran los colores en que se fabrican los productos y sus números de referencia, en uno o varios niveles, en función del precio. Algunas características pueden variar en función del color.

-21 Tamaños envases

En cada una de las divisiones, se detallan los distintos tamaños de envasado, indicando si es por peso (Kg. ó g.) o por volumen (L. ó ml.). En productos con catalizador se indica el tamaño de la base + el catalizador. Para transformar de kilos a litros o viceversa, seguir las indicaciones del punto 13.

-22 Precios

Los precios son P.V.P. (salvo que indique NETO), por envase (señalado arriba) y color (indicado a su izquierda y al mismo nivel). Sin impuestos.

MUY IMPORTANTE

Antes de proceder a la aplicación de cualquiera de nuestras pinturas, les aconsejamos leer detenidamente las instrucciones impresas en la ficha técnica. • Todos los productos reflejados en esta tarifa, pueden ser variados sin previo aviso por el fabricante, bien en sus características, composición o presentación.

RESPONSABILIDAD CIVIL

PINTURAS MONTÓ S.A.U. está amparada por la póliza de Responsabilidad Civil de productos Nº MA19GLBX0023801 suscrita con la Compañía ASSURANCES CONTINENTALES, S.A, conocida comercialmente como "NAVIGATORS EUROPE".

I. Price list 2025

Family distribution

1. Page 11 Walls and ceilings				
Premium Matt Matt Satin Stain-resistant Montomix				
2. Page 25 Facades				
100% Acrylic Acrylic SILICATE Siloxane Pliolite		Rugged Anti-carbonation Montotherm Montomix		
3. Page 39 Damp-proofing and Waterproofing				
Horizontal Vertical Water-repellents Rising damp Anti-condensation Montomix				
4. Page 47 Enamels				
Polyurethanes Anti-rust for Metals Synthetic Acrylic Spray products Montomix				
5. Page 69 Wood Synthetics				
Protectors Varnishes Parquet Oils Woodworm killer		Water-based Wood	Wood Furniture	
		Protectors Varnishes Parquet Montomix	Nitro Lacquers Polyurethane Lacquers	
6. Page 94 Powder Fillers	6. Page 97 Ready-To-Use Fillers	6. Page 98 Specific-Use Fillers	6. Page 99 DIY Fillers	6. Page 102 Sealants, Primers and Fixatives
Indoor Outdoor/Indoor	Indoor Indoor/Outdoor	Iron and Metals Wood Ready-to-Use		Iron and Metals Multi-substrate Timber Work Walls — Facades
7. Page 109 Specific-Use Products				
Montomix Manual dye Fire retardants Sports facilities. Swim- ming pools Ball Courts Montoplac		Anti-radiation Water-based epoxy Paint thinners Anti-graffiti system Heat retardant Additives		
8. Page 119 Paving				
Parking and industrial floors Road signalling Floor varnishes		Sports flooring Additives		
10. Page 129 Solvents				
12. Page 135 Luxury Decoration Products Selection				
Microcement Stucco Stucco Complements Rustic Fades		Iridescent Metallic Veiled And Buffered Finishes		
Page 143 Montomix Annex				
Page 149 Montó Bricolovers				

I. Price list 2025

Alphabetical Index

Product	Page	Family	Product	Page	Family
Acripol Barniz + Catalizador	53	4	Imprimación Anticorrosiva Acqua	103	6
Acripol Brillo + Catalizador	51	4	Imprimación Epoxi Suelos + Cat.	105	6
Acripol Mate + Catalizador	52	4	Imprimación Industrial	104	6
Acripol Metalizado + Catalizador	53	4	Imprimación Sintética	103	6
Acripol Piscinas Poliéster + Catalizador	113	7	Imripol + Catalizador	102	6
Acripol Satinado + Catalizador	52	4	Koraza Antigoteras con PU	40	3
Aditivo Antideslizante	125	8	Koraza Cubiertas	42	3
Aguarrás Simil 1413	131	10	Koraza Cubiertas Fibrado	42	3
Aguarrás Simil Premium 1417	131	10	Koraza Cubiertas Termoaislante	41	3
Antivelo 1415	134	10	Koraza Membrana 100% PU	40	3
Barniz Hormigón	124	8	Koraza Primer	42	3
Barniz Ladrillo	44	3	Koraza Top Cover	41	3
Barniz Pavimont Acqua	124	8	Látex	107	6
CA Base	138	12	Limpieza 1406	134	10
CA Floors	138	12	Luxatín	56	4
CA Primer N-ABS + Catalizador	137	12	Luxatín Ecológico Brillo	51	4
CA Protector + CB Catalizador	139	12	Luxatín Ecológico Mate	50	4
CA Walls	138	12	Luxatín Ecológico Satinado	50	4
Carta 2024	146	Anx. Mix	Magnum	18	1
Carta 720	146	Anx. Mix	Magnum +	17	1
Carta Fachadas Eterna	145	Anx. Mix	Magnum Ecológico	18	1
Carta Montoxyl Barnices	147	Anx. Mix	Marisma Brillo	59	4
Carta Montoxyl Lasures	147	Anx. Mix	Marisma Mate	59	4
Carta Montonature Colecciones de Color	147	Anx. Mix	Marisma Satinado	59	4
Carta NCS	146	Anx. Mix	Marmorino	140	12
Carta Ovaldine	147	Anx. Mix	Martelé	60	4
Carta Ovaldine Fachadas	145	Anx. Mix	Massima +	15	1
Carta Ovaldine Fachadas 60 Aniversario	145	Anx. Mix	Massima Fachadas	28	2
Carta RAL	146	Anx. Mix	Minio Blanco (Antioxidante Blanca)	103	6
Carta Taco La Colorteca	145	Anx. Mix	Módulo La Colorteca 2,30 m.	144	Anx. Mix
Carta Taco Ovaldine Fachadas 60 Aniversario	145	Anx. Mix	Módulo La Colorteca 3,30 m.	144	Anx. Mix
Carta Temática 447	146	Anx. Mix	Módulo La Colorteca 5,30 m.	144	Anx. Mix
Catalizador Montopol MS	88	5	Módulo Mini Colorteca 1m.	144	Anx. Mix
Catalizador Montopol NA	88	5	Montó Bricolovers Aditivo con Conservante Antimoho	153	M. Brico
CB Resin	137	12	Montó Bricolovers Cocinas y Baños	151	M. Brico
Cera Especial Estucos	141	12	Montó Bricolovers Econatura	150	M. Brico
Clorocaucho 1403	132	10	Montó Bricolovers Efecto Cemento	150	M. Brico
Color@ Colorante Universal	110	7	Montó Bricolovers Efecto Magnético	155	M. Brico
Color@ Colorantes al Agua	110	7	Montó Bricolovers Efecto Óxido	154	M. Brico
Color@ Colorantes al Disolvente	110	7	Montó Bricolovers Efecto Pizarra	155	M. Brico
Color@ Colorantes Madera	110	7	Montó Bricolovers Efecto Wabi-Sabi	155	M. Brico
Colorantes Univ. Madera	110	7	Montó Bricolovers Esmalte Azulejos	152	M. Brico
Converplus Antisiliconas	117	7	Montó Bricolovers Esmalte Efecto Madera	152	M. Brico
Converplus Matizador	117	7	Montó Bricolovers Masilla Superligera	153	M. Brico
Crea Aceite Protector 2 en 1	90	5	Montó Bricolovers Pinta Balastradas	152	M. Brico
Crea Chalk Paint	90	5	Montó Bricolovers Pintura al Agua Piscinas	153	M. Brico
Crea Esmalte Laca	90	5	Montó Bricolovers Pintura al Clorocaucho Piscinas	154	M. Brico
Disolvente Limpieza Máquinas Montomix	110	7	Montó Bricolovers Renovador de Bordes de Piscinas	154	M. Brico
Emulsión Fijadora	106	6	Montó Bricolovers Respira	150	M. Brico
Emulsión Fijadora Blanca	107	6	Montó Bricolovers Revestimiento de Fachadas	151	M. Brico
Epoxi 1411	133	10	Montó Bricolovers Techos	151	M. Brico
Esmalte Secado Rápido Acqua	60	4	Montó Piedra	35	2
Etiquetas Adhesivas	110	7	Montoacrilic	61	4
Ferrorite	55	4	Montoepox Acqua Sanitario + Catalizador	115	7
Ferrorite Acqua	55	4	Montoepox Acqua Suelos + Catalizador	122	8
Ferrorite Disolvente	53	4	Montoepox S/M + Catalizador	122	8
Ferrorite Efecto Forja Liso	56	4	Montofoc Acqua	111	7
Ferrorite Forja	55	4	Montokril + Siloxano	33	2
Ferrorite Martelé	56	4	Montokril Elastómero	43	3
Fijamont	106	6	Montokril Liso	29	2
Fijamont Acqua	106	6	Montokril Rugoso	35	2
Grasello	140	12	Montokril Superblanco	30	2
Homimont Acrílico	35	2	Montokril Texturado	34	2
Ibersat	22	1	Montolac Brillo Transparente CM-40	81	5
Impersil	44	3	Montolac Fondo Blanco CM-50	81	5
Impersil Acqua	44	3	Montolac Fondo Blanco CM-55	81	5
Impriepox M-10 + Catalizador	102	6	Montolac Fondo Transparente CM-10 (tapaporos)	80	5

I. Price list 2025

Alphabetical Index

Product	Page	Family	Product	Page	Family
Montolac Mate Transparente CM-20	80	5	Montoxyl Barniz Acqua	72	5
Montolac Satinada Blanca CM-70	82	5	Montoxyl Barniz Acqua Fondo	72	5
Montolac Satinada Blanca CM-75	82	5	Montoxyl Barniz Alta Montaña	75	5
Montolac Satinada Transparente CM-30	80	5	Montoxyl Barniz Parque Acqua Satinado	79	5
Montonature Brillo	61	4	Montoxyl Barniz Parquet Acqua Brillo	79	5
Montonature Mate	62	4	Montoxyl Barniz Parquet Acqua Mate	79	5
Montonature Metalizado	62	4	Montoxyl Barniz Sintético Brillante	74	5
Montonature Satinado	61	4	Montoxyl Barniz Sintético Mate	75	5
Montoplac 2 en 1	114	7	Montoxyl Barniz Sintético Satinado	74	5
Montoplac Aparejo	115	7	Montoxyl Barniz Universa Acqua	78	5
Montoplac Mate	20	1	Montoxyl Barniz Veleró	75	5
Montoplac Pintura Extramate +	19	1	Montoxyl Classic Fondo	74	5
Montoplac Sellador Antimanchas	23	1	Montoxyl Classic Mate	73	5
Montopol Blanco Brillo 80	87	5	Montoxyl Classic Satinado	73	5
Montopol Blanco Mate 59	86	5	Montoxyl Climas Extremos	72	5
Montopol Blanco Mate 60	86	5	Montoxyl Klearxul Acqua 3	76	5
Montopol Blanco Satinado 69	87	5	Montoxyl Lasura Acqua Mate	77	5
Montopol Blanco Satinado 70	87	5	Montoxyl Lasura Acqua Acabado Pigmentado	77	5
Montopol Fondo Blanco 49	85	5	Montoxyl Lasura Acqua Fondo	78	5
Montopol Fondo Blanco 50	85	5	Montoxyl Lasura Acqua Satinado	77	5
Montopol Fondo Blanco 55	86	5	Montoxyl Tinte	88	5
Montopol Fondo Transparente 09	82	5	Montoxyl Ultra Satinado	73	5
Montopol Fondo Transparente 10	83	5	Mueble Auxiliar La Colorteca	144	Anx. Mix
Montopol Fondo Transparente 15	83	5	Muros Mediterráneos Capri Due	141	12
Montopol Transparente Brillo 40	85	5	Muros Mediterráneos Nuovo Capri	141	12
Montopol Transparente Mate 19	83	5	Nevada	21	1
Montopol Transparente Mate 20	84	5	Nevada +	21	1
Montopol Transparente Satinado 29	84	5	Nevada Fachadas	30	2
Montopol Transparente Satinado 30	84	5	Nevada Satinado	22	1
Montoprimer Total	105	6	Nevada Sílfex	30	2
Montoprimer Total Acqua	104	6	Nitro 1407	133	10
Monto-Rapid	60	4	Ovaldine +	16	1
Montosintético Anticalórico	116	7	Ovaldine 50	16	1
Montosintético Brillo	57	4	Ovaldine Antifisuras	29	2
Montosintético Ferrum	58	4	Ovaldine Elástico	43	3
Montosintético Ferrum Fino	58	4	Ovaldine Fachadas	28	2
Montosintético Mate	57	4	Ovaldine Montolite Acqua	34	2
Montosintético Metalizado	58	4	Ovaldine Satinado	22	1
Montosport Frontón	114	7	Ovaldine Silicato	31	2
Montosport Piscinas Al Agua	114	7	Ovaldine Siloxano	33	2
Montosport Piscinas Poseidón Plus Al Clorocaucho	113	7	Ovaldine Velour	17	1
Montosport Poseidón Standard	113	7	Ovalprof	14	1
MontoSpray	67	4	Oxifin	104	6
MontoSpray Acrílico	63	4	Palladio	140	12
MontoSpray Anticalórico	65	4	Paviclor	123	8
MontoSpray Antimanchas	65	4	Pavikril	125	8
MontoSpray Barniz Antideslizante	66	4	Pavimont	123	8
MontoSpray Cromado	64	4	Pavimont Acqua	124	8
MontoSpray Electrodomésticos	64	4	Pigmento Reflectante	125	8
MontoSpray Fluorescente	63	4	Plasmont Acabados	95	6
MontoSpray Marcaje	67	4	Plasmont Al Uso Azulejos	99	6
MontoSpray Metalizado	63	4	Plasmont Al Uso Multiuso	96	6
MontoSpray Primer Plásticos	65	4	Plasmont Al Uso Renovación	97	6
MontoSpray Primer Universal	66	4	Plasmont Al Uso Reparación Fachadas	97	6
MontoSpray Primer Zink	66	4	Plasmont Antihumedad	45	3
MontoSpray Protector Barniz	67	4	Plasmont Bricolage Cemento Blanco	100	6
MontoSpray Radiadores	64	4	Plasmont Bricolage Cemento Cola	99	6
MONTÓthèrm Anticondensación (Magnum Termoaislante)	45	3	Plasmont Bricolage Cemento Rápido	99	6
MONTÓthèrm Masilla Anticondensación	46	3	Plasmont Bricolage Escayola Plástica	100	6
MONTÓthèrm Mortero Acrílico	37	Anx. Mth	Plasmont Bricolage Yeso	100	6
MONTÓthèrm Mortero Adhesivo	37	Anx. Mth	Plasmont Exteriores	96	6
MONTÓthèrm Mortero Siloxano	38	Anx. Mth	Plasmont Fibra Elástico	97	6
MONTÓthèrm Primer	37	Anx. Mth	Plasmont Lijafácil	95	6
Montotinte al Agua	111	7	Plasmont Madera	98	6
Montotinte Universal	111	7	Plasmont Metales	98	6
Montoxyl Aceite de Linaza	76	5	Plasmont Multiuso	94	6
Montoxyl Aceite de Teca	76	5	Plasmont Oleosintético	98	6

I. Price list 2025

Alphabetical Index

Product	Page	Family
Plasmont Renovación	94	6
Plasmont Renovación Plus	94	6
Plasmont Reparación Fachadas	96	6
Plasmont Reparex	95	6
Poliuretano 1410	133	10
Primer ABS	137	12
Primer Silicato	31	2
Protector Deco	139	12
Quitamont Gel	116	7
Quitamont Limpia-Pintadas	116	7
Rasato Vivos	142	12
Sealer	139	12
Selladora Acqua Blanca	78	5
Selladora Sellalux	105	6
Shop Primer	102	6
Sin Olor 1412	132	10
Sintéticos y Grasos 1401	131	10
Sistema Tintométrico La Colorteca	144	Anx. Mix
Smart Aire Puro	15	1
Smart Antirradiaciones	115	7
Smart Protección Total	14	1
Suelos M-Epox 60 Autonivelante	127	8
Suelos M-Thane 80-B	127	8
Tixoway Antihumedad Acqua	45	3
Tixoway Antimanchas	23	1
Tixoway Antimanchas Acqua	23	1
Tornado	21	1
Universal 1405	132	10
Uno	20	1
Uno +	20	1
Uno Zero	19	1
Velato Terciopelo	142	12
Vial M-Acrlil 30	127	8
Vinilmat SB Lisos	18	1

Walls and ceilings
Premium Matt
Matt
Satin
Stain-resistant
Montomix



Color Tendencia 2024 Serenidad T2400

1. Walls and ceilings

Product Map

	MATT							
RANGE	PREMIUM							MEDIUM
CONTAINER								
PRODUCT	Massima +	Ovaldine +	Ovaldine 50	Ovaldine Matt	Magnum Ecológico	Magnum +	Magnum	Vinimat
Indoor	x	x	x	x	x	x	x	x
Outdoor	x	x	x	x		x	x	x
Colours	White and SSTT	White and SSTT	White and SSTT	White and Chart	White and SSTT	White and SSTT	White	White
Theoretical coverage (x coat) (m ² /L)	14-16	14-16	14-16	14-16	9-12	13-15	13-15	12-14
CLASSIFIED ACCORDING TO THE UNE-EN 13300 STANDARD								
Washability	Class 1	Class 1	Class 1	Class 1	Class 2	Class 1	Class 2	Class 2
Gloss	Extra-matt	Matt	Matt	Matt	Matt	Extra-matt	Extra-matt	Matt
OTHER CHARACTERISTICS								
Indoor emissions	A+	A+	A+	A+	A+	A+	A+	A+
Certifications	Euroclases. Toys	Euroclases. Toys	Euroclases	Euroclases	Ecolabel	Euroclases		Euroclases
With anti-mould preservative	X	X	X			X	X	
USES								
Perfect smooth finishes	●	●	●	●	○	○	○	○
Large-scale projects	○	○	○	○	○	○	○	○
Roofs	○	○	○	○	○	○	○	○
Children's bedrooms	●	●	○	○	●	○	○	○
Medical centres, hospitality, sports centres, etc.	●	●	○	○	●	○	○	○
Damp or closed-off areas, basements, etc.	—	—	—	—	—	—	—	○
Difficult adherence on new surfaces	●	●	○	○	○	○	○	●
Spaces with a high level of use / intense traffic	●	●	●	●	○	○	○	○
Low repainting frequency (> 5 years)	●	●	●	●	○	○	○	○
High repainting frequencies (within a few years)	○	○	○	○	○	○	○	○

Generic recommendations that may vary according to the state and characteristics of the substrate; the specific needs of the property; the particular use for which it is intended. Always consult the product data sheets.

1. Walls and ceilings

Product Map

					SATIN					
MEDIUM					BASIC	PREMIUM			MEDIUM	BASIC
										
Uno Zero	Uno +	Uno	Nevada +	Nevada	Tornado	Ovaldine Velour	Ovaldine SemiGloss	Ovaldine Satin	Ibersat	Nevada Satin
x	x	x	x	x	x	x	x	x	x	x
x	x	x	x			x	x	x	x	
White and SSTT	White and SSTT	White and colours	White and SSTT	White	White	White and SSTT	White and chart	White and SSTT	White and SSTT	White
12-14	12-14	12-14	11-13	10-12	8-10	14-16	15-17	14-16	12-14	11-13
Class 2	Class 2	Class 2	Class 3	Class 3	Class 4	Class 1	Class 1	Class 1	Class 1	Class 1
Matt	Matt	Matt	Matt	Matt	Matt	Semi-mat (15±5)	Gloss (80±5)	Satin (70±5)	Satin (50±5)	Satin (35±5)
A+	A	A+	A+	A+						
Toys. Euroclasses	Euroclasses	Euroclasses	Euroclasses			Euroclasses	Euroclasses	Euroclasses		
X	X	X	X			X				
—	—	—	—	—	—	●	●	●	—	—
○	○	○	●	●	●	○	○	○	○	●
○	●	○	●	●	○	○	○	○	○	○
●	○	○	○	○	○	○	○	○	○	○
●	○	○	—	—	—	○	○	○	○	○
●	○	○	●	●	●	—	—	—	—	—
○	○	○	○	○	○	○	○	○	○	○
○	○	○	—	—	—	●	●	●	●	●
○	○	○	—	—	—	●	●	●	●	○
○	○	○	●	●	●	○	○	○	○	●

— Not recommended use ○ Possible use ● Ideal for this application

1. Walls and ceilings

Premium matt paint



Ovalprof

High-quality vinyl plastic paint for smooth surfaces. Deep matt finish with high levelling: conceals defects such as brush marks and cut marks. High performance, coverage, whiteness and washability. Low splatter. Anti-mould.

Substrate: Construction works; cement, concrete, plaster, brick, plasterboard drywall.

Prime with: Emulsión Fijadora; Fijamont.



Brush: 5-10%
Roller: 5-10%
Spray gun:
10-20%

	15L	4L
502575 White 103	XXX,XX	XX,XX
502575 Red Poster 205	XX,XX	XX,XX
502575 Black 207	XX,XX	XX,XX

Matt Paint



Smart Protección Total

Washable paint for walls and ceilings, with good coverage and whiteness. Easy to apply and good coverage. Especially suitable for spaces where sensitive people live. Allows spaces to be used immediately without unpleasant odours. Contains an antimicrobial agent: incorporates silver ions that give the dry paint film resistance to bacterial growth.

Substrate: Construction; Children's bedrooms; Educational centres; Offices; Homes.

Prime with: Emulsión Fijadora; Fijamont.

Certificado: Fire performance according to Euroclasses. Indoor emissions (A+). Fire resistance.



Brush: 5%
Roller: 5%
Spray gun:
5-30%

	12L	10L	4L
501944 White 103	XXX,XX	XX,XX	XX,XX

1. Walls and ceilings

Premium matt paint



Massima + a

Water-based enamel for walls and ceilings. Ideal for decorating high quality smooth surfaces thanks to its silky and even finish. Ideal product for professional application; faster, more effective and more affordable projects: + Coverage; + Ease of retouching; + Repainting speed; + Adherence; + Matt; + Colour intensity; + Anti-splash technology.

Substrate: Construction works; cement, concrete, plaster, brick, plasterboard drywall.

Prime with: Emulsión Fijadora; Fijamont.

Certifications: Fire performance according to Euroclasses. Safety for toys EN71-3. Indoor emissions (A+). EPD | Contributes to: LEED®, BREEAM® AND VERDE.



Brush: 0-10%
Roller: 0-10%
Spray gun: 5-10%

	12L	4L	750ml
501950 White 103	xxx,xx	xx,xx	---
■ 501950 BL	xxx,xx	xx,xx	xx,xx
■ 501950 IN	xxx,xx	xx,xx	xx,xx
■ 501950 TR	xxx,xx	xx,xx	xx,xx

Montomix Line



Smart Aire Puro ae

Matt plastic paint with high coverage. Photocatalytic effect that purifies the environment and removes substances that are harmful to health. Reduces smells. Self-cleaning effect: walls and ceilings stay clean for longer.

Substrate: Construction works; Children's bedrooms; Educational centres; Offices; Homes.

Prime with: Emulsión Fijadora; Fijamont.

Certified: Photocatalytic system Indoor emissions (A+). EPD | Contributes to: LEED®, BREEAM® AND VERDE.



Brush: Rd to use
Roller: Rd to use
Spray gun: 5%

	12L	4L	750ml*
501992 White 103	xxx,xx	xx,xx	xx,xx

* Product to be discontinued in the indicated size. Available while stocks last

1. Walls and ceilings

Premium matt paint



Ovaldine + a

Latest generation 100% matt acrylic paint. Specially formulated to stand the test of time: resists stains (oil, grease, wine...) and scratches. It can be scrubbed without shiny spots. Maximum washability for matt paint. High coverage and performance; Tixoless technology (zero spatters); Multi-adhesive; Scented, immediately inhabits spaces. With anti-mould preservative.

Substrate: Construction works; cement, concrete, plaster, brick, plasterboard drywall.

Prime with: Emulsión Fijadora; Fijamont.

Certifications: Fire performance according to Euroclasses. Safety for toys EN71-3. Indoor emissions (A+).



Brush: 0-5%
Roller: 0-5%
Spray gun: 0-10%

	12L	4L	750ml
501982 White 103	XXX,XX	XX,XX	---
■ 501982 BL	XXX,XX	XX,XX	XX,XX
■ 501982 IN	XXX,XX	XX,XX	XX,XX
■ 501982 TR	XXX,XX	XX,XX	XX,XX

Montomix Line



Ovaldine 50 v

High-performance plastic paint with excellent balance in terms of durability, ease of application, coverage and performance. Incorporates forest and tropical fruit fragrances. Tixoless technology (zero spatter).

Substrate: Construction works; cement, concrete, plaster, brick, plasterboard drywall.

Prime with: Emulsión Fijadora; Fijamont.

Certifications: Fire performance according to Euroclasses. Indoor emissions (A+). EPD | Contributes to: LEED®, BREEAM® AND VERDE.



Brush: 0-5%
Roller: 0-5%
Spray gun: 10-20%

	12L	4L	2,5L	750ml
502392 White 103	XXX,XX	XX,XX	XX,XX	XX,XX
■ 502392 BLC	XXX,XX	XX,XX	XX,XX	XX,XX
■ 502392 BL	XXX,XX	XX,XX	XX,XX	XX,XX
■ 502392 IN	XXX,XX	XX,XX	XX,XX	XX,XX
■ 502392 TR	XX,XX	XX,XX	XX,XX	XX,XX
■ 502392 AM	XXX,XX	XX,XX	---	XX,XX
■ 502392 RO	XXX,XX	XX,XX	---	XX,XX

Montomix Line



1. Walls and ceilings

Premium matt paint



Ovaldine Velour V

High-performance plastic paint with excellent balance in terms of durability, ease of application, coverage and performance. Elegant velvet finish. It combines the characteristics of matt paints (coverage, ease of application) and satin paints (luminosity, resistance and washability).

Substrate: Construction works; cement, concrete, plaster, brick, plasterboard drywall.

Prime with: Emulsión Fijadora; Fijamont.

Certifications: Fire performance according to Euroclasses. Indoor emissions (A+). EPD | Contributes to: LEED®, BREEAM® AND VERDE.



Brush: 0-5 %
Roller: 0-5%
Spray gun:
0-10%

	12L	4L	750ml
502671 White 102	xxx,xx	xx,xx	---
M 502671 BL	xxx,xx	xx,xx	xx,xx
M 502671 IN	xxx,xx	xx,xx	xx,xx
M 502671 TR	xxx,xx	xx,xx	xx,xx

Montomix Line



Magnum + V

Paint for walls and ceilings with good cleanability, coverage, whitening and a satin finish. Easy to apply, high performing and ideal for interior decoration in general. Non-splatter, Tixoless technology.

Substrate: Construction works; cement, concrete, plaster, brick, plasterboard drywall.

Prime with: Emulsión Fijadora; Fijamont.

Certifications: Fire performance according to Euroclasses. Indoor emissions (A+). EPD | Contributes to: LEED®, BREEAM® AND VERDE.



Brush: 0-5%
Roller: 0-5%
Spray gun:
5-15%

	15L	12L	4L	1L N	750ml*
502560 White 103	xxx,xx	xxx,xx	xx,xx	---	---
M 502560 BL	---	xxx,xx	xx,xx	xx,xx	xx,xx
M 502560 IN	---	xxx,xx	xx,xx	xx,xx	xx,xx
M 502560 TR	---	xx,xx	xx,xx	xx,xx	xx,xx

Montomix Line



* Product to be discontinued in the indicated size. Available while stocks last

1. Walls and ceilings

Premium matt paint

Magnum



Paint for walls and ceilings with good cleanability, coverage, whitening and a satin finish. Easy to apply, high performing and ideal for interior decoration in general. Non-splatter, Tixoless technology.

Substrate: Construction works; cement, concrete, plaster, brick, plasterboard drywall.

Prime with: Emulsión Fijadora; Fijamont.

Certifications: Indoor emissions (A+).



Brush: 0-5%
Roller: 0-5%
Spray gun:
5-15%

	15L	4L
501943 White 103	XXX,XX	XX,XX

Matt paint

Magnum Ecológico



Plastic paint with environmental certification. High performance, coverage and levelling.

Substrate: Construction works; cement, concrete, plaster, brick, plasterboard drywall.

Prime with: Emulsión Fijadora; Fijamont.

Certified: Environmental European Ecolabel. Indoor emissions (A+). EPD | Contributes to: LEED®, BREEAM® AND VERDE.



Brush: 5-20%
Roller: 5-20%
Spray gun: 10-30%

	15L	12L	4L	750ml
502393 White 103	XXX,XX	---	XX,XX	---
502393  BL	---	XXX,XX	XX,XX	XX,XX
502393  IN	---	XX,XX	XX,XX	XX,XX
502393  TR	---	XX,XX	XX,XX	XX,XX

Montomix Line



Vinimat SB Lisos



Plastic paint which is ideal for SMOOTH finishes due to its ease of retouching. Multi-adherent. Tixoless technology (Low spatter).

Substrate: Construction works; cement, concrete, plaster, brick, plasterboard drywall.

Prime with: Emulsión Fijadora; Fijamont.

Certified: Fire performance according to Euroclasses. Indoor emissions (A+).

EPD | Contributes to: LEED®, BREEAM® AND VERDE.



Brush: 5-10%
Roller: 5-10%
Spray gun: 10-30%

	15L	4L
502592 White 103	XXX,XX	XX,XX

1. Walls and ceilings

Montoplac Paint



Montoplac Pintura Extramate +

The paint for direct decoration of laminated plasterboard. It facilitates professional application, reducing the number of coats needed to cover joints and fillers, as well as concealing joints from light. Washability class 2 (UNE-EN 13300). Ideal as a finishing paint in Q2 and Q3 installations.

Substrate: Construction works. Plasterboard drywall. Plaster, cement, brick.

Certified: EPD | Contributes to: LEED®, BREEAM® AND VERDE.



Brush: max.5%
Roller: max.5%
Spray gun: 5%

	15L	4L
502274 White 103	xxx,xx	xx,xx

Matt paint



Uno Zero

Sanitising plastic paint with an excellent balance between covering power, performance and resistance. Zero Bacterias, Zero Moho, Zero Emisiones.

Substrate: Construction works; cement, concrete, plaster, brick, plasterboard drywall.

Prime with: Emulsión Fijadora; Fijamont.

Certified: Eficacia antimicrobiana. Safety for toys EN71-3.

Fire performance according to Euroclasses. Certified antibacterial activity: 99.9% reduction in 24 hours. Antiviral activity of plastics and non-porous surfaces. Indoor emissions (A+). EPD | Contributes to: LEED®, BREEAM® AND VERDE.



Brush: 5-20%
Roller: 5-20%
Spray gun: 5-30%

	15L	12L	4L	1L	750ml*
502256 White 103	xxx,xx	xx,xx	xx,xx	xx,xx	xx,xx
502256 BL	---	xxx,xx	xx,xx	xx,xx	xx,xx

Montomix Line



* Product to be discontinued in the indicated size. Available while stocks last

1. Walls and ceilings

Matt Paint



Uno +

Plastic paint with an excellent balance between coverage power, performance and resistance. Very easy to apply. No dripping. 0 splash (tixoless technology).
Substrate: Construction works; cement, concrete, plaster, brick, plasterboard drywall.
Prime with: Emulsión Fijadora; Fijamont.
Certified: Fire performance according to Euroclasses. Indoor emissions (A+).
 EPD | Contributes to: LEED®, BREEAM® AND VERDE.



Brush: 5-15%
 Roller: 5-15%
 Spray gun:
 5-30%

	15L	12L	4L	1L	750ml*
502467 White 103	xxx,xx	xx,xx	xx,xx	xx,xx	x,xx
502467 Ral 9010	xxx,xx	---	---	---	---
502467 BL	---	xx,xx	xx,xx	xx,xx	xx,xx
502467 IN	---	xx,xx	xx,xx	xx,xx	xx,xx
502467 TR	---	xx,xx	xx,xx	xx,xx	xx,xx

* Product to be discontinued in the indicated size. Available while stocks last

Montomix Line



Uno

Plastic paint with an excellent balance between coverage power, performance and resistance.
Substrate: Construction works; cement, concrete, plaster, brick, plasterboard drywall.
Prime with: Emulsión Fijadora; Fijamont.
Certified: Fire performance according to Euroclasses. Indoor emissions (A+).



Brush: 5-20%
 Roller: 5-20%
 Spray gun:
 5-30%

	15L	12L	4L	750ml
502414 White 103	xxx,xx	xx,xx	xx,xx	x,xx

Montoplac Paint



Montoplac Mate

The paint for direct decoration of laminated plasterboard. It facilitates professional application, reducing the number of coats needed to cover joints and fillers. Washability class 3 (UNE-EN 13300).
 Ideal as a finishing paint in Q2 and Q3 installations.
Substrate: Construction works. Plasterboard drywall. Plaster, cement, brick.
Certified: EPD | Contributes to: LEED®, BREEAM® AND VERDE.



Brush: max.5%
 Roller: max.5%
 Spray gun: 5%

	15L
502273 White 103	xxx,xx

1. Walls and ceilings

Pintura Matt



Nevada +

Plastic paint with good coverage, whiteness and rub resistance. For outdoor use in mild climates.

Substrate: Construction works; cement, concrete, plaster, brick, plasterboard drywall.

Prime with: Emulsión Fijadora; Fijamont.

Certified: Fire performance according to Euroclasses. Indoor emissions (A+).

EPD | Contributes to: LEED®, BREEAM® AND VERDE.



Brush: 5-20%
Roller: 5-20%
Spray gun:
5-30%

	15L	12L	4L	1L	750ml*
502413 White 103	XX,XX	XX,XX	XX,XX	XX,XX	X,XX
502413 BLC	---	XX,XX	XX,XX	XX,XX	XX,XX
502413 BL	---	XX,XX	XX,XX	XX,XX	XX,XX
502413 IN	---	XX,XX	XX,XX	XX,XX	XX,XX
502413 TR	---	XX,XX	XX,XX	XX,XX	XX,XX

* Product to be discontinued in the indicated size. Available while stocks last

Montomix Line



Nevada

Plastic paint with good whiteness and performance.

Substrate: Construction works; cement, concrete, plaster, brick, plasterboard drywall.

Prime with: Emulsión Fijadora; Fijamont.

Certified: Indoor emissions (A+).



Brush: 10-20%
Roller: 10-20%
Spray gun:
5-30%

	15L	12L	4L
502416 White 103	XX,XX	XX,XX	XX,XX



Tornado

Inexpensive plastic paint with good coverage and whiteness. High breathability.

Substrate: Construction works; cement, concrete, plaster, brick, plasterboard drywall.

Prime with: Emulsión Fijadora; Fijamont.

Certified: Indoor emissions (A+).



Brush: 10-20%
Roller: 10-20%
Spray gun:
5-30%

	15L	4L
502500 White 103	XX,XX	XX,XX

1. Walls and ceilings

Satin Paint



Ovaldine Satinado V

Plastic paint with high gloss, resistance and whiteness. Low splash.
Substrate: Construction works; cement, concrete, plaster, brick, plasterboard drywall.
Prime with: Emulsión Fijadora; Fijamont.
Certified: Fire performance according to Euroclasses. Indoor emissions (A+).



Brush: 0-5 %
 Roller: 5-20%
 Spray gun: 5-20%

	12L	4L	750ml
502630 White 102	XXX,XX	XX,XX	---
M 503820 BL	XXX,XX	XX,XX	XX,XX
M 503820 IN	XXX,XX	XX,XX	XX,XX
M 503820 TR	XXX,XX	XX,XX	XX,XX

Montomix Line



Ibersat V

Plastic paint with an excellent balance between coverage power, gloss and resistance. Low splash.
Substrate: Construction works; cement, concrete, plaster, brick, plasterboard drywall.
Prime with: Emulsión Fijadora; Fijamont.
Certified: Indoor emissions (A+). EPD | Contributes to: LEED®, BREEAM® AND VERDE.



Brush: 0-5 %
 Roller: 0-5 %
 Spray gun: 5-20%

	15L	12L	4L	750ml
502610 White 102	XXX,XX	XXX,XX	XX,XX	XX,XX
M 503825 BL	---	XXX,XX	XX,XX	XX,XX
M 503825 IN	---	XXX,XX	XX,XX	XX,XX
M 503825 TR	---	XX,XX	XX,XX	XX,XX

Montomix Line



Nevada Satin V

Inexpensive plastic paint with good resistance and gloss.
Substrate: Construction works; cement, concrete, plaster, brick, plasterboard drywall.
Prime with: Emulsión Fijadora; Fijamont.
Certified: Indoor emissions (A+).



Brush: 5-20%
 Roller: 5-20%
 Spray gun: 10-25%

	15L	4L
502619 White 102	XXX,XX	XX,XX

1. Walls and ceilings

Stain Resistant Paint

Tixoway Antimanchas



Insulating paint with a matt finish and high coverage. Odourless. Suitable for stained surfaces. Excellent adhesion on friable substrates. No dripping or sagging. Easy application.

Substrate: Construction works; cement, concrete, plaster, brick, plasterboard drywall.

Finish with: Tixoway Antimanchas.

Dilute with: Disolvente 1412.



Brush: Al Uso
Roller: Al Uso
Spray gun: 10-25%

	15L	4L	750ml
503100 White 100	XXX,XX	XX,XX	XX,XX

Tixoway Antimanchas Acqua



Matt water-based paint with excellent opacity, suitable for isolating and covering stains of all kinds: dry dampness, smoke, grease, nicotine, coffee, crayons, pens, etc. Total coverage in two coats: The 1st insulates and the 2nd completely covers the stain.

Substrate: Construction works; cement, concrete, plaster, brick, plasterboard drywall.

Finish with: Tixoway Antimanchas Acqua or plastic paint from the MONTÓ range.



Depth
Bru: 0-5%
Roll: 0-5%
Spr: 0-5%
Finish
Brush, roller
& spray gun:
Ready to use

	12L	4L	750ml
503107 White 103	XXX,XX	XX,XX	XX,XX

Montoplac Sellador Antimanchas



Sealant for the levelling of boards on dry partition walls. Also suitable for all types of substrates as a powerful stain-remover: seals existing stains from moisture, grease, nicotine, smoke, marker pens, etc. Ideal for sealing coloured plasterboards (PYL).

Substrate: Plasterboard partition walls: PYL; stains.

Finish with: Montoplac Range or family 1 products.



Brush: Ready to use
Roller: Ready to use

	2,5L	750ml
501958 Transparent 800	XX,XX	XX,XX



Facades

100% Acrylic
Acrylic
Silicate
Siloxane
Pliolite
Rugged
Anti-carbonation
Montotherm
Montomix

2. Facade coatings

Product map

	ACRYLIC 100%			ACRYLICS			
CONTAINER							
PRODUCT	Massima Fachadas	Ovaldine Fachadas Antifisuras	Ovaldine Fachadas Liso	Montokril Liso	Montokril SuperWhite	Nevada Fachadas	Nevada Silflex
Finish	Smooth	Smooth	Smooth	Stony	Stony	Stony	Smooth
With anti-mould preservative	x	x	x	x			
Colours	White/SSTT	White/SSTT	White/SSTT	White/SSTT	White	White/chart	White/chart
Theoretical coverage	10-14	8-12	8-12	6-9	6-9	4-8	4-8
CHARACTERISTICS. UNE-EN 1062-1 "Paints and Varnishes. coating Matrrials and coating systems for exterior masonry and concrete"							
Gloss Level							
Nominal film thickness (2 coats according to theoretical performance)							
Water vapour permeability							
Liquid water permeability							
CO2 permeability							
Cracking resistance							
CHARACTERISTICS. UNE-EN 13300 "Classification of indoor paints"							
Washability							
Opacity							
CERTIFICATIONS							
CE marking	CE	CE	CE	CE			
Euroclasses	Yes		Yes				
Anti-carbonation	Yes	Yes	Yes				
Cracking		Yes					
SPECIAL USES							
Reinforced concrete	●	●	●				
Lime (or similar) facade							○
Environments with high levels of pollution	●	○	○				○
Historic facade or mineral substrate							
Demanding cliMatt	●	○	○				
Flawed or poorly levelled substrates				○	○	○	
Skirting boards							
Micro-cracks		●					
Presence of interior dampness					○	○	○
Intense colours	●	●	●				

Generic recommendations may vary depending on the state and specific characteristics of the substrate; the specific needs of the property, the specific use determined on a case by case basis. Always consult the product data sheets.

2. Facade coatings

Product map

	SILOXANE	SILICATE	PLIOLITE	RUGGED		
CONTAINER						
PRODUCT	Ovaldine Siloxano	Montokril + Siloxane	Ovaldine Silicato	Ovaldine Montolite Acqua	Montokril Texturado	Montokril Rugoso
Finish	Smooth	Smooth	Smooth	Smooth	Slightly textured	Rugged
With anti-mould preservative	X	X		X		
Colours	White/SSTT	White/SSTT	White/SSTT	White/SSTT	White/SSTT	White/SSTT
Theoretical coverage	8-12	8-12	8-12	8-12	6-9	1.5-2
CHARACTERISTICS. UNE-EN 1062-1 "Paints and Varnishes. coating Materials and coating systems for exterior masonry and concrete"						
Gloss Level						
Nominal film thickness (2 coats according to theoretical performance)						
Water vapour permeability						
Liquid water permeability						
CO2 permeability						
Cracking resistance						
CHARACTERISTICS. UNE-EN 13300 "Classification of indoor paints"						
Washability						
Opacity						
CERTIFICATIONS						
CE marking	CE	CE		CE		CE
Euroclasses						
Anti-carbonation	Yes	Yes		Yes		Yes
Cracking						
SPECIAL USES						
Reinforced concrete	●	●		●		●
Lime (or similar) facade			○			
Environments with high levels of pollution	●	●				
Historic facade or mineral substrate	○	○	●	○		
Demanding cliMatt	○			○		
Flawed or poorly levelled substrates					●	●
Skirting boards	●	●	●	○		
Micro-cracks						
Presence of interior dampness			●		○	○
Intense colours	●	○		●		

○ :Recommended use, ● : Ideal for this application

2. Facade coatings

100% acrylic



Massima Fachadas a

Smooth, waterproof, 100% acrylic coating for the protection and decoration of facades. For maximum durability and performance.

Substrate: Construction works; Facades, party walls, staircases.

Prime with: A diluted form of the same product.

Certified: CE marking; Fire performance in accordance with Euroclasses; Effective against mould and algae. EPD | Contributes to: LEED®, BREEAM® AND VERDE.



Brush: 10-20%
Roller: 10-20%
Spray gun: 10-30%

	12L	4L
502861 White 103	XXX,XX	XX,XX
502861 COF & ETERNA 400 Colours Group E	XXX,XX	XX,XX
502861 COF & ETERNA 400 Colours Group D	XXX,XX	XX,XX
502861 COF & ETERNA 400 Colours Group C	XXX,XX	XX,XX
502861 COF & ETERNA 400 Colours Group B	XXX,XX	XXX,XX
502861 COF & ETERNA 400 Colours Group A	XXX,XX	XXX,XX
■ 502861 BL	XXX,XX	XX,XX
■ 502861 IN	XXX,XX	XX,XX
■ 502861 TR	XXX,XX	XX,XX

Montomix Line



Ovaldine Fachadas a



100% acrylic coating for the protection and decoration of facades and exterior walls, providing them with a high level of protection and durability.

Substrate: Construction works; Facades, party walls, staircases.

Prime with: Emulsión Fijadora / Fijamont.

Certified: CE labelled; Fireproof performance in accordance with Euroclasses. EPD | Contributes to: LEED®, BREEAM® AND VERDE.



Brush: 10-20%
Roller: 10-20%
Spray gun: 10-30%

	15L	12L	4L	750ml
502820 White 103	XXX,XX	XXX,XX	XX,XX	XX,XX
502820 COF & ETERNA 400 Colours Group E	XXX,XX	XXX,XX	XX,XX	---
502820 COF & ETERNA 400 Colours Group D	XXX,XX	XXX,XX	XX,XX	---
502820 COF & ETERNA 400 Colours Group C	XXX,XX	XXX,XX	XX,XX	---
502820 COF & ETERNA 400 Colours Group B	XXX,XX	XXX,XX	XX,XX	---
502820 COF & ETERNA 400 Colours Group A	XXX,XX	XXX,XX	XXX,XX	---
■ 502820 BL	---	XXX,XX	XX,XX	XX,XX
■ 502820 IN	---	XXX,XX	XX,XX	XX,XX
■ 502820 TR	---	XXX,XX	XX,XX	XX,XX

Montomix Line



2. Facade coatings

100% acrylic



Ovaldine Antifisuras ^{ae}

100% acrylic smooth elastic coating for the protection and decoration of facades and exterior walls. High level of strength and durability. Covers cracks and micro-cracks of up to 0.5 mm. High performance and maximum coverage.

Substrate: Construction works; facades and party walls with micro-cracks.

Prime with: Emulsión Fijadora / Fijamont.

Certified: CE marking; Cracking. EPD | Contributes to: LEED®, BREAM® AND VERDE.



Brush: 10-20%
Roller: 10-20%
Spray gun: 10-30%

	12L	4L
502983 White 103	XXX,XX	XX,XX
502983 COF & ETERNA 400 Colours Group E	XXX,XX	XX,XX
502983 COF & ETERNA 400 Colours Group D	XXX,XX	XX,XX
502983 COF & ETERNA 400 Colours Group C	XXX,XX	XX,XX
502983 COF & ETERNA 400 Colours Group B	XXX,XX	XX,XX
502983 COF & ETERNA 400 Colours Group A	XXX,XX	XXX,XX
ST 502983 IN	XXX,XX	XX,XX
ST 502983 TR	XXX,XX	XX,XX

Montomix Line



Acrylic



Montokril Liso ^{ae}

Coating for protecting and decorating facades. Excellent balance of all its main properties: coverage, strength, waterproofing and breathability.

Substrate: Construction works; Facades, party walls, staircases.

Prime with: Emulsión Fijadora / Fijamont.

Certified: CE marking; Cracking. EPD | Contributes to: LEED®, BREAM® AND VERDE.



Brush: 10-20%
Roller: 10-20%
Spray gun: 10-30%

	15L	12L	4L	750ml
502800 White 103	XXX,XX	XX,XX	XX,XX	XX,XX
502800 COF & ETERNA 400 Colours Group E	XXX,XX	XX,XX	XX,XX	---
502800 COF & ETERNA 400 Colours Group D	XXX,XX	XXX,XX	XX,XX	---
502800 COF & ETERNA 400 Colours Group C	XXX,XX	XXX,XX	XX,XX	---
ST 502800 BL	---	XX,XX	XX,XX	XX,XX
ST 502800 IN	---	XX,XX	XX,XX	XX,XX
ST 502800 TR	---	XX,XX	XX,XX	XX,XX

Montomix Line



2. Facade coatings

Acrylic



5

Montokril Superblanco

Coating for protecting and decorating facades. Stands out due its extraordinary whiteness and coverage.

Substrate: Construction works; Facades, party walls, staircases.

Prime with: Emulsión Fijadora / Fijamont



Brush: 10-20%
Roller: 10-20%
Spray gun: 10-30%

	15L	12L	4L
502814 White 103	XXX,XX	XX,XX	XX,XX



Nevada Fachadas

Coating for protecting and decorating facades. Ideal for large construction projects. High coverage and breathability.

Substrate: Construction works; Facades, party walls, staircases.

Prime with: Emulsión Fijadora / Fijamont.



Brush: 10-20%
Roller: 10-20%
Spray gun: 10-30%

	15L	4L
502863 White 103 and Nevada chart colours	XX,XX	XX,XX



Nevada Silflex

Coating for protecting and decorating facades. Ideal for large construction projects. Low surface tension. High coverage and breathability.

Substrate: Construction works; on lime, tempera, old paint.

Prime with: The same product diluted.



Roller: 10-20%
Spray gun: 10-30%
Brush: 10-20%

	15L	4L
502825 White 103	XXX,XX	XX,XX

2. Facade coatings

Silicate



Primer Silicato SC

Primer for the preparation of porous mineral substrates prior to the application of OVALDINE SILICATO. Can also be used for thinning.

Substrate: Construction works; facades, mineral or mineral-painted substrates.

Finish with: Ovaldine Silicato.

Dilute with: Water.



Brush: 0-20%
Roller: 0-20%

4L

502846 Transparent 900

XX,XX



Ovaldine Silicato SC

Mineral silicate coating for protection and decoration of facades and exterior walls. High level of strength and durability. Maximum breathability and adherence on mineral substrates.

Substrate: Construction works; facades, mineral or mineral-painted substrates.

Prime with: Primer Silicato.

Dilute with: Primer Silicato.

Certified: EPD | Contributes to: LEED®, BREEAM® AND VERDE.



Brush: 5-20%
Roller: 5-20%

12L

502986 White 103

XXX,XX

502986 COF & ETERNA 400 Colours Group E

XXX,XX

502986 COF & ETERNA 400 Colours Group D

XXX,XX

502986 COF & ETERNA 400 Colours Group C

XXX,XX

#IfFaçadesCouldSpeak

If I put
my mind to it,
I can be
veryyyy repellent...



If façades could speak,
they would undoubtedly ask
for a self-cleaning dirt repellent paint.
One that protects you even in places
that suffer the highest levels of pollution.
Of course, they would ask for the best.
Just like you do.

Ovaldine siloxano of

MONTÓ
professional



Find out about the full range of façades at montopinturas.com

2. Revestimientos de fachadas

Siloxano



EPD®
THE INTERNATIONAL EPD® SYSTEM

Ovaldine Siloxano SX

Siloxane coating for protection and decoration of facades and exterior walls. High level of strength and durability. Water-repellent and self-cleaning. Perfect balance of breathability and waterproofing.

Substrate: Construction works; Facades, party walls, staircases.

Prime with: Emulsión Fijadora / Fijamont.

Certified: CE marking; Cracking. EPD | Contributes to: LEED®, BREAM® AND VERDE.



Brush: 10-20%
Roller: 10-20%
Spray gun: 10-30%

	12L	4L
502981 White 103	XXX,XX	XX,XX
502981 COF & ETERNA 400 Colours Group E	XXX,XX	XX,XX
502981 COF & ETERNA 400 Colours Group D	XXX,XX	XX,XX
502981 COF & ETERNA 400 Colours Group C	XXX,XX	XX,XX
502981 COF & ETERNA 400 Colours Group B	XXX,XX	XX,XX
502981 COF & ETERNA 400 Colours Group A	XXX,XX	XXX,XX
■ 502981 BL	XXX,XX	XX,XX
■ 502981 IN	XXX,XX	XX,XX
■ 502981 TR	XXX,XX	XX,XX

Montomix Line



EPD®
THE INTERNATIONAL EPD® SYSTEM

Montokril + Siloxano SX

Siloxane coating for protection and decoration of facades and exterior walls. Water-repellent and self-cleaning. Perfect balance of breathability and waterproofing.

Substrate: Construction works; Facades, party walls, staircases.

Prime with: Emulsión Fijadora / Fijamont.

Certified: CE marking; Cracking. EPD | Contributes to: LEED®, BREAM® AND VERDE.



Brush: 10-20%
Roller: 10-20%
Spray gun: 10-30%

	15L	12L	4L	750ml
502984 White 103	XXX,XX	XXX,XX	XX,XX	---
502984 COF & ETERNA 400 Colours Group E	---	XXX,XX	XX,XX	---
502984 COF & ETERNA 400 Colours Group D	---	XXX,XX	XX,XX	---
502984 COF & ETERNA 400 Colours Group C	---	XXX,XX	XX,XX	---
502984 COF & ETERNA 400 Colours Group B	---	XXX,XX	XX,XX	---
502984 COF & ETERNA 400 Colours Group A	---	XXX,XX	XXX,XX	---
■ 502984 BL	---	XXX,XX	XX,XX	XX,XX
■ 502984 IN	---	XX,XX	XX,XX	XX,XX
■ 502984 TR	---	XX,XX	XX,XX	XX,XX

Montomix Line



2. Facade coatings

Pliolite



Montomix Line



Ovaldine Montolite Acqua pt

Pliolite coating for the protection and decoration of facades and exterior walls. High level of strength and durability. Maximal adherence without priming. Breathable and waterproof.

Substrate: Construction works; Facades, party walls, staircases.

Prime with: The same product diluted.

Certified: CE. EPD | Contributes to: LEED®, BREEAM® AND VERDE.



Brush: 10-20%
Roller: 10-20%

	12L	4L
■ 502985 White 103	XXX,XX	XX,XX
502985 COF & ETERNA 400 Colours Group E	XXX,XX	XX,XX
502985 COF & ETERNA 400 Colours Group D	XXX,XX	XX,XX
502985 COF & ETERNA 400 Colours Group C	XXX,XX	XX,XX
502985 COF & ETERNA 400 Colours Group B	XXX,XX	XX,XX
502985 COF & ETERNA 400 Colours Group A	XXX,XX	XXX,XX
■ 502985 IN	XXX,XX	XX,XX
■ 502985 TR	XXX,XX	XX,XX

Rugged



Montomix Line



Montokril Texturado ae

Textured coating for protecting and decorating facades. Excellent balance of all its main properties: coverage, strength, waterproofing and breathability.

Substrate: Construction works; Facades, party walls, staircases.

Prime with: Emulsión Fijadora / Fijamont.



Brush: 10-20%
Roller: 10-20%

	12L	4L
502982 White 103	XX,XX	XX,XX
502982 COF & ETERNA 400 Colours Group E	XXX,XX	---
502982 COF & ETERNA 400 Colours Group D	XXX,XX	---
502982 COF & ETERNA 400 Colours Group C	XXX,XX	---
■ 502982 IN	XX,XX	---
■ 502982 TR	XX,XX	---

2. Facade coatings

Rugged



Montokril Rugoso

Coating for protecting and decorating facades. Excellent balance of all its main properties: coverage, strength, waterproofing and breathability.

Substrate: Construction works; Facades, party walls, staircases.

Prime with: 1st coat: Emulsión Fijadora / Fijamont. 2nd coat: Montokril Liso.

Certified: CE marking.



Roller: 0-5%
Brush: 0-5%

	12L	4L
502850 White 103	XX,XX	XX,XX
502850 COF & ETERNA 400 Colours Group E	XXX,XX	---
502850 COF & ETERNA 400 Colours Group D	XXX,XX	---
502850 COF & ETERNA 400 Colours Group C	XXX,XX	---
 502850 BL	XX,XX	---
 502850 TR	XX,XX	---

Montomix Line



Monto Piedra



High-quality coating for protecting and decorating facades. Its coloured particle base creates a decorative effect that imitates stone.

Substrate: Construction works; skirting boards, facades.

Prime with: Montokril Liso.



All Use

	12L
502907 Monto•Piedra Chart: 001 Light, 002 Dark, 003 Grey, 004 Pink	XXX,XX

Anti-carbonation

Hormimont Acrílico



Coating for protecting and decorating concrete. High coverage.

Substrate: Construction works; concrete, aerated concrete, cement mortars.

Prime with: A diluted form of the same product.


Certified: CE marking.



Brush: 10-20%
Roller: 10-20%
Spray gun: 10-25%

	15L
502858 Ral 9002	XXX,XX

**Truth be known,
there are days
when I would
insulate myself
from everything
and still be spread
as thin as ever.**



If façades could speak, they would undoubtedly ask for a leading Thermal Insulation System. One that truly helps you increase the profitability and energy efficiency of buildings. And, besides helping you save money, they minimise your environmental impact. Of course, they would ask for the best. Just like you do.

MONTÓ therm of

MONTÓ
professional

Find out about the full range of façades at montopinturas.com



Appendix MTH. MONTÓthêrm

Check the rest of the products in the MONTÓthêrm catalogue

Adhesrence of panels and reinforcement layer

MONTÓthêrm Mortero Adhesivo



CE

Powdered cementitious mortar belonging to the MONTÓ therm Exterior Thermal Insulation System, ideal for fixing insulation panels (EPS, mineral wool, etc.), and the subsequent execution of their smoothing and reinforcing layer.
Substrate: Construction works; Brickwork, stone.
Certified: CE Marking.



25 Kg

192304 800 25 Grey *

192304 850 25 White *

* See prices, sales conditions and complete range in the MONTÓ thêrm catalogue.

Priming and rendering

192940

MONTÓthêrm Primer*



Water-based coating used as a primer for the reinforcement layer prior to the application of the final finish of the MONTÓ Therm System.

Certified: CE Marking. EPD | Contributes to: LEED®, BREEAM® AND VERDE.



Brush: 10-20%
 Roller: 10-20%
 Spray gun: 10-30%

15L

192940 MONTÓthêrm primer

* See prices, sales conditions and complete range in the MONTÓ thêrm catalogue.

MONTÓthêrm Mortero Acrílico*



CE



Thin-bed plastic mortar. Specially formulated to achieve excellent results in the final coat in the MONTÓ therm System.

Prime with: Montó therm primer diluted.

Certified: CE Marking. EPD | Contributes to: LEED®, BREEAM® AND VERDE.



Stucco
 Spray Gun
 Trowel

25 Kg

192937 MONTÓthêrm mortero acrílico 70 *

192931 MONTÓthêrm mortero acrílico 120 *

192943 MONTÓthêrm mortero acrílico 150 *

192900 MONTÓthêrm mortero acrílico rayado *

* See prices, sales conditions and complete range in the MONTÓ thêrm catalogue.

Appendix MTH. MONTÓthêrm

Check the rest of the products in the MONTÓthêrm catalogue



MONTÓthêrm Mortero Siloxano*

Thin-bed siloxane mortar with an unbeatable ratio between breathability and waterproofing. Specially formulated to achieve excellent results in the final coat in the MONTÓ therm System.

Prime with: Montó therm primer diluted.

Certified: CE Marking. EPD | Contributes to: LEED®, BREEAM® AND VERDE.



Stucco
Spray Gun
Trowel

25 Kg

192962 MONTÓthêrm mortero siloxano 70	*
192938 MONTÓthêrm mortero siloxano 120	*
192963 MONTÓthêrm mortero siloxano 150	*
192964 MONTÓthêrm mortero siloxano rayado	*

* See prices, sales conditions and complete range in the MONTÓ thêrm catalogue.

If this coating gets wet,
it shrugs it off.

No sweat, it's built
to take on anything.

Koraza

100% Polyurethane Membrane

H₂O

Damp-proofing and Waterproofing

Horizontal
Vertical
Water-repellents
Rising damp
Anti-condensation
Montomix



- 100% Waterproof
- Standing water resistant
- Tileable
- High pedestrian traffic resistance

MONTÓ
paints

Discover the full range at montopinturas.com



3. Damp-proofing and Waterproofing

Horizontal



Koraza Membrana 100% PU ▶ p

A water-based polyurethane coating that forms a membrane with extremely high impermeability, elasticity and resistance to cracking. It is stable against extreme temperatures and weathering; tileable, waterproof, watertight and suitable for heavy foot traffic. Mesh is essential for higher protection.

Substrate: For terraces and roofs made of fibre cement, tiles, geotextile, concrete, cement, brick, thin hollow bricks, sprayed polyurethane; also pre-primed metal or roofing felt.

Prime with: Directly, with Primer Impermeabilización, with Imprimación Epoxi Suelos or Montoprimer Total Acqua. Fijamont.

Certified: CE Marking.



Brush: 0-5%
Roller: 0-5%
Spray gun:
0-10%

	15L	4L
503080 White 102, Red 152, Grey 189	xxx,xx	xx,xx



Koraza Antigoteras con PU ▶ a p

Elastic acrylic coating reinforced with polyurethane for waterproofing. Anti-leak. Applied in a thick layer, it creates an anti-crack barrier that prevents the passage of rainwater or moisture and can withstand limited pedestrian traffic.

Substrate: For terraces and roofs made of cement mortar, porous brick, thin hollow bricks, concrete, roofing felt (after priming). Also for facades and partition walls.

Prime with: Directly, with Primer Impermeabilización, or with Imprimación Epoxi Suelos. Fijamont.

Certified: CE Marking.



Brush: 0-5%
Roller: 0-5%
Spray gun:
0-10%

	15L	4L
503079 White 102, Grey 189	xxx,xx	xx,xx
503079 Red 152	xxx,xx	xx,xx

3. Damp-proofing and Waterproofing

Horizontal

Koraza Top Cover af



Elastic coating for the protection and waterproofing of horizontal surfaces. Photoreticulable. Can support limited foot traffic. Good adherence, high resistance to alkalinity and extreme temperatures. Anti-leak. Mesh is essential for higher protection. On alkaline or cementitious surfaces always prime with Fijamont.

Substrate: Construction work; roofing, balconies, wet areas.

Prime with: E.Fijadora, Fijamont + Primer Impermeabilización.

Cracks: Plasmont Fibraelástico.

Certified: CE Marking. Cracking. EPD | Contributes to: LEED®, BREEAM® AND VERDE.

10 CE



Brush: 0-5%
Roller: 0-5%
Spray gun:
0-10%

	15L	12L	4L	750ml*
503000 Red 152	xxx,xx	xxx,xx	xx,xx	xx,xx
503000 White 102	xxx,xx	xxx,xx	xx,xx	xx,xx
503000 Grey 189, Tile 554	xxx,xx	xxx,xx	xx,xx	---
503000 Green 128	xxx,xx	xxx,xx	xx,xx	---

*In 750 ml. only white 102 and red 152



Koraza Cubiertas Termoaislante a

Elastic coating for the protection and waterproofing of horizontal surfaces. Anti-leak. High reflectance. Thermally insulating; reduces indoor temperatures and saves energy. Can support limited foot traffic. It can also be used on vertical surfaces with a coverage of 0.75 l/m² (2-3 coats).

Substrate: Construction work; brick; roofing felt; tile; pre-primed metal.

Prime with: Emulsión Fijadora / Fijamont.

Certifications: Thermal conductivity. EPD | Contributes to: LEED®, BREEAM® AND VERDE.

7 CE



Brush: 0-5%
Roller: 0-5%

	15L	4L
503070 White 102	xxx,xx	xx,xx

3. Damp-proofing and Waterproofing

Horizontal



Koraza Cubiertas Fibrado a

Elastic coating for the protection and waterproofing of horizontal surfaces and facades. No mesh required for higher protection as it contains fibreglass. Anti-leak. On alkaline or cementitious surfaces always prime with Fijamont. Can support limited foot traffic.

Substrate: Construction works.

Prime with: Primer Impermeabilización.

Certified: CE Marking.

7 CE



Brush: 0-5%
Roller: 0-5%

	15L	4L
503001 White 108, Red 107	XXX,XX	XX,XX



Koraza Cubiertas a

Elastic coating for the protection and waterproofing of horizontal surfaces. Anti-leak. On alkaline or cementitious surfaces always prime with Fijamont. Can support limited foot traffic.

Substrate: Construction works.

Prime with: Emulsión Fijadora / Fijamont / Primer Impermeabilización.

Certified: CE; Cracking.

7 CE



Brush: 0-5%
Roller: 0-5%
Spray gun: 0-10%

	15L	4L
503035 Red 152	XXX,XX	XX,XX
503035 White 102, Grey 189	XXX,XX	XX,XX



Koraza Primer

Primer for preparing substrates before waterproofing. It facilitates the distribution of successive coats of product and the placement of the mesh.

Substrate: Construction work; roofing, balconies, wet areas.

Finish with: Tejamont Top Cover.

N



Brush: 20-40%
Roller: 20-40%

	12L
502372 Red 152	XX,XX

3. Damp-proofing and Waterproofing

Vertical



Ovaldine Elástico ^{af}

Elastic coating for the protection and waterproofing of facades. Covers cracks of up to 2mm. Photoreticulable. Excellent adhesion, high resistance to alkalinity and extreme temperatures.

Substrate: Construction work; Facades, party walls.

Prime with: Fixative Emulsion / Fijamont / Cracks: Plasmont Fibraelástico.

Certified: CE. EPD | Contributes to: LEED®, BREEAM® AND VERDE.



Brush: 0-5%
Roller: 0-5%
Spray gun: 0-10%

	15L	12L	4L	750ml
503010 White 102	XXX,XX	XXX,XX	XX,XX	XX,XX
503010 COF & ETERNA 400 Colours Group E	XXX,XX	XXX,XX	XX,XX	---
503010 COF & ETERNA 400 Colours Group D	XXX,XX	XXX,XX	XX,XX	---
503010 COF & ETERNA 400 Colours Group C	XXX,XX	XXX,XX	XX,XX	---
503010 COF & ETERNA 400 Colours Group B	XXX,XX	XXX,XX	XX,XX	---
503010 COF & ETERNA 400 Colours Group A	XXX,XX	XXX,XX	XXX,XX	---
503010 IN	---	XXX,XX	XX,XX	---
503010 TR	---	XXX,XX	XX,XX	---

Montomix Line



Montokril Elastómero

Elastic, waterproof and high-coverage facade coating. For protecting facades. Specifically recommended for substrates with cracks up to 1mm in size.

Substrate: Construction work; facades, facing bricks, cement mortar.

Prime with: Fixative Emulsion / Fijamont / Cracks: Plasmont Fibraelástico.

Certified: EPD | Contributes to: LEED®, BREEAM® AND VERDE.



Brush: 0-5%
Roller: 0-5%
Spray gun: 0-15%

	12L	4L
502897 White 103	XXX,XX	XX,XX
502897 COF & ETERNA 400 Colours Group E	XXX,XX	XX,XX
502897 COF & ETERNA 400 Colours Group D	XXX,XX	XX,XX
502897 COF & ETERNA 400 Colours Group C	XXX,XX	XX,XX
502897 IN	XXX,XX	XX,XX
502897 TR	XX,XX	XX,XX

Montomix Line



3. Damp-proofing and Waterproofing

Vertical



Barniz Ladrillo

Protective and waterproofing varnish for porous surfaces. Transparent. Avoids excess film-forming product.

Substrate: Construction works; Brickwork, stone.

Prime with: Anchoring and finishing product.



APPLICATION
25 - 100% Water

	12L	4L	750ml
503060 Barniz ladrillo Satin	XXX,XX	XX,XX	X,XX
503050 Barniz ladrillo Matt	XXX,XX	XX,XX	XX,XX

Water-repellents



CE

Impersil

Penetrating water-repellent that prevents water absorption. Invisible, does not affect the appearance of treated surfaces.

Substrate: Construction work; Brickwork, stone, wood.

Prime with: Anchoring and finishing product.

Certified: CE marking.



Ready-to-Use

	15L	4L	750ml
502361 Transparent 900	XXX,XX	XX,XX	XX,XX

Impersil Acqua



Penetrating water-repellent that prevents water absorption. Invisible, does not affect the appearance of treated surfaces. It is advisable to apply the second coat consecutively after the first coat without allowing it to dry completely.

Substrate: Construction works; Brickwork, stone.

Prime with: Anchoring and finishing product.



Ready-to-Use

	15L	4L	750ml
502363 Transparent 900	XXX,XX	XX,XX	XX,XX

3. Damp-proofing and Waterproofing

Rising Damp



Tixoway Antihumedad Acqua

Paint for walls with rising damp problems. Breathable. Ideal for relieving water pressure on the wall. Delays or prevents the formation of spots, saltpetre, mould, efflorescence.

Substrate: Construction works. Old houses, damp lower floors.

Certified: Indoor emissions (A+).



Brush: Ready-to-use
Roller: Ready-to-use
Spray gun: 10-25%

	12L	4L	750ml
503130 White	XXX,XX	XX,XX	XX,XX



Plasmont Antihumedad

Cementitious mortar for the prevention and restoration of walls with a tendency to suffer from rising damp in the subsoil. Also for restoring walls damaged by soluble salts and efflorescence. It can be used for plastering and rendering.

Substrate: Brick, stone, concrete, mortar.

Finish with: Breathable paints. Tixoway Antihumedad Acqua.

Mixture: 0.25 l/Kg.

Certified: CE marking.



Trowel: 23-25%

	20 Kg
502346 White 800	XX,XX

Anti-condensation



MONTÓthêrm Anticondensación (Magnum Termoaislante)

Low thermal conductivity paint, which makes the substrate thermally, acoustically insulating and resistant to the formation of condensation. It also prevents longer term damp from condensation.

Substrate: Construction works. Wood. Bathrooms, ceilings, terraces, gyms, etc...

Prime with: Emulsión Fijadora, Fijamont.

Certified: Thermal conductivity.



Brush: 5-10%
Roller: 5-10%

	12L	4L
502586 White 103	XXX,XX	XX,XX

3. Damp-proofing and Waterproofing

Anti-condensation



MONTÓthêrm Masilla Anticondensación

Low-conductivity, low-conductivity, ready-to-use plaster that gives the substrate excellent qualities as a thermal insulator and sound absorber. It prevents dampness from condensation.

Substrate: Construction works.

Finish with: MONTÓthêrm Anticondensación.



12L

502298 White 800

XX,XX



Enamels

Polyurethanes
Anti-rust for Metals
Synthetic
Acrylic
Spray products
Montomix

4. Enamels

Product map

ENVASE								
PRODUCTO	Luxatín Ecológico	Acropol	Acropol Barniz	Ferrorite Acqua	Ferrorite	Montonature	Luxatín	Montosintético
Interior	x	x	x	x	x	x	x	x
Exterior	x	x	x	x	x	x	x	x
Colores	Chart and SSTT	Chart and SSTT	Transparente y SSTT	Chart and SSTT	Chart and SSTT	Chart and SSTT	Chart and SSTT	Chart and SSTT
Rendimiento teórico (x mano) (m2/L)	10-15	10-15	10-15	10-12	10-12	12-14	12-16	10-16
CARACTERÍSTICAS TÉCNICAS								
Naturaleza	acrylic	polyurethane	polyurethane	alkyd	synthetic	acrylic	polyurethane lacquer	alkyd
Soportes	Multi-substrate	Multi-substrate	Multi-substrate	Metal	Metal	Multi-substrate	Metal, Wood, Construction works	Metal, Wood, Construction works
Imprimación	Yes	Yes	No	No	No	Yes	Yes	Yes
Acabado	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth
Brillo	Gloss, Satin, Matt	Gloss, Satin, Matt	Gloss, Satin, Matt	Satin	Gloss	Gloss, Satin, Matt	Satin	Gloss, Matt
Secado (min)	20-30	20-30	30-60	30	60-120	60-80	120-180	240-300
Certificados	Chemical and salt spray corrosion resistant	Chemical and salt spray corrosion resistant	Chemical and salt spray corrosion resistant	Salt Spray Corrosion		Reaction to Fire		Reaction to Fire
USOS								
Metal imprimado	●	●	○	○	○	●	●	●
Directo óxido	—	—	—	●	●	—	—	—
Galvanizado	●	●	●	—	—	●	—	—
Alta protección corrosión	With primer	With primer	—	●	●	—	—	—
Vallas, puertas, rejas, ventanas, estructuras...	●	●	●	●	●	●	●	●
Maquinaria,	●	●	●	●	●	○	●	●
Proceso industrial en línea	●	●	●	—	—	—	—	—
Madera sellada	○	○	●	○	—	●	●	●
Lacados	○	○	—	—	○	○	●	○
Paredes y Techos	○	○	—	—	—	●	○	○
Otros soportes (PVC,...)	●	●	○	—	—	●	—	—

Generic recommendations may vary depending on the state and specific characteristics of the substrate; the specific needs of the property, the specific use determined on a case by case basis.
Always consult the product data sheets.

4. Enamels

Product map



Marisma	Montorapid	Acropol Metalizado	Montosintético Metalizado	Ferrorite Forja	Montosintético Ferrum	Montosintético Ferrum Fino	Ferrorite Martelé	Martelé
x	x	x	x	x	x	x	x	x
x	x	x	x	x	x	x	x	x
Chart and SSTT	SSTT	Chart and SSTT	Chart and SSTT	Chart	Chart and SSTT	Chart and SSTT	Chart and SSTT	Chart and SSTT
12-14	10-14	8-14	8-12	8-11	10-12	10-12	8-12	9-10

alkyd	alkyd	polyurethane	synthetic	alkyd	alkyd	alkyd	alkyd	alkyd
Metal, Wood, Construction works	Metal, Wood	Multi-substrate	Metal, Wood, Construction works	Metal	Metal, Wood, Construction works	Metal, Wood, Construction works	Metal	Metal, Wood
Yes	Yes	Yes	Yes	No	Yes	Yes	No	Yes
Smooth	Smooth	Metallic	Metallic	Rough Forge	Rough Forge	Rough Fine Forge	Hammered (Martelé)	Hammered (Martelé)
Gloss, Satin, Matt	Gloss	Gloss	Gloss	Matt	Forge	Matt	Gloss	Gloss
240-300	5-10	30-60	120-240	60-120	180-240	180-240	20-30	15-20

●	●	●	●	○	●	●	○	●
—	—	—	—	●	—	—	●	—
—	—	●	—	—	—	—	—	—
—	○	With primer	—	○	—	—	●	○
●	●	●	●	●	●	●	●	●
●	●	●	●	●	●	●	●	●
—	○	○	—	—	—	—	—	—
●	—	○	●	—	●	●	—	○
○	—	○	○	○	○	○	○	—
○	○	○	○	—	○	○	—	—
—	●	—	—	—	—	—	—	—

— Not recommended use ○ Possible use ● Ideal for this application

4. Enamels

Acrylic



Luxatín Ecológico Mate a p

Waterborne acrylic enamel modified with polyurethane: enhanced adhesion, hardness and durability.

Ideal for high quality lacquering: provides a sealed, waterproof, fully washable finish, and is also very thin, silky to the touch and with excellent levelling. Highly durable, it has excellent gloss and colour retention outdoors and high resistance to staining, scratching, etc....

Substrate: Multi-surface: masonry, metal, wood, ceramic, tile, pvc.

Prime with: Metal. Acqua anticorrosive primer. Others with Montoprimer Total Acqua.

Certificate: Ecolabel. Fire performance according to Euroclasses. Toy Safety EN71-3. Indoor emissions (A+) DAP | Contributes to: LEED®, BREEAM® AND VERDE.



Brush: 0-5%
Roller: 0-5%
Spray gun:
5-30%

	4 L	2,5 L	750 mL	250 mL
501905 ■ White 103; Black 104	xxx,xx	xx,xx	xx,xx	xx,xx
501905 Other colours of the Luxatín range	---	xx,xx	xx,xx	xx,xx
501905 ■ IN	---	xx,xx	xx,xx	---
501905 ■ TR	---	xx,xx	xx,xx	---

Montomix Line



Luxatín Ecológico Satinado a p

Waterborne acrylic enamel modified with polyurethane: enhanced adhesion, hardness and durability.

Ideal for high quality lacquering: provides a sealed, waterproof, fully washable finish, and is also very thin, silky to the touch and with excellent levelling. Highly durable, it has excellent gloss and colour retention outdoors and high resistance to staining, scratching, etc....

Substrate: Multi-surface: masonry, metal, wood, ceramic, tile, pvc.

Prime with: Metal. Acqua anticorrosive primer. Others with Montoprimer Total Acqua.

Certificate: Ecolabel. Fire performance according to Euroclasses. Toy Safety EN71-3. Indoor emissions (A+) DAP | Contributes to: LEED®, BREEAM® AND VERDE



Brush: 0-5%
Roller: 0-5%
Spray gun:
5-30%

	4 L	2,5 L	750 mL	250 mL
501904 ■ White 102; Black 105	xxx,xx	xx,xx	xx,xx	xx,xx
501904 Other colours of the Luxatín range	---	xx,xx	xx,xx	xx,xx
501904 ■ IN	---	xx,xx	xx,xx	---
501904 ■ TR	---	xx,xx	xx,xx	---

Montomix Line



4. Enamels

Acrylic



Luxatín Ecológico Gloss a p

Waterborne acrylic enamel modified with polyurethane: enhanced adhesion, hardness and durability.

Ideal for high quality lacquering: provides a sealed, waterproof, fully washable finish, and is also very thin, silky to the touch and with excellent levelling. Highly durable, it has excellent gloss and colour retention outdoors and high resistance to staining, scratching, etc....

Substrate: Multi-surface: masonry, metal, wood, ceramic, tile, pvc.

Prime with: Metal. Acqua anticorrosive primer. Others with Montoprimer Total Acqua.

Certificate: Ecolabel. Fire performance according to Euroclasses. Toy Safety EN71-3. Indoor emissions (A+) DAP | Contributes to: LEED®, BREEAM® AND VERDE.



Brush: 0-5%
Roller: 0-5%
Spray gun:
5-20%

	4L	2,5L	750ml	250ml
501903 ■ White 100; Black 101	xxx,xx	xx,xx	xx,xx	xx,xx
501903 Other colours of the Luxatín range	---	xx,xx	xx,xx	---
501903 ■ IN	---	xx,xx	xx,xx	---
501903 ■ TR	---	xx,xx	xx,xx	---

Montomix Line



Polyurethanes



Acrípol Brillo + Catalizador a p

Aliphatic enamel highly resistant to impact and abrasion. Elastic. Does not yellow. Crystalline texture.

Substrate: Construction works; Metal; Wood; Galvanised; PVC.

Prime with: Impripol, Imprieox.

Mixture ratio: 4:1.4 (Acrípol): 1 (Cat. Acrípol). Mixture life: 6 h.

Certified: EPD | Contributes to: LEED®, BREEAM® AND VERDE.



Brush: R. to use
Roller: R. to use
Spray gun: R.
to use

	4L (3,2 + 0,8) a+b	800 ml b	750ml(600+150) a+b	150 ml b
502061 White 100, Black 101, Royal Yellow 131, Luminous Blue 185, Bottle Green 123	xxx,xx	---	xx,xx	---
502061 Colours from the RAL chart, Group C	xxx,xx	---	---	---
502061 Colours from the RAL chart, Group B	xxx,xx	---	---	---
502061 Colours from the RAL chart, Group A	xxx,xx	---	---	---
502061 Ral 9006	xxx,xx	---	xx,xx	---
502070 Catalyst Only	---	xx,xx	---	xx,xx
■ 502061 BL	xxx,xx	---	xx,xx	---
■ 502061 IN	xxx,xx	---	xx,xx	---
■ 502061 TR	xxx,xx	---	xx,xx	---

Montomix Line



The catalyst is shipped automatically when ordering part A

*(a+b) The price includes the base plus

4. Enamels Polyurethanes



Acripol Satinado + Catalizador a p

Two-component aliphatic polyurethane acrylic enamel, highly resistant to impact and abrasion. Elastic. Does not yellow. Crystal-clear finish.

Substrate: Construction works; Metal; Wood; Galvanised; PVC.

Prime with: Impripol, Impriepox.

Mixture ratio: 4:1.4 (Acripol): 1 (Cat. Acripol). Mixture life: 6 h.

Certified: EPD | Contributes to: LEED®, BREEAM® AND VERDE.



Brush: R. to use
Roller: R. to use
Spray gun: R. to use

4L (3,2 + 0,8) a+b 800 ml b 750ml(600+150) a+b 150 ml b

501984 White 102, Black 101, Royal Yellow 131, Luminous Blue 185, Bottle Green 123	XXX,XX	---	XX,XX	---
501984 Colours from the RAL chart, Group C	XXX,XX	---	---	---
501984 Colours from the RAL chart, Group B	XXX,XX	---	---	---
501984 Colours from the RAL chart, Group A	XXX,XX	---	---	---
502070 Catalyst Only	---	XX,XX	---	XX,XX
■ 501984 BL	XXX,XX	---	XX,XX	---
■ 501984 IN	XXX,XX	---	XX,XX	---
■ 501984 TR	XXX,XX	---	XX,XX	---

The catalyst is shipped automatically when ordering part A

*(a+b) The price includes the base plus the catalyst

Montomix Line



Acripol Mate + Catalizador a p



Two-component aliphatic polyurethane acrylic enamel, highly resistant to impact and abrasion. Elastic. Does not yellow. Crystal-clear finish.

Substrate: Construction works; Metal; Wood; Galvanised; PVC.

Prime with: Impripol, Impriepox.

Mixture ratio: 4:1.4 (Acripol): 1 (Cat. Acripol). Mixture life: 6 h.



Brush: R. to use
Roller: R. to use
Spray gun: R. to use

4L (3,2 + 0,8) a+b 800 ml b 750ml(600+150) a+b 150 ml b

501915 White 103; Black 104	XXX,XX	---	XX,XX	---
501915 Colours from the RAL chart, Group C	XXX,XX	---	---	---
501915 Colours from the RAL chart, Group B	XXX,XX	---	---	---
501915 Colours from the RAL chart, Group A	XXX,XX	---	---	---
502070 Catalyst Only	---	XX,XX	---	XX,XX
■ 501915 BL	XXX,XX	---	XX,XX	---
■ 501915 IN	XXX,XX	---	XX,XX	---
■ 501915 TR	XXX,XX	---	XX,XX	---

The catalyst is shipped automatically when ordering part A

*(a+b) The price includes the base plus the catalyst

Montomix Line



4. Enamels Polyurethanes

Acripol Metalizado + Catalizador a p



Two-component aliphatic polyurethane acrylic enamel, highly resistant to impact and abrasion. Elastic. Does not yellow. Crystal-clear finish.

Substrate: Construction works; Metal; Wood; Galvanised.

Prime with: Construction works: Acripol diluted Wood: Montopol Fondo. Metal: Impripol.

Mixture ratio: 4:1.4 (Acripol): 1 (Cat. Acripol). Mixture life: 6 h.



4L (3,2 + 0,8) a+b 800 ml b 750ml(600+150) a+b 150 ml b

502059 Silver Grey 800	XXX,XX	---	XX,XX	---
502070 Catalyst Only	---	XX,XX	---	XX,XX

The catalyst is shipped automatically when ordering part A

*(a+b) The price includes the base plus the catalyst

Acripol Barniz + Catalizador a p



Two-component aliphatic polyurethane acrylic enamel, highly resistant to impact and abrasion. Elastic. Does not yellow. Crystal-clear finish.

Substrate: Construction works; Metal; Wood; Galvanised.

Prime with: Wood: Montopol. Metal: Not necessary.

Mixture ratio: 4:1.4 (Acripol): 1 (Cat. Acripol). Mixture life: 6 h.



Brush: R. to use
Roller: R. to use
Spray gun: R. to use

4L (3,2 + 0,8) a+b 800 ml b 750ml(600+150) a+b 150 ml b

502066 Brillante 900	XXX,XX	---	XX,XX	---
503518 Satin (Anti-graffiti)	XXX,XX	---	XX,XX	---
503516 Matt (Anti-graffiti)	XXX,XX	---	XX,XX	---
502079 Catalyst Only	---	XX,XX	---	XX,XX

The catalyst is shipped automatically when ordering part A

*(a+b) The price includes the base plus the catalyst

Anti-corrosion

Ferrorite Disolvente



Solvent recommended for thinning and cleaning of the Ferrorite Antioxidante line.

Uses: Antioxidant enamels.



5L 750ml 250ml

503485 Transparent 900	XX,XX	XX,XX	X,XX
-------------------------------	-------	-------	------

With Ferrorite, Hat-Trick to rust.



1

STOPS



2

PROTECT



3

DECORATES



hasta
15
años sin óxido

Until 15 years
without rust

Ferrorite is the fastest and most effective 3 in 1 enamel for metal treatment:

stops rust, protects the surface and decorates it with the colour of your choice the colour of your choice, without the need for primer.

Three strikes against rust and an enamel that also scores points in the construction of homes with sustainability certificates.

#MakeTheWorldPaintBetter



MONTÓ
professional

4. Esmaltes

Anti-rust for Metals

Ferrorite Acqua ^a



Montomix Line



Anti-rust enamel, with high protection against corrosion, can be applied over rust. 3 in 1: rust passivator, primer, enamel finish Saves on time and additional coats in the application process. Smooth finish. Odourless and solvent-free.

Substrate: Iron, steel; Can be applied over rust.

Certified: Salt spray corrosion. EPD | Contributes to: LEED®, BREEAM® AND VERDE.



Brush: 0-10%
Roller: 0-10%
Spray gun:
5-15%

	4L	2,5L	750ml
501902 White 102, Black 105	XXX,XX	XX,XX	XX,XX
501902 Other colours of the Ferrorite range	---	XX,XX	XX,XX
501902 IN	---	XX,XX	XX,XX
501902 TR	---	XX,XX	XX,XX

Ferrorite ^{al}



Montomix Line



Anti-rust enamel, with high protection against corrosion, can be applied over rust. 3 in 1: rust passivator, primer, enamel finish Saves on time and additional coats in the application process. Smooth finish.

Substrate: Iron, steel; Can be applied over rust.

Certified: Salt spray corrosion. EPD | Contributes to: LEED®, BREEAM® AND VERDE.



Brush: 0-5%
Roller: 0-5%
Spray gun:
0-5%

	4L	750ml	375ml
502005 White 100, Black 101, Satin Black 105	XXX,XX	XX,XX	XX,XX
502005 Silver 195	XXX,XX	XX,XX	---
502005 Other colours of the Ferrorite range	XXX,XX	XX,XX	---
502005 BL	XXX,XX	XX,XX	---
502005 IN	XXX,XX	XX,XX	---
502005 TR	XXX,XX	XX,XX	---

Ferrorite Forja ^{al}



Anti-rust enamel, with high protection against corrosion, can be applied over rust. 3 in 1: rust passivator, primer, enamel finish Saves on time and additional coats in the application process. Forged finish.

Substrate: Iron, steel; Can be applied over rust.

Certified: Salt spray corrosion.



Brush: 0-5%
Roller: 0-5%
Spray gun:
5-15%

	4L	750ml
502006 Black 707, Grey 706	XXX,XX	XX,XX
502006 Other colours of the Ferrorite range	XXX,XX	XX,XX

4. Enamels

Anti-rust for Metals



Ferrorite Efecto Forja Liso al

Anti-rust enamel, with high protection against corrosion, can be applied over rust. 3 in 1: rust passivator, primer, enamel finish Saves on time and additional coats in the application process. Smooth forged effect finish. Washable, easy to clean.

Substrate: Iron, steel; Can be applied over rust.

Certified: Salt spray corrosion.



Brush: 0-10%
Roller: 0-10%
Spray gun:
5-10%

	4L	750ml
501901 Black 709, Grey 710, Brown 708	XXX,XX	XX,XX

Ferrorite Martelé al



Anti-rust enamel with hammertone effect for high protection against rust; can be applied directly to iron without primer.

Substrate: Iron; Can be applied over rust.

Prime with: Without primer.



Brush: R. to use
Roller: R. to use
Spray gun: R. to use

	4L	750ml
502046 ■ Silver Grey 001, Grey 002, Black 021	XXX,XX	XX,XX
502046 Other colours from the Ferrorite range	XXX,XX	XX,XX



Synthetic



Luxatín al

Polyurethane varnish, lacquered appearance, high hardness, fineness and resistance to yellowing. De perfecta igualación, muy cubriente y totalmente lavable. Colores permanentes.

Substrate: Construction works; Metal; Wood; Lacquers.

Prime with: Construction works, wood: Selladora; Iron: Minio White, Montoprimer Total.

Certified: EPD | Contributes to: LEED®, BREEAM® AND VERDE.



Brush: 5-15%
Roller: 5-15%
Spray gun: 15-25%

	4L	750ml	375ml
502028 White 102, Black 105	XXX,XX	XX,XX	XX,XX
■ 502028 BL	XXX,XX	XX,XX	---
■ 502028 IN	XX,XX	XX,XX	---
■ 502028 TR	XX,XX	XX,XX	---

Montomix Line



4. Enamels

Synthetic



MontoSintético Brillo

High quality enamel. Free of aromatic solvents. Maximum resistance to atmospheric agents. Excellent hardness, brushability, coverage, gloss and flexibility. Completely washable.

Substrate: Construction works; Metal; Wood.

Prime with: Construction works, wood: Selladora; Iron: Minio White, Montoprimer Total.

Certified: Fire performance according to Euroclasses. EPD | Contributes to: LEED®, BREEAM® AND VERDE.



Brush: R. to use
Roller: R. to use
Spray gun: R. to use

	4L	750ml	375ml	125ml*
502020 White 100 and colours from the MontoSintético chart	XX,XX	XX,XX	XX,XX	X,XX
502020 BL	XX,XX	XX,XX	---	---
502020 IN	XX,XX	XX,XX	---	---
502020 TR	XX,XX	XX,XX	---	---

*Only White, Black and Silver

Montomix Line



MontoSintético Mate



High quality enamel. Maximum resistance to atmospheric agents. Excellent hardness, brushability, coverage, opacity and flexibility. Completely washable.

Substrate: Construction works; Metal; Wood.

Prime with: Construction works, wood: Selladora; Iron: Minio White, Montoprimer Total.

Certified: Fire performance according to Euroclasses.



Brush: R. to use
Roller: R. to use
Spray gun: R. to use

	4L	750ml	375ml	125ml
502024 White 103, Black 104	XX,XX	XX,XX	XX,XX	X,XX
502024 BL	XX,XX	XX,XX	---	---
502024 IN	XX,XX	XX,XX	---	---
502024 TR	XX,XX	XX,XX	---	---

Montomix Line



4. Enamels

Synthetic



MontoSintético Metalizado

High quality metallised semi-transparent enamel, highly resistant to atmospheric agents and scratches. Excellent brushability, coverage, gloss and flexibility.

Substrate: Construction works; Metal; Wood.

Prime with: Construction works, wood: Selladora; Iron: Minio White, Montoprimer Total.



Brush: 5-10%
Roller: 5-10%
Spray gun:
5-10%

4L 750ml

502027 [Gris Plata 800](#)

XX,XX

XX,XX



MontoSintético Ferrum

High protection metallic enamel. Thixotropic. Forged finish. Easy application. Elastic. No cracking. Protects the substrate from rust.

Substrate: Construction works; Metal; Wood; Gratings, lampposts, structures, railings.

Prime with: Construction works, wood: Selladora; Iron: Minio White, Montoprimer Total.



Brush: 0-5%
Roller: 0-5%
Spray gun:
5-15%

4L 750ml 375ml

502025 [Black Forge 700](#), [Steel Grey 701](#), [Pavona Blue 702](#), [Green Bronze 703](#), [Bronze Anodized 704](#), [Old Gold 705](#), [Rust Red 741](#)

XX,XX

XX,XX

XX,XX*

*Only Black Forge 700 and Steel Grey 701



MontoSintético Ferrum Fino

High protection metallic enamel. Fine forge finish. Very easy to apply and good levelling. Protects the substrate from rust.

Substrate: Construction works; Metal; Wood; Gratings, lampposts, structures, railings.

Prime with: Construction works, wood: Selladora; Iron: Minio White, Montoprimer Total.



Brush: 0-5%
Roller: 0-10%
Spray gun: 5-15%

4L 750ml 375ml

502026 [Steel Grey 701](#), [Black Forge 700](#), [Steel Grey 701F](#), [Pavona Blue 702F](#), [Green Bronze 703F](#), [Bronze Anodized 704F](#), [Old Gold 705F](#), [Rust Red 741F](#)

XX,XX

XX,XX

XX,XX*

*Only Black Forge 700 and Steel Grey 701

4. Enamels

Synthetic

Marisma Brillante



Synthetic enamel with good resistance for interior and exterior use. Elastic, good hardness, coverage and adhesion. Washable.

Substrate: Construction works; Metal; Wood.

Prime with: Construction works, wood: Selladora; Iron: Minio White.



Brush: R. to use
Roller: R. to use
Spray gun: R. to use

	4L	750ml	375ml
502010 White 100, colours from the Marisma chart**	XX,XX	XX,XX	XX,XX
 502010 BL	XX,XX	XX,XX	---
 502010 IN	XX,XX	XX,XX	---
 502010 TR	XX,XX	XX,XX	---

** Colours to be discontinued. Available while stocks last

Marisma Satinado



Esmalte sintético de buena resistencia para interiores y exteriores. Elástico, de buena dureza, cubrición y adherencia. Lavable.

Soporte: Obra; Metal; Madera.

Fondear con: Obra, madera: Selladora; Hierro: Minio White.



Brush: R. to use
Roller: R. to use
Spray gun: R. to use

	4L	750ml
502012 White 102, Black 105	XX,XX	XX,XX

Marisma Mate



Synthetic enamel with good resistance for interior and exterior use. Elastic, good hardness, coverage and adhesion. Washable.

Substrate: Construction works; Metal; Wood.

Prime with: Construction works, wood: Selladora; Iron: Minio White.



Brush: R. to use
Roller: R. to use
Spray gun: R. to use

	4L	750ml	375ml
502014 White 103, Black 104	XX,XX	XX,XX	XX,XX

4. Enamels

Synthetic



Martelé

Hammered metallic look enamel. Excellent hardness and strength. Protects the substrate from rust.

Substrate: Metal; Wood; Machinery, lifts.

Prime with: Construction works, wood: Selladora; Iron: Minio White, Montoprimer.

• Exclusive use in installations regulated by Royal Decree 117/2003 or Directive 2010/75/EU Chapter V for European Union countries.



Brush: 5-10%
Roller: 5-10%
Spray gun:
5-15%

4L 750ml

502045 **Aluminium 001, Silver Grey 002, Lead Grey 003, Green 042, Red 032, Blue 052**

XXX,XX

XX,XX



Montomix Line



Monto-Rapid

Economical, fast drying synthetic enamel for spray application in industry. Protects the substrate from rust.

Substrate: Metal, Wood, Industry.

Prime with: Construction works, wood: Selladora; Iron: Minio White, Montoprimer.

• Exclusive use in installations regulated by Royal Decree 117/2003 or Directive 2010/75/EU Chapter V for European Union countries.



Spray gun: 15-30%

15L 4L 750ml

502015 **White 100**

XXX,XX

XX,XX

XX,XX

502015 Colours from the RAL chart, Group C

XXX,XX

XX,XX

502015 RAL chart colours Group B

XXX,XX

XX,XX

502015 RAL chart colours Group A

XXX,XX

XX,XX

502015 IN

XXX,XX

XX,XX

XX,XX

502015 TR

XXX,XX

XX,XX

XX,XX

Acrylic



Montomix Line



Esmalte Secado Rápido Acqua

Quick-drying acrylic gloss enamel, for industrial or professional use: machinery in general. Water-based, odourless and easy to clean. Does not yellow. Good resistance to moderately corrosive industrial environments.

Substrate: Iron and steel. General machinery, structures, fences, gates.

Prime with: Acqua anti-corrosive primer; industrial primer.



Spray gun: 10-20%

15L 4L

501913 **White 100**

XXX,XX

XX,XX

501913 IN

XXX,XX

XX,XX

501913 TR

XXX,XX

XX,XX

4. Enamels

Acrylic



Montoacrilic a

Water-based enamel with high hardness and excellent levelling and brushability. Does not yellow.

Substrate: Construction works; Metal; Wood; Plaster, cement.

Prime with: Construction works, wood and iron: Montoprimer Total Acqua.



Brush: 0-10%
Roller: 0-10%
Spray gun:
5-15%

	4L	750ml	375ml	80ml
502030 White 100	XX,XX	XX,XX	XX,XX	X,XX



Montonature Billo* a

*Product to be discontinued. Available while stocks last

Multi-adherent enamel. Odourless. Excellent adherence, even directly on some galvanised surfaces. Does not yellow. Breathable.

Substrate: Construction works; Metal; Wood; Hospitals, decoration.

Prime with: Construction works, wood and iron: Montoprimer Total Acqua.

Certifications: Fire performance according to Euroclasses. Safety for toys EN71-3. Indoor emissions (A+). EPD | Contributes to: LEED®, BREEAM® AND VERDE.



Brush: 0-5%
Roller: 0-5%
Spray gun:
5-15%

	12L	4L	750ml
502035 ■ White 102; Black 101	XXX,XX	XX,XX	XX,XX
■ 502035 IN	XXX,XX	XX,XX	XX,XX
■ 502035 TR	XXX,XX	XX,XX	XX,XX

Montomix Line



Montonature Satinado a

Multi-adherent enamel. Odourless. Excellent adherence, even directly on some galvanised surfaces. Does not yellow. Breathable.

Substrate: Construction works; Metal; Wood; Hospitals, decoration.

Prime with: Construction works, wood and iron: Montoprimer Total Acqua.

Certifications: Fire performance according to Euroclasses. Safety for toys EN71-3. Indoor emissions (A+). EPD | Contributes to: LEED®, BREEAM® AND VERDE.



Brush: 0-5%
Roller: 0-5%
Spray gun:
5-15%

	12L	4L	750ml
502033 ■ White 102; Black	XXX,XX	XX,XX	XX,XX
■ 502033 IN	XXX,XX	XX,XX	XX,XX
■ 502033 TR	XXX,XX	XX,XX	XX,XX

Montomix Line



4. Enamels

Acrylic



Montonature Mate ^a

Multi-adherent enamel. Odourless. Excellent adherence, even directly on some galvanised surfaces. Does not yellow. Breathable.

Substrate: Construction works; Metal; Wood; Hospitals, decoration.

Prime with: Construction works, wood and iron: Montoprimer Total Acqua.

Certifications: Fire performance according to Euroclasses. Safety for toys EN71-3. Indoor emissions (A+). EPD | Contributes to: LEED®, BREEAM® AND VERDE.



Brush: 0-5%
Roller: 0-5%
Spray gun:
5-15%

	12L	4L	750ml
502031 ^W White 103 ; Black 101	XXX,XX	XX,XX	XX,XX
^W 502031 IN	XXX,XX	XX,XX	XX,XX
^W 502031 TR	XXX,XX	XX,XX	XX,XX

Montomix Line



Montomix Line



Montonature Metalizado ^a

Multi-adhesive enamel with metallic effect. Odourless. Excellent adherence, even directly on some galvanised surfaces. Does not yellow. Breathable.

Substrate: Construction works; Metal; Wood; Hospitals, decoration.

Prime with: Construction works, wood and iron: Montoprimer Total Acqua.



Brush: 0-5%
Roller: 0-5%
Spray gun:
5-15%

	750ml	375ml	80ml
502038 Gold 109 , ^W Silver 195 , Bronze 125 and Copper 108	XX,XX	XX,XX	X,XX

4. Enamels

Spray products



RAL

MontoSpray Acrílico

Acrylic enamel for decorating and protecting all types of surfaces. High-quality and scratch, shock, impact, UV and weather-resistant. Good gloss and colour retention. Uniform smooth finish, dirt-resistant (once dry).

Substrate: Wood, metal, paper, cardboard, concrete, natural stone, glass or paintable hard plastics.

Prime with: MontoSpray primer.



	400 ml
504000 Gloss 9005, 9010 and RAL Colours from the Montospray chart	X,XX
504001 Matt 9005 and 9010	X,XX
504002 Satin 9005 and 9010	X,XX



NEON

MontoSpray Fluorescente

Matt acrylic paint for decoration and protection of all types of surfaces with a brilliant fluorescent effect. High-quality and scratch, shock, impact, UV and weather-resistant. Uniform smooth finish, dirt-resistant (once dry). •To increase brightness, apply MontoSpray Primer Universal Blanca. •To maintain the brightness for longer, apply MontoSpray Barniz.

Substrate: Wood, metal, paper, cardboard, concrete, natural stone, polystyrene, ceramic, glass and paintable hard plastics.

Prime with: MontoSpray primer.



	400 ml
504003 Orange and Yellow	XX,XX



MET

MontoSpray Metalizado

High gloss acrylic paint for decoration with bronze or metallic effect. Water and cleaning-resistant effect. On absorbent surfaces, prime with Montospray Primer Universal.

Substrate: Wood, metal, glass, cardboard, concrete, ...

Prime with: MontoSpray Primer Universal.



	400 ml
504004 Gold and Silver	XX,XX

4. Enamels

Spray products



CRO

MontoSpray Cromado

High gloss paint to decorate all types of surface with a chrome or polished metal effect. Absorbent surfaces must be primed with MontoSpray Primer Universal.

Substrate: Wood, metal, glass and paintable hard plastics.

Prime with: Montospray primer universal.



400 ml

504005 Gold and Silver

XX,XX



MontoSpray Radiadores

Alkyd enamel for protection and decoration of radiators. High quality and quick-drying. Highly resistant to knocks and scratches, washing and temperature variations. To increase durability, prime with Montospray Primer Universal.

Substrate: Metal: Ideal for radiators, woodstoves, pipes, ...

Prime with: MontoSpray Primer Universal.



400 ml

504007 White Matt y White Satin

XX,XX



MontoSpray Electrodomésticos

Glossy enamel to protect and renew the appearance of household appliances.

Substrate: Metal, iron, aluminium, galvanised metal, PVC, ...Refrigerators, heaters, washing machines, ...



400 ml

504015 White

XX,XX

4. Enamels

Spray products



600°

MontoSpray Anticalórico

Silicone enamel for decorating and protecting surfaces exposed to high temperatures.

Substrate: Metal or masonry surfaces: woodstoves, boilers, furnaces, ovens, barbecues, pipes, ...



400 ml

504014 Black and Silver

XX,XX

MontoSpray Antimanchas

Special matt spray paint for insulating and covering stained surfaces.

Substrate: Building work substrates with stains from nicotine, soot, damp, marker pen, oil, grease, ...



400 ml

504013 White

XX,XX

MontoSpray Primer Plásticos

Transparent primer for hard plastics. Adheres and allows repainting with acrylic and synthetic sprays.

Substrate: Plastic in general: Polyurethane (PUR), Polystyrene (PS), Polyamide (PA), PVC, ...

Finish with: MontoSpray.



400 ml

504010 Transparent

XX,XX

4. Enamels

Spray products



MontoSpray Primer Zink

Grey, zinc-based, rust-preventive acrylic primer. Galvanised appearance. Repaintable with synthetic and acrylic enamels.

Substrate: Galvanised metal: ideal for repairs and retouching, protection of welds, damages,... Also on metal, iron, steel and its derivatives.

Finish with: MontoSpray.



400 ml

504016 Grey

XX,XX

MontoSpray Primer Universal

White matt primer for a variety of substrates. Adheres and allows repainting with the MontoSpray range, reducing consumption and improving finish (levelling, brightness, etc.) Anti-corrosive and high coverage.

Substrate: Wood, metal, cardboard, ceramics, etc.

Finish with: MontoSpray.



400 ml

504012 White

XX,XX

MontoSpray Barniz Antideslizante

Matt varnish with anti-slip particles that improve friction on slippery surfaces such as stairs, showers, bathrooms, swimming pool areas... Chlorine and salt water-resistant.

Substrate: Concrete, asphalt, paving, sanitary ware, paving, wood, metal...



400 ml

504011 Transparent

XX,XX

MontoSpray Protector Barniz



Transparent acrylic varnish, designed for the protection of all types of substrates to which it confers very high resistance to abrasion and atmospheric agents.

Substrate: Wood, metal, plastics, stone, cardboard, ...



400 ml

504017 Gloss and Matt

XX,XX

MontoSpray Marcaje



Acrylic paint for temporary marking in public works, roads, ..

High adhesion, even on wet surfaces. Good coverage and visibility. Depending on use, the marking can remain visible for 6-9 months.

Substrate: Marking on walls and floors made of asphalt, concrete, masonry, paving stones, wood, earth, stone, etc.



500 ml

504008 Yellow and Red

XX,XX

MontoSpray



Pre-packaged aerosol to transform liquid paint into spray. For mixing with a specific machine. Compatible with Montosintético, Luxatin and Esmalte Secado Rápido, Marisma, Ferrorite, Montoxyl Classic, Aceite de Teca; for other paints please check with us. Although the aerosol can slightly modify the performance, it depends on the paint used for the mixture.



275 ml

504009

X,XX



Synthetic

Protectors
Varnishes
Parquet
Oils
Woodworm killer

Water-based

Protectors
Varnishes
Parquet
Montomix

Furniture

Nitro Lacquers
Polyurethane
Lacquers

The signature of wood professionals.



Discover the entire
range for wood at
montopinturas.com

MONTOXYL
PROFESIONAL

MONTOXYL
PROFESIONAL

**May this table
stand firm against
wind and tide,
that's your signature.**

MAXIMUM:

- ▷ Weather resistance
- ▷ UV protection
- ▷ Waterproof and breathability
- ▷ Resistance to fungi and mould



Discover the entire
range for wood at
montopinturas.com

MontoXYL. The signature of
wood professionals.



5. Wood

Water based protectors



Montoxyl Climas Extremos

Wood stain/protector, high solids content and UV filters: greater durability and productivity (more protection with fewer coats) than traditional wood stains. In addition, its fast drying time reduces application times. Anti-mould. Maximum exterior protection when applied with colour.

Substrate: Wood. Structures, beams, carpentry, furniture, etc. High mountains. Very humid areas.

Prime with: Montoxyl Lasure Acqua Fondo.

Certified: Fire performance according to Euroclasses.



Brush: 0-3%
Roller: 5-10%
Spray gun:
0-5%

	4L	750ml
501460 Satin Colourless 900	XXX,XX	XX,XX
501460 Satin Colours of Montoxyl Lasure Chart	XXX,XX	XX,XX
501461 Matt Colourless 900	XXX,XX	XX,XX
501461 Matt Colours of Montoxyl Lasure Chart	XXX,XX	XX,XX

Water based varnishes



Montoxyl Barniz Acqua

Fast-drying water-based acrylic finish especially suitable for varnishing wood. Waterproof, extremely hard and resistant. Excellent feel and transparency. For outdoor use, apply under cover.

Substrate: Wood. Carpentry, furniture.

Prime with: Montoxyl Barniz Acqua Fondo.



Brush: 0-10%
Roller: 5-15%
Spray gun:
0-5%

	4L	750ml
501462 Gloss Colourless 900	XXX,XX	XX,XX
501463 Satin Colourless 900	XXX,XX	XX,XX
501463 Satin Colours of Montoxyl Varnishes Chart	XXX,XX	XX,XX
501464 Matt Colourless 900	XXX,XX	XX,XX

Montoxyl Barniz Acqua Fondo



Colourless wood primer. Fills pores; easy to sand, good filling power and quick drying.

Substrate: New or unvarnished wood.

Finish with: Montoxyl Barniz Acqua.



Brush: 0-10%
Roller: 10-20%
Spray gun:
0-3%

	4L	750ml
501465 Colourless 901	XX,XX	XX,XX

Montoxyl Ultra Satinado*



Protective treatment of wood. Maximum performance, durability and resistance to atmospheric agents. Incorporates U.V. filter. Breathable. Easy maintenance and repainting. Outdoors apply with colour.

Substrate: Wood. High mountain, coastal areas, big cities.

Prime with: Montoxyl Classic Fondo.



Brush: 0-5%
Roller: 0-5%
Spray gun:
0-5%

	5L	750ml
501308 TR 900 , Pine 910, Oak 920, Walnut 930, Palisander 940, Chestnut 950, Teak 960, Mahogany 970, Ebony 980, White 990, Sapele 967, Wenge 985	xxx,xx	xx,xx

*Product to be discontinued. Available while stocks last

Montoxyl Classic Satinado



Protective treatment of wood. Breathable, non film-forming. Incorporates U.V. filter. Easy maintenance and repainting. Outdoors apply with colour.

Substrate: Wood. High mountain, coastal areas, big cities.

Prime with: Montoxyl Classic Fondo.

Certified: Fire performance according to Euroclasses. EPD | Contributes to: LEED®, BREEAM® AND VERDE.



Brush: Ready-to-use
Roller: Ready-to-use
Spray gun: Ready-to-use

	10L (only trans)	5L	2,5L	750ml	375ml
501303 TR 900 , Pine 910, Oak 920, Walnut 930, Palisander 940, Chestnut 950, Teak 960, Mahogany 970, Ebony 980, White 990, Sapele 967, Wenge 985	xxx,xx	xxx,xx	xx,xx	xx,xx	xx,xx

Montoxyl Classic Mate



Protective treatment of wood. Breathable, non film-forming. Incorporates U.V. filter. Easy maintenance and repainting. Outdoors apply with colour.

Substrate: Wood. High mountain, coastal areas, big cities.

Prime with: Montoxyl Classic Fondo.

Certified: Fire performance according to Euroclasses. EPD | Contributes to: LEED®, BREEAM® AND VERDE.



Brush: Ready-to-use
Roller: Ready-to-use
Spray gun: Ready-to-use

	10L (only trans)	5L	750ml
501302 TR 900 , Pine 910, Oak 920, Walnut 930, Palisander 940, Chestnut 950, Teak 960, Mahogany 970, Ebony 980, White 990, Sapele 967, Wenge 985		xxx,xx	xx,xx

5. Wood Synthetic Protectors

Montoxyl Classic Fondo



Open pore base. Breathable. Outdoors, prime with colour.
Substrate: Wood. High mountain, coastal areas, big cities.
Finish with: Montoxyl, Barniz.



Brush: Ready-to-use
 Roller: Ready-to-use
 Spray gun: Ready-to-use

	5L	750ml
501301 Colourless 901	XX,XX	XX,XX

Synthetic varnishes

Montoxyl Barniz Sintético Brillante U



Synthetic varnish for universal use. Excellent hardness, fast drying and brushability.

Substrate: Wood. Doors, windows.
Prime with: The product itself, Montoxyl Fondo.



Brush: Ready-to-use
 Roller: Ready-to-use
 Spray gun: Ready-to-use

	4L	750ml	375ml	125ml
501370 Colourless 900	XX,XX	XX,XX	X,XX	X,XX

Montoxyl Barniz Sintético Satin U



Synthetic varnish for universal use. Excellent hardness, fast drying and brushability.

Substrate: Wood. Doors, windows.
Prime with: The product itself, Montoxyl Fondo.



Brush: Ready-to-use
 Roller: Ready-to-use
 Spray gun: Ready-to-use

	4L	750ml	375ml	125ml
501360 Colourless 900	XX,XX	XX,XX	X,XX	X,XX
501360 Oak 925, Walnut 935, Chestnut 955, Teak 965, Mahogany 975	XX,XX	XX,XX	XX,XX	X,XX

5. Wood

Synthetic varnishes

Montoxyl Barniz Sintético Mate u



Synthetic varnish for universal use. Excellent hardness, fast drying and brushability.

Substrate: Wood. Doors, windows.

Prime with: The product itself, Montoxyl Fondo.



Brush: 0-5%
Roller: 0-5%
Spray gun:
0-5%

	4L	750ml	375ml
501350 Colourless 900	XX,XX	XX,XX	XX,XX

Montoxyl Barniz Velero u



Synthetic varnish with maximum resistance to sunlight. Good brushability, elasticity and resistance to sun rays due to the incorporation of UV FILTER.

Substrate: Wood. Weather, marine environment.

Prime with: The product itself, Montoxyl Fondo.



Brush: 0-5%
Roller: 0-5%
Spray gun: 5%

	4L	750ml	375ml
501380 Colourless	XX,XX	XX,XX	XX,XX

Montoxyl Barniz Alta Montaña al



Synthetic varnish for maximum resistance in extreme climates. Elastic. Incorporates U.V. FILTER.

Substrate: Wood. Weather, extreme climates, high mountains.

Prime with: The product itself, Montoxyl Fondo.



Brush: Ready-to-use
Roller: Ready-to-use
Spray gun: Ready-to-use

	4L	750ml	375ml
501385 Colourless 900	XX,XX	XX,XX	XX,XX

5. Wood Oils



Montoxyl Aceite de Teca

Mixture of natural oils to feed and protect unvarnished wood outdoors. Reinforced with U.V. filter.

Substrate: Wood (Tropical). Garden furniture, outdoor decking.

Prime with: The same product.

Dilute with: Ready to use.



Brush: Ready-to-use
Roller: Ready-to-use
Spray gun: Ready-to-use

	5L	750ml
501304 Colour Honey 900	XX,XX	XX,XX



Montoxyl Aceite de Linaza

High quality linseed oil with siccatives. As wood protector, impregnating agent, surface sealant.

Substrate: Wood. Construction works; timber beams, carpentry.

Prime with: Aceite de Linaza diluted.



Brush: 0-10%
Roller: 0-10%
Spray gun: 10-20%

	5L	1L
501305 Colour Caramel 900	XX,XX	XX,XX



Montoxyl Klearxyl Acqua 3

Water-based treatment, highly effective against woodworm, termites, and rot and blue stain fungi. Suitable for new and used wood, indoors and outdoors in protected areas. Low odour. European registration.

Substrate: Wood. Weather, extreme climates, high mountains.

Finish with: Montó wood products, especially the Montoxyl and Crea range.

Dilute with: Ready to use.



	2,5L	750ml
501378 Transparent 900	XX,XX	XX,XX

5. Wood

Water based protectors

Montoxyl Lasure Acqua Satinado



Protective treatment of wood. Breathable. Incorporates U.V. filter. Easy maintenance and repainting. Outdoors apply with colour.

Substrate: Wood. High mountains, very humid areas.

Prime with: Montoxyl Lasure Acqua Fondo.



Brush: 10-30%
Roller: 10-30%
Spray gun: 10-30%

	4L	750ml
501310 Transparent 900	XX,XX	XX,XX
501310 Colours from the Montoxyl colour chart	XX,XX	XX,XX

Montoxyl Lasure Acqua Mate



Protective treatment of wood. Breathable. Incorporates U.V. filter. Easy maintenance and repainting. Outdoors apply with colour.

Substrate: Wood. Doors, windows, furniture. High mountains. Very humid areas.

Prime with: Montoxyl Lasure Acqua Fondo.



Brush: 10-30%
Roller: 10-30%
Spray gun: 10-30%

	4L	750ml
501340 Colourless 900	XX,XX	XX,XX
501340 Colours from the Montoxyl colour chart	XXX,XX	XX,XX

Montoxyl Lasure Acqua Acabado Pigmentado



Montomix Line



Opaque wood protection treatment. Breathable. Easy maintenance and repainting. Excellent brushability and levelling. Outdoors apply with colour.

Substrate: Wood. Doors, windows, furniture, fences, beams.

Prime with: Montoxyl Lasure Acqua, Montoxyl Lasure Acqua Fondo or Selladora Acqua Blanca.



Brush: 0-15%
Roller: 0-15%
Spray gun: 10-25%

	4L	750ml
501341 White 103	XX,XX	XX,XX
501341 Colours from the Montoxyl colour chart	XXX,XX	XX,XX
501341 TR	XX,XX	XX,XX

5. Wood

Water based protectors



Montoxyl Lasure Acqua Fondo

Open pore base. Breathable, non film-forming. U.V. ray-resistant Maximum protection outdoors, increased if given in colour.

Substrate: Wood. High mountains, very humid areas.

Finish with: Montoxyl Lasure Acqua Range. Barniz Universal Acqua.



Brush: 10-20%
Roller: 10-20%
Spray gun: 10-30%

4L 750ml

501311 [Colourless 901](#)

XX,XX

XX,XX



Selladora Acqua Blanca

Water-based primer. High adherence, whiteness and coverage. High filling power with easy sanding.

Substrate: Wood.

Finish with: Montoxyl Lasure Acqua Acabado Pigmentado Montoacrilic. Montonature.



Brush: 0-10%
Roller: 0-10%
Spray gun: 10-30%

4L 750ml

502343 White 103

XX,XX

XX,XX

Water-based varnishes



Montoxyl Barniz Universal Acqua*

Universal varnish for painting and treatment of wood. Good hardness and resistance to atmospheric agents. With ultraviolet filter.

Substrate: Wood. Doors, windows.

Prime with: Montoxyl Lasure Acqua Fondo. Montoxyl Fondo, or the same product.



Brush: 0-20%
Roller: 0-20%
Spray gun: 10-30%

4L 750ml

501312 [Colourless 900](#)

XXX,XX

XX,XX

*Product to be discontinued. Available while stocks last

5. Wood

Water-based parquet



Montoxyl Barniz Parquet Acqua Brillo

Single-component water-based varnish with excellent hardness, for painting parquet floors, stairs. Odourless.

Substrate: Interior. Wood. Floors, counters, shelves, stairs.

Prime with: Same product.



Primer: 10-20%
Finish: 0-5%

4L 750ml

 501325 [Colourless 900](#)

XXX,XX

XX,XX



Montoxyl Barniz Parquet Acqua Satinado

Single-component water-based varnish with excellent hardness, for painting parquet floors, stairs. Odourless.

Substrate: Interior. Wood. Floors, counters, shelves, stairs.

Prime with: Same product.



Primer: 10-20%
Finish: 0-5%

4L 750ml

 501320 [Colourless 900](#)

XXX,XX

XX,XX



Montoxyl Barniz Parquet Acqua Mate

Single-component water-based varnish with excellent hardness, for painting parquet floors, stairs. Odourless.

Substrate: Interior. Wood. Floors, counters, shelves, stairs.

Prime with: Same product.



Primer: 10-20%
Finish: 0-5%

4L 750ml

 501315 [Colourless 900](#)

XXX,XX

XX,XX

5. Wood

Furniture (Nitro Lacquers)



Montolac Fondo Transparente CM-10 (tapaporos)

Transparent nitrocellulose primer, fast drying and easy to sand.

Substrate: Wood. Preparation before lacquering or varnishing.

Finish with: Montolac Range.

• Exclusive use in installations regulated by Royal Decree 117/2003 or Directive 2010/75/EU Chapter V for European Union countries.



Brush: 0-30%
Roller: 0-30%
Spray gun: 20-30%

	25L	5L	750ml
501500 Colourless 900	XXX,XX	XX,XX	XX,XX



Montolac Matt Transparente CM-20

Clear nitrocellulose finishing lacquer. Fast drying and excellent feel and hardness.

Substrate: Wood. Doors, frames, windows.

Prime with: Montolac and Montopol Range Primers.

Gloss index: 30%±5 to 60°.

• Exclusive use in installations regulated by Royal Decree 117/2003 or Directive 2010/75/EU Chapter V for European Union countries.



Brush: 0-30%
Roller: 0-30%
Spray gun: 20-30%

	25L	5L	750ml
501510 Colourless 900	XXX,XX	XX,XX	XX,XX



Montolac Satinada Transparente CM-30

Clear nitrocellulose finishing lacquer. Fast drying and excellent feel and hardness.

Substrate: Wood. Doors, frames, windows.

Prime with: Montolac and Montopol Range Primers.

Gloss index: 70%±5 to 60°.

• Exclusive use in installations regulated by Royal Decree 117/2003 or Directive 2010/75/EU Chapter V for European Union countries.



Brush: 0-30%
Roller: 0-30%
Spray gun: 20-30%

	25L	5L	750ml
501520 Colourless 900	XXX,XX	XX,XX	XX,XX

5. Wood

Furniture (Nitro Lacquers)



Montolac Brillo Transparente CM-40

Clear nitrocellulose finishing lacquer. Fast drying and excellent feel and hardness.

Substrate: Wood. Doors, frames, windows.

Prime with: Montolac and Montopol Range Primers.

Gloss index: >100% at 60°

• Exclusive use in installations regulated by Royal Decree 117/2003 or Directive 2010/75/EU Chapter V for European Union countries.



Brush: 0-10%
Roller: 0-10%
Spray gun:
0-20%

25L

5L

750ml

501530 [Colourless 900](#)

XXX,XX

XX,XX

XX,XX



Montolac Fondo Blanco CM-50

White nitrocellulose primer, fast drying and easy to sand.

Substrate: Wood. Preparation before lacquering or varnishing.

Finish with: Montolac Range.

• Exclusive use in installations regulated by Royal Decree 117/2003 or Directive 2010/75/EU Chapter V for European Union countries.



Brush: 0-30%
Roller: 0-30%
Spray gun: 15-30%

25L

5L

501500 [White 103](#)

XXX,XX

XX,XX



Montolac Fondo Blanco CM-55

Nitrocellulose primer with excellent whiteness and coverage. Fast drying and easy sanding.

Substrate: Wood. Preparation before lacquering or varnishing.

Finish with: Montolac Range.

• Exclusive use in installations regulated by Royal Decree 117/2003 or Directive 2010/75/EU Chapter V for European Union countries.



Brush: 0-30%
Roller: 0-30%
Spray gun: 15-30%

25L

5L

750ml

501505 [White 103](#)

XXX,XX

XX,XX

XX,XX

5. Wood

Furniture (Nitro Lacquers)



Montolac Satinada Blanca CM-70

White nitrocellulose finishing lacquer. Fast drying and excellent feel and hardness.

Substrate: Wood. Doors, frames, windows.

Prime with: Montolac and Montopol Range Primers.

Gloss index: 70%±5 to 60°.

• Exclusive use in installations regulated by Royal Decree 117/2003 or Directive 2010/75/EU Chapter V for European Union countries.



Brush: 0-10%
Roller: 0-10%
Spray gun: 10-20%

25L

5L

51 501520 [White 102](#)

XXX,XX

XX,XX



Montolac Satinada Blanca CM-75

Nitrocellulose finishing lacquer with excellent whiteness and coverage. Fast drying and excellent feel and hardness.

Substrate: Wood. Doors, frames, windows.

Prime with: Montolac and Montopol Range Primers.

Gloss index: 70%±5 to 60°.

• Exclusive use in installations regulated by Royal Decree 117/2003 or Directive 2010/75/EU Chapter V for European Union countries.



Brush: 10-30%
Roller: 10-30%
Spray gun: 10-30%

25L

5L

750ml

51 501525 [White 102](#)

XXX,XX

XX,XX

XX,XX

Furniture (Polyurethane Lacquers)



Montopol Fondo Transparente 09 P

Dual-component polyurethane varnish. Excellent value for money. Good sanding and filling ability. Mixture ratio 2:1 (2 Montopol : 1 Cat.Ms). Mixture life (Ms 8h)

Substrate: Wood. Preparation before lacquering or varnishing.

Finish with: Montopol and Montolac Ranges. Pol. Parquet and Varnishes.

• Exclusive use in installations regulated by Royal Decree 117/2003 or Directive 2010/75/EU Chapter V for European Union countries.



Brush: 0%
Roller: 0%
Spray gun: 0-20%

25L

5L

51 501603 [Colourless 900](#)

XXX,XX

XX,XX

5. Wood

Furniture (Polyurethane Lacquers)



Montopol Fondo Transparente 10 P

Dual-component polyurethane varnish. Good resistance to overcoating. Easy sanding and high filling power. Mixture ratio 2:1 (2 Montopol : 1 Cat.Ms). Mixture life (Ms 8h)

Substrate: Wood. Preparation before lacquering or varnishing.

Finish with: Montopol and Montolac Ranges. Pol. Parquet and Varnishes.

• Exclusive use in installations regulated by Royal Decree 117/2003 or Directive 2010/75/EU Chapter V for European Union countries.



Brush: 0%
Roller: 0%
Spray gun:
0-20%

	25L	5L	750ml
■ 501600 Colourless 900	XXX,XX	XX,XX	XX,XX



Montopol Fondo Transparente 15* P

Dual-component polyurethane varnish. Maximum filling power, easy sanding, elasticity and reactivity. Mixture ratio 2:1 (2 Montopol : 1 Cat.Ms). Mixture life (Ms 8h).

Substrate: Wood. Preparation before lacquering or varnishing.

Finish with: Montopol and Montolac Ranges. Pol. Parquet and Varnishes.

• Exclusive use in installations regulated by Royal Decree 117/2003 or Directive 2010/75/EU Chapter V for European Union countries.



Brush: 0%
Roller: 0%
Spray gun:
0-10%

	25L	5L	750ml
■ 501604 Colourless 900	XXX,XX	XX,XX	XX,XX

*While stocks last



Montopol Transparente Mate 19 P

Dual-component polyurethane finishing varnish. Excellent value for money. Good reactivity, hardness, feel and levelling. Mixture ratio 2:1 (2 Montopol : 1 Cat.Ms). Mixture life (Ms 8h).

Substrate: Wood. Doors, furniture.

Prime with: Montopol Range Primers.

Gloss index: 25%±5 to 60°.

• Exclusive use in installations regulated by Royal Decree 117/2003 or Directive 2010/75/EU Chapter V for European Union countries.



Brush: 0%
Roller: 0%
Spray gun:
0-10%

	25L	5L	750ml
■ 501613 Colourless 900	XXX,XX	XX,XX	XX,XX

5. Wood

Furniture (Polyurethane Lacquers)



Montopol Transparente Mate 20 P

Dual-component polyurethane finishing varnish. Good reactivity, hardness, feel and levelling. Mixture ratio 2:1 (2 Montopol : 1 Cat.Ms). Mixture life (Ms 8h)

Substrate: Wood. Doors, furniture.

Prime with: Montopol Range Primers.

Gloss index: 25%±5 to 60°.

• Exclusive use in installations regulated by Royal Decree 117/2003 or Directive 2010/75/EU Chapter V for European Union countries.



Brush: 0%
Roller: 0%
Spray gun:
0-10%

25L

5L

■ 501614 [Colourless 900](#)

XXX,XX

XX,XX



Montopol Transparente Satinado 29* P

Dual-component polyurethane finishing varnish. Excellent value for money. Good reactivity, hardness, feel and levelling. Mixture ratio 2:1 (2 Montopol : 1 Cat.Ms). Mixture life (Ms 8h).

Substrate: Wood. Doors, furniture.

Prime with: Montopol Range Primers.

• Exclusive use in installations regulated by Royal Decree 117/2003 or Directive 2010/75/EU Chapter V for European Union countries.



Brush: 0%
Roller: 0%
Spray gun:
0-20%

25L

■ 501623 [Colourless 900](#)

XXX,XX

*Product to be discontinued. Available while stocks last



Montopol Transparente Satinado 30 P

Dual-component polyurethane finishing varnish. Excellent reactivity, hardness, feel and levelling. Mixture ratio 2:1 (2 Montopol : 1 Cat.Ms). Mixture life (Ms 8h).

Substrate: Wood. Doors, furniture.

Prime with: Montopol Range Primers.

• Exclusive use in installations regulated by Royal Decree 117/2003 or Directive 2010/75/EU Chapter V for European Union countries.



Brush: 0%
Roller: 0%
Spray gun:
0-20%

25L

5L

750ml

■ 501620 [Incoloro 900](#)

XXX,XX

XX,XX

XX,XX

5. Wood

Furniture (Polyurethane Lacquers)



Montopol Transparente Brillo 40 P

Dual-component polyurethane finishing varnish. Excellent reactivity, hardness, feel and levelling. Mixture ratio 2:1 (2 Montopol : 1 Cat.Ms). Mixture life (Ms 8h).

Substrate: Wood. Doors, furniture.

Prime with: Montopol Range Primers.

• Exclusive use in installations regulated by Royal Decree 117/2003 or Directive 2010/75/EU Chapter V for European Union countries.



Brush: 0%
Roller: 0%
Spray gun:
0-20%

	25L	5L	750ml
■ 501630 Colourless 900	XXX,XX	XX,XX	XX,XX



Montopol Fondo Blanco 49 P

Dual-component polyurethane varnish. Excellent value for money. Good sanding and filling ability. Mixture ratio 2.3:1 (2.3 Montopol : 1 Cat. Ms). Mixture life (Ms 4h).

Substrate: Wood. Preparation before lacquering or varnishing.

Finish with: Montopol and Montolac Ranges. Pol. Parquet and Varnishes.

• Exclusive use in installations regulated by Royal Decree 117/2003 or Directive 2010/75/EU Chapter V for European Union countries.



Brush: 0%
Roller: 0%
Spray gun:
0-15%

	25Kg	5Kg
■ 501605 White 103	XXX,XX	XX,XX



Montopol Fondo Blanco 50 P

Dual-component polyurethane varnish. Excellent adherence and sandability. Mixture ratio 2.3:1 (2.3 Montopol : 1 Cat. Ms). Mixture life (Ms 4h).

Substrate: Wood. Preparation before lacquering or varnishing.

Finish with: Montopol and Montolac Ranges. Pol. Parquet and Varnishes.

• Exclusive use in installations regulated by Royal Decree 117/2003 or Directive 2010/75/EU Chapter V for European Union countries.



Brush: 0%
Roller: 0%
Spray gun:
0-20%

	25Kg	5Kg
■ 501600 White 103	XXX,XX	XX,XX

5. Wood

Furniture (Polyurethane Lacquers)



Montopol Fondo Blanco 55 P

Dual-component polyurethane varnish. Maximum whiteness, filling power, sandability, elasticity and reactivity. Mixture ratio 2.3:1 (2.3 Montopol : 1 Cat. Ms). Mixture life (Ms 4h).
Substrate: Wood. Preparation before lacquering or varnishing.

Finish with: Montopol and Montolac Ranges. Pol. Parquet and Varnishes.

• Exclusive use in installations regulated by Royal Decree 117/2003 or Directive 2010/75/EU Chapter V for European Union countries.



Brush: 0%
 Roller: 0%
 Spray gun:
 0-20%

25Kg

5Kg

■ 501606 [White 103](#)

XXX,XX

XX,XX



Montopol Blanco Mate 59 P

Dual-component polyurethane finishing varnish. Good whiteness, coverage and resistance to yellowing, feel and levelling. Mixture ratio 2.5:1 (2.5 Montopol : 1 Cat. Na). Mixture life (Na 4-6h).

Substrate: Wood. Doors, furniture.

Prime with: Montopol Range Primers.

Gloss index: 25%±5 to 60°.

• Exclusive use in installations regulated by Royal Decree 117/2003 or Directive 2010/75/EU Chapter V for European Union countries.



Brush: 0%
 Roller: 0%
 Spray gun:
 0-15%

25Kg

5Kg

■ 501615 [White 103](#)

XXX,XX

XX,XX



Montopol Blanco Mate 60 P

Dual-component polyurethane finishing varnish. Excellent whiteness, coverage and resistance to yellowing, feel and levelling. Mixture ratio 2.5:1 (2.5 Montopol : 1 Cat. Na). Mixture life (Na 4-6h).

Substrate: Wood. Doors, furniture.

Prime with: Montopol Range Primers.

Gloss index: 25%±5 to 60°.

• Exclusive use in installations regulated by Royal Decree 117/2003 or Directive 2010/75/EU Chapter V for European Union countries.



Brush: 0%
 Roller: 0%
 Spray gun:
 0-20%

25Kg

5Kg

■ 501616 [White 103](#)

XXX,XX

XX,XX

5. Wood

Furniture (Polyurethane Lacquers)



Montopol Blanco Satinado 69 p

Dual-component polyurethane finishing varnish. Good whiteness, coverage and resistance to yellowing, feel and levelling. Mixture ratio 2.5:1 (2.5 Montopol : 1 Cat. Na). Mixture life (Na 2h).

Substrate: Wood. Doors, furniture.

Prime with: Montopol Range Primers.

Gloss index: 55%±5 to 60°.

• Exclusive use in installations regulated by Royal Decree 117/2003 or Directive 2010/75/EU Chapter V for European Union countries.



Brush: 0%
Roller: 0%
Spray gun:
0-15%

	25Kg	5Kg
■ 501625 White 102	XXX,XX	XX,XX



Montopol Blanco Satinado 70 p

Dual-component polyurethane finishing varnish. Excellent whiteness, coverage and resistance to yellowing, feel and levelling. Mixture ratio 2.5:1 (2.5 Montopol : 1 Cat. Na). Mixture life (Na 2h).

Substrate: Wood. Doors, furniture.

Prime with: Montopol Range Primers.

Gloss index: 55%±5 to 60°.

• Exclusive use in installations regulated by Royal Decree 117/2003 or Directive 2010/75/EU Chapter V for European Union countries.



Brush: 0%
Roller: 0%
Spray gun:
0-20%

	25Kg*	5Kg
■ 501620 White 102	XXX,XX	XX,XX

*New formats available when old ones are sold out



Montopol Blanco Brillo 80 p

Dual-component polyurethane finishing varnish. Excellent whiteness, coverage and resistance to yellowing, feel and levelling. Mixture ratio 2.5:1 (2.5 Montopol : 1 Cat. Na). Mixture life (Na 2h).

Substrate: Wood. Doors, furniture.

Prime with: Montopol Range Primers.

Gloss index: 95%±5 to 60°.

• Exclusive use in installations regulated by Royal Decree 117/2003 or Directive 2010/75/EU Chapter V for European Union countries.



Brush: 0%
Roller: 0%
Spray gun:
0-20%

	25Kg	5Kg
■ 501661 White 100	XXX,XX	XX,XX

5. Wood

Furniture (Polyurethane Lacquers)

Catalizador Montopol MS



Aromatic hardener to be mixed with the whole Montopol range: clear and white primers.

Substrate: That of the product.

Prime with: That of the product.

• Exclusive use in installations regulated by Royal Decree 117/2003 or Directive 2010/75/EU Chapter V for European Union countries.

		12,5L	11Kg	2,5L	2,2Kg	375ml	
501640 Colourless		xxx,xx	xxx,xx	xx,xx	xx,xx	x,xx	

Catalizador Montopol NA



Aliphatic hardener to be mixed with the whole Montopol range: white finishes.

Substrate: That of the product.

Prime with: That of the product.

• Exclusive use in installations regulated by Royal Decree 117/2003 or Directive 2010/75/EU Chapter V for European Union countries.

					10Kg	2Kg	
501645 Incoloro					xxx,xx	xx,xx	

Montomix Line

Montoxyl Tinte



Montomix Line



Dissolution specially formulated to be used as a base for obtaining solvent-based wood stains.

Substrate: Construction works.

Finish with: Polyurethanes, lacquers, varnishes.

								Spray gun: Ready-to-use Brush: Ready-to-use Gloves: Ready-to-use
							4L	750ml
501306 TR							xx,xx	xx,xx

crea[®] by MONTÓ

sustainable decorative protectors

naturally, protects



An over protective family

crea[®] is the Pinturas Month range specialized in protection and decoration of wood or metal surfaces. A sustainable, environmentally friendly and developed range with the latest technological innovations in waterproofing products.

Wood



Metal



www.creabymonto.com

MONTÓ
pinturas

Appendix Crea

Consult the rest of the products in the Crea catalogue



Crea Chalk Paint

Chalk effect paint, velvety appearance and fast drying. To create vintage or aged effects, using the application technique (abrading by sanding).

Substrate: Construction works; wood; metal after priming.

Finish with: Crea Cera Chalk Paint.

Certifications: Indoor emissions (A+).



Brush: 0-5%
Roller: 0-5%

	500ml
772416 Colours	*
773829 BL	*
773829 IN	*
773829 TR	*

* Check prices, sale conditions and full range in the Crea product catalogue



Crea Esmalte Laca

Water based acrylic enamel, high adhesion for the protection and decoration of iron, wood and other surfaces such as plaster, pvc, aluminium, DM, galvanized metals. Specially designed to obtain perfect smooth surfaces.

Substrate: Construction works; Metal; Wood.

Prime with: Crea Imprimación Multiadherente or Antioxidante.

Certifications: Safety for toys EN71-3. Indoor emissions (A+).



Brush: 0-5%
Roller: 0-5%
Spray gun: 5-15%

	2.5L	500ml
771997 Matt White 103 and Black 104	*	*
771998 Satin White 102 and Colours	*	*
771999 Gloss White 100 and Colours	*	*

* Check prices, sale conditions and full range in the Crea product catalogue



Crea Aceite Protector 2 en 1

Wood protector, especially tropical wood, using nanotechnology resins of maximum penetration (woodstain) and natural oils. Penetrates, protects and nourishes wood, without forming a film, maintaining the natural look and feel of the Material. Water, UV and weather resistant.

Substrate: Wood (Tropical). Garden furniture, outdoor decking.

Prime with: The same product.



Brush: Ready-to-use
Roller: Ready-to-use
Spray gun: Ready-to-use

	2.5L	500ml
771445 Colourless 900	*	*
771445 Colour	*	*

* See prices and conditions in the CREA Product Catalogue.



Powder Fillers	Ready-To-Use Fillers	Fillers for Specific Use	DIY Fillers	Sealants, Primers and Fixatives
Indoor Outdoor/Indoor	Indoor Outdoor/Indoor	Iron and Metals Wood Ready-to-Use		Iron and Metals Multi-substrate Timber Work Walls — Facades

6. Fillers and Primers

Product map. In powder.

	PRODUCT								
CONTAINER									
PRODUCT	Plasmont Renovación Plus	Plasmont Renovación	Plasmont Multiuso	Plasmont Lijafácil	Plasmont Acabados	Plasmont Reparex	Plasmont Exteriores R20	Plasmont Reparación Fachadas R3	Plasmont Al Uso Renovación
Type	Powder	Powder	Powder	Powder	Powder	Powder	Powder	Powder	Use
Use	Indoor	Indoor	Indoor	Indoor	Indoor	Outdoor - Indoor	Outdoor	Outdoor - Indoor	Indoor
Lifetime	3-4 h.	4-5 h.	6-8 h.	5-6 h.	8-12 h.	30 min.	2 h.	4-6 h.	Unlimited
Maximum thickness per layer	15 mm.	7 mm.	5 mm.	7 mm.	1 mm.	Unlimited	20 mm.	3 mm.	3 mm.
Main characteristics	Thick layers. Perfect filling.	Thick layers. Good adherence.	Use universal	Very easy to sand. Perfect filling.	For perfect smoothness	Repair after drying. 0% shrinkage	Immediate repainting	Sandable and paintable	Easy Sanding

	CONTAINER								
CONTAINER									
PRODUCT	Plasmont Renovación Plus	Plasmont Renovación	Plasmont Multiuso	Plasmont Lijafácil	Plasmont Acabados	Plasmont Reparex	Plasmont Exteriores R20	Plasmont Reparación Fachadas R3	Plasmont Al Uso Renovación
Repair of large holes, flaws, plastering... Thick layers	Indoor	●	○	○	○	○	○	○	●
	Outdoor	○	○	○	○	○	●	●	○
Repairing holes, flaws, plastering,... in middle layers	Indoor	●	●	●	●	○	○	○	●
	Outdoor	○	○	○	○	○	●	●	○
Surface preparation for smooth finishes	Indoor	○	○	○	○	○	○	○	○
	Outdoor	○	○	○	○	○	○	○	○
Repair of large cracks	Indoor	○	○	○	○	○	○	○	○
	Outdoor	○	○	○	○	○	○	○	○
Repair and fixing of elements	Indoor	○	○	○	○	○	○	○	○
	Outdoor	○	○	○	○	○	○	○	○
Repair and laying on wood	Indoor	○	○	○	○	○	○	○	○
	Outdoor	○	○	○	○	○	○	○	○
Repair and laying on metals	Indoor	○	○	○	○	○	○	○	○
	Outdoor	○	○	○	○	○	○	○	○
Repair and laying for finishing with synthetic enamels and lacquers	Indoor	○	○	○	○	○	○	○	○
	Outdoor	○	○	○	○	○	○	○	○
Renovating and repainting tile joints	Indoor	○	○	○	○	○	○	○	○
Renovating and repainting tiles and ceramics	Indoor	○	○	○	○	○	○	○	○
	Outdoor	○	○	○	○	○	○	○	○

Generic recommendations that may vary depending on the state of the floor, particularities it presents, type of specific use for which it is intended, specific requirements of the property; always consult product data sheets.

6. Fillers and Primers

Product map. Ready-to-use

PRODUCT							
CONTAINER							
PRODUCT	Plasmont AI Uso Multiuso	Plasmont Fibra Elástico	Plasmont AI Uso Rep. Fachadas	Plasmont Metales	Plasmont Madera	Plasmont Oleosintético	Plasmont AI Uso Azulejos
Type	Use	Use	Use	Use	Use	Use	Use
Use	Outdoor - Indoor	Outdoor - Indoor	Outdoor - Indoor	Outdoor - Indoor	Indoor	Indoor	Outdoor - Indoor
Lifetime	Unlimited	unlimited	unlimited	unlimited	unlimited	unlimited	unlimited
Maximum thickness per layer	5 mm.	---	7 mm.	thin layers	thin layers	thin layers	thin layers
Main characteristics	Use Universal	Waterproof Superelastic	Repair after drying. Does not generate saltpetre	Adherence on metals. Hard and sandable	In colours. Conceals defects	Highly sandable. Levelling filler	High adherence on ceramics

CONTAINER							
CONTAINER							
PRODUCT	Plasmont AI Uso Multiuso	Plasmont Fibra Elástico	Plasmont AI Uso Rep. Fachadas	Plasmont Metales	Plasmont Madera	Plasmont Oleosintético	Plasmont AI Uso Azulejos
Repair of large holes, flaws, plastering... Thick layers	Indoor	—	○	—	—	—	—
	Outdoor	—	◐	—	—	—	—
Repairing holes, flaws, plastering,... in middle layers	Indoor	●	○	—	—	—	—
	Outdoor	●	○	●	—	—	—
Surface preparation for smooth finishes	Indoor	◐	—	—	—	—	—
	Outdoor	◐	—	—	—	—	—
Repair of large cracks	Indoor	—	●	—	—	—	—
	Outdoor	—	●	—	—	—	—
Repair and fixing of elements	Indoor	—	—	—	—	—	—
	Outdoor	—	—	—	—	—	—
Repair and laying on wood	Indoor	◐	◐	—	◐	●	◐
	Outdoor	◐	◐	—	◐	—	—
Repair and laying on metals	Indoor	—	—	—	●	—	—
	Outdoor	—	—	—	●	—	—
Repair and laying for finishing with synthetic enamels and lacquers	Indoor	—	—	—	◐	—	●
	Outdoor	—	—	—	◐	—	—
Renovating and repainting tile joints	Indoor	—	—	—	—	—	—
Renovating and repainting tiles and ceramics	Indoor	—	—	—	—	—	●
	Outdoor	—	—	—	—	—	●

— :Use not recommended, ○ :Possible use, ◐ : Recommended use, ● Ideal for this application

6. Fillers. In Powder

Indoor



Plasmont Renovación Plus

Powder filler for smoothing of textured surfaces without any loss. Good adherence on plastic paints. Excellent fresh on fresh adhesion. Possibility to apply very thick coats. Excellent filling.

Substrate: Rough, pitted gotelés.

Finish with: Plasmont acabados. Prod. Fam. 1, Montonature, Luxury Decoration.

Mixture: 0.5 l/Kg.



15 Kg

502309 White 800

XX,XX



Plasmont Renovación

Powder filler for smoothing of textured surfaces without any loss. Good adherence on plastic paints. Saves time by being able to apply thick coats without drying completely. Excellent sanding.

Substrate: Rough, pitted gotelés.

Finish with: Plasmont acabados. Prod. Fam. 1, Montonature, Luxury Decoration.

Mixture: 0.4 l/Kg.



15 Kg

5 Kg

502325 White 800

XX,XX

XX,XX



Plasmont Multiuso

Powder filler for universal use, both for covering large defects and for smoothing small imperfections. Easy application. Excellent whiteness and adhesion. Good sandability. When painting, the fillers are not absorbed.

Substrate: Construction works. Wood

Finish with: Plasmont acabados. Prod. Fam. 1, Montonature, Luxury Decoration.

Mixture: 0.45 l/Kg.



15 Kg

5 Kg

1 Kg

502312 White 800

XX,XX

XX,XX

X,XX

6. Fillers. In Powder

Indoor



Plasmont Lijafácil

Universal filler for renovation and smoothing. It stands out for its very easy sanding and perfect filling.

Substrate: Construction works.

Finish with: Emulsión Fijadora / Fijamont + Prod. Fam. 1, Montonature, Luxury Decoration.

Mixture: 0.4 l/Kg.



	15 Kg	5 Kg
502303 White 800	XX,XX	XX,XX



Plasmont Acabados

Powder filler in thin layer, special for very smooth finishes. Facilitates the spreading of the paint layer, minimising application marks. Excellent and smooth application.

Substrate: Construction works.

Finish with: Ovaldine. Prod. Fam. 1, Luxatín, Montonature, Luxury Decoration.

Mixture: 0.4 l/Kg.



	15 Kg	5 Kg	1 Kg
502315 White 800	XX,XX	XX,XX	X,XX

Outdoor / Indoor



Plasmont Reparex

Cement-based powder filler for outdoors, with a fine texture and extreme hardness. Once dry, it can be immediately recoated (without the danger of causing saltpeter), with all common types of facade coatings. It allows large layer thicknesses to be left without cracking or shrinkage.

Substrate: Construction works. Repairs, fixations, plastering.

Finish with: Prod. Fam. 2.

Mixture: 0.4 l/Kg.



	15 Kg	5 Kg
502302 White 800	XXX,XX	XX,XX

6. Fillers. In Powder

Outdoor / Indoor



Plasmont Reparación Fachadas

Cement based powder filler to be prepared by adding water. Easy to apply. High final hardness. Allows the application of medium layer thicknesses.

Substrate: Construction works. Plastering, repairs, fixing parts.

Finish with: Family 2 products.

Mixture: 0.4 l/Kg.



	15 Kg	5 Kg	1 Kg
502300 White	XX,XX	XX,XX	X,XX
502300 Grey	XX,XX	---	---



Plasmont Exteriores

Cementitious filler for outdoor repairs. For laying, smoothing and filling in thin and medium layers. Repaintable after drying.

Substrate: Construction works.

Finish with: Prod. Fam. 2.

Mixture: 0.4 l/Kg.



	15 Kg	5 Kg	1 Kg
502352 White 103	XX,XX	XX,XX	X,XX

Fillers. Ready-to-Use

Indoor



Plasmont Al Uso Multiuso

Alkaline-free plastic filler paste. It allows small repairs to facades and walls and repainting without alkalinity. Ready for use. Saves downtime and Material loss.

Substrate: Construction works. Wood. Cracks, fissures, wood knots.

Prime with: Emulsión fijadora, Fijamont.



	20 Kg	5 Kg	1 Kg	1/2 Kg
502320 White 800	XX,XX	XX,XX	X,XX	X,XX

6. Fillers. Ready-to-Use

Indoors / Outdoors



Plasmont Al Uso Renovación

Powder filler for smoothing of textured surfaces without any shrinkage. Good adherence on plastic paints. Saves time as you can apply coats without having to wait for the previous coat to dry completely. Excellent sanding.

Substrate: Construction works. Stucco, Cracks.

Prime with: Emulsión Fijadora / Fijamont.



	20 Kg	5 Kg
502331 White 800	XX,XX	XX,XX



Plasmont Fibra Elástico

Ready-to-use, super-elastic waterproofing elastic filler. Specially designed to repair cracks and fissures. It incorporates fibres that reinforce its action. Ideal complement to Tejamont.

Substrate: Construction works. Wood. Terraces, walls, facades.

Prime with: Fixative Emulsion, Fijamont, Fijamont Acqua.



Trowel
Spatula

	2.5 L	750ml
502305 White 800	XX,XX	X,XX



Plasmont Al Uso Reparación Fachadas

Slightly textured, cement-free, alkaline-free filler for exterior use, especially suitable for small repairs on facades which are to be painted afterwards. Does not produce saltpetre or stains on the paintwork. Finished as cement mortar.

Substrate: Construction works. Facade repairs.

Finish with: Family 2 products.



Trowel
Spatula

	20 Kg	5 Kg
502328 Grey 7032	XX,XX	XX,XX

6. Fillers. Ready-to-Use

Iron and Metals



Plasmont Metales

Dual-component filler, extremely hard and easy to sand. With excellent adherence on iron and metals. For covering defects or levelling surfaces prior to painting. Matt cream finish.

Substrate: Metal. Plastic. Wood. Iron. Bodywork.

Finish with: Montosintético, Luxatin, Acripol, Montoepox.

Mixture ratio: 100 (Filler): 2-2.5 (cat.Filler) Mixture Life: 5 min.



Spatula

1 Kg

502327 800 White filler + catalyst

XX,XX ^{a+b}

502323 800 Catalyst

X,XX ^b

*(a+b) Price includes base plus catalyst

Wood



Plasmont Madera

Coloured filler, for levelling and concealing wood defects, holes, knocks, joints, prior to painting.

Substrate: Wood. Cracks, fissures, knocks.

Finish with: Montolac, Montopol, Montosintético, Luxatín.



Spatula
Knife

120 gr. tube

502326 Natural 902, Pine 912, Beech 917, Oak 922, Walnut 932, Teak 962, Sapele 967, and Mahogany 972

X,XX

Ready-to-Use



Plasmont Oleosintético

Ready-to-use synthetic levelling filler in paste form. Preparation of woodwork and walls. Highly sandable.

Substrate: Construction works. Wood. Doors, furniture.

Finish with: Montosintético, Luxatín, Montolac, Montopol.



Trowel
Spatula

1 Kg

502330 White 800

XX,XX

6. Fillers. Ready-to-Use

Ready-to-Use



Plasmont Al Uso Azulejos

Ready for use filler. For grouting tiles and ceramics, with good adherence on low porosity surfaces.

Substrate: Construction works. Wood. Kitchens, bathrooms, tiles, cracks, fissures.

Prime with: On degradable substrates: Emulsión Fijadora or Fijamont.



Trowel
Spatula

20 Kg 5 Kg

502316 White 800

XX,XX

XX,XX

Fillers. DIY

DIY



Plasmont Bricolage Cemento Cola

Powder mortar with additives that give it great adherence on all types of substrates. Suitable for laying tiles, ceramics, marble, etc.

Substrate: Construction works. Fixing pieces.

Prime with: On degradable substrates: Emulsión Fijadora, Fijamont.

Mixture: Add 20%-25% water.



Trowel
Spatula

1.5 Kg

202291 Beige 800

X,XX



Plasmont Bricolage Cemento Rápido

Fast-setting powder mortar for repair and masonry work where speed of use is required: drainage joints, sanitary fittings, fixing of substrates, etc.

Substrate: Construction works. Plastering, repairs, fixing parts.

Prime with: On degradable substrates: Emulsión Fijadora, Fijamont.

Mixture: 500 ml of water per kg of putty.



Trowel
Spatula

1.5 Kg

202292 Beige 800

X,XX



Plasmont Bricolage Cemento Blanco

White powder mortar for repairs and grouting where a white finish is desired. Can be dyed with water-based or universal dyes.

Substrate: Construction works. Repair of floors, grouting of tiles.

Prime with: On degradable substrates: Emulsión Fijadora, Fijamont.

Mixture: Add water until a creamy paste is obtained.



1.5 Kg

202293 White 103

x,xx



Plasmont Bricolage Escayola Plástica

Powdered preparation, with high hardness, whiteness and fineness of finish. For repairs on mouldings, execution of manual work and moulds. Quick setting.

Substrate: Construction works. Plastering, repairs, moulds.

Prime with: On degradable substrates: Emulsión Fijadora, Fijamont.

Mixture: Add 1 part water to 2 parts plaster.



1 Kg

202295 White 800

x,xx



Plasmont Bricolage Yeso

Powdered preparation for repairing plaster walls or fixing substrates, pipes, cables, etc... Fast setting.

Substrate: Construction works. Crack filling, plastering, joints, fixing of tiles.

Prime with: On degradable substrates: Emulsión Fijadora, Fijamont.



1 Kg

202294 White

x,xx

6. Sealants, Primers and Fixatives

Product Map Primers

CONTAINER										
PRODUCT	Impri-pol	Impri-epox	Minio White	Impri-mación Sintética	Impri-mación Industrial	Monto-primer Total	Monto-primer Total Acqua	Impri-mación Epoxi Suelos	Fijamont/Fijamont Acqua	Emulsión Fijadora
Colours	White	White	White	Primer chart	Primer chart	White and SSTT	White	Transparente	Transparente	Transparente
Theoretical coverage (x coat) (m ² /L)	8-12	8-12	10-15	5-8	5-8	10-12	10-15	7-14	7-15	35-75
TECHNICAL CHARACTERISTICS										
Nature	Polyurethane	Epoxy	Synthetic	Synthetic	Synthetic	Acrylic	Acrylic	Epoxy	Acrylic	
Base	Solvent	Solvent	Solvent	Solvent	Solvent	Solvent	Water	Water	Water/solvent	Water
Touch-dry (min)	15 min	30 min	30-60 min.	15-30 min.	15-30 min.	30 min	30 min	2-4h	10-30 min.	10-30 min.
Repainting	1-12h	12-24h	24h	24h	24h	2-24h	6-24h	8-24h	4-6h	4h
Special characteristics	Antioxidant	Antioxidant	Antioxidant	Antioxidant. Euroclases		Antioxidant and multi-adhesive	Antioxidant and multi-adhesive		Anti-salt peter	High performance
SUBSTRATES										
Metal	●	●	●	●	●	●	●	●	—	—
Metal aggressive environment (marine, industrial)	●	●	—	—	—	—	—	—	—	—
Galvanised	●	●	—	—	—	●	●	—	—	—
Aluminium	—	●	—	—	—	●	●	—	—	—
Polyester	—	●	—	—	—	—	—	—	—	—
PVC	—	—	—	—	—	●	●	—	—	—
Wood	—	—	—	—	—	●	●	—	●	●
Construction works	—	—	—	—	—	●	●	●	●	●
Cement, concrete	—	—	—	—	—	●	●	●	●	●
Glass	—	—	—	—	—	—	○	—	—	—
Tiles	—	—	—	—	—	—	○	●	—	—
Typical uses	Metal structures, marine environments, galvanised metal		Fences, tanks, structures	Metal structures, locking mechanisms, industrial machinery		Multi-use	Multi-use	Floor sealing	Degradable surfaces, repainting of paintwork in poor condition	

— :Not recommended use, ○ :Possible use ● Ideal for this application

Generic recommendations may vary depending on the state and specific characteristics of the substrate; the specific needs of the property, the specific use determined on a case by case basis. Always consult the product data sheets.

6. Sealants, Primers and Fixatives

Iron and Metals



Impripol + Catalizador p

Dual-component Zn-phosphate rust preventive primer based on aliphatic polyurethane. Anti-rust preparation for finishing with ACRIPOL.

Substrate: Iron. Structures, marine environments, galvanised metal.

Finish with: Acripol, Montoepox.

Mixture ratio: 4 (Impripol) : 1 (Cat. Impripol). Mixture life: 8 h.



Brush: 0-5%
Spray gun: 5-10%

4L (3,2 + 0,8) a+b 800 ml b 750ml(600+150) a+b 150 ml b

501771 White 103	XXX,XX	---	XX,XX	---
502070 Catalyst Only	---	XX,XX	---	XX,XX

The catalyst is shipped automatically when ordering part A

*(a+b) The price includes the base plus the catalyst



Impriepox M-10 + Catalizador e

Two-part epoxy primer for metals, formulated with non-toxic anticorrosives. High anti-rust and adhesive power on light metals. Hardness, toughness and durability.

Substrate: Metals. Iron, galvanised steel, brass, aluminium, polyester.

Finish with: Acripol, Montoepox, Montosintético, Montofoc, Luxatin, Ferrum.

Mixture ratio: 4 (Impriepox M-10) : 1 (Cat. Impriepox M-10). Mixture life: 4 h.



Brush: 0-5%
Roller: 0-5%
Spray gun: 0-20%

25Kg(20+5) a+b 5 Kg b 5 Kg (4+1) a+b 1 Kg b

501780 White 100	XXX,XX	---	XXX,XX	---
501790 Catalizador Sólo	---	XXX,XX	---	XX,XX

The catalyst is shipped automatically when ordering part A

*(a+b) The price includes the base plus the catalyst



Shop Primer

Single-component rustproofing primer with maximum adhesion on steel and light materials. Weldable.

• Use in installations regulated by Royal Decree 117/2003 or Directive 1999/13/EC for European Union countries.

Substrate: Metal structures, galvanised metal, tanks.

Finish with: Enamels. Consult finishing product.



Brush: 0-5%
Roller: 0-5%
Spray gun: 10-30%

4L 750ml

501880 White 102	XX,XX	XX,XX
------------------	-------	-------

6. Sealants, Primers and Fixatives

Iron and Metals



Imprimación Industrial

Alkyd resin-based paint with lightfast and weather-resistant pigments. Air drying. Excellent value for money.

Substrate: Metal. Metal structures, locking mechanisms.

Finish with: Synthetic enamels.

Certified: Fire performance according to Euroclasses.



Brush: 10-25%
Roller: 10-25%
Spray gun: 20-40%

	25 Kg.	5 Kg.
501760 White 100	XXX,XX	XX,XX
501760 Carriage Green 129 and Blue 202	XXX,XX	XX,XX
501760 Red 205, Black 207, Grey 211	XXX,XX	XX,XX

Passivating



Oxifín

Rust neutraliser which, by means of a chemical reaction, converts the rust into a perfectly adherent and passive layer. Paint immediately to prevent further rusting.

Substrate: Metal. Gates, railings.

Finish with: 1st coat: Minio. 2nd coat: Montosintético, Montoacrilic, Luxatín. Family 4 and 8.



Brush: Ready-to-use
Roller: Ready-to-use

	4L	1L	250ml	125ml
501900 Pavon Black 800	XXX,XX	XX,XX	XX,XX	X,XX

Multi-substrate



Montoprimer Total Acqua

Universal water-based, multi-adhesive, single-component primer for most substrates. Antioxidant and fast drying. Repaintable with plastics, enamels, polyurethanes, epoxies...

Substrate: Construction works; Steel; Galvanised iron; Aluminium; Copper; Brass; Glass and tile; Wood; PVC; Methacrylate.

Finish with: Montonature. Montosintético. Family 1. Luxatín. Acripol. Montoepox

Certified: Fire performance according to Euroclasses. Adherence.



Brush: Ready-to-use
Roller: Ready-to-use
Spray gun: 0-10%

	4L	750ml	375ml
501896  White 102 	XX,XX	XX,XX	XX,XX
 501896 TR 	XX,XX	XX,XX	---

Montomix Line



6. Sealants, Primers and Fixatives

Multi-substrate



Montoprimer Total

Universal, multi-adhesive, single-component primer for most substrates. Antioxidant and fast drying. Repaintable with plastics, enamels, polyurethanes, epoxies...
Substrate: Construction works; Steel; Galvanised iron; Aluminium; Copper; Brass; Wood.

Finish with: Montonature. Montosintético. Luxatín. Acripol. Montoepox.

Certified: Adherence. Salt spray corrosion.



Brush: Ready-to-use
 Roller: Ready-to-use
 Spray gun: Ready-to-use

	4L	750ml
501787 White 102	XXX,XX	XX,XX
503935 BL	XXX,XX	XX,XX
503935 TR	XX,XX	XX,XX

Montomix Line



Wood - Structure



Selladora Sellalux

Synthetic primer with excellent brushability and levelling properties. Regulates the absorption of porous surfaces. High adhesion as a primer or topcoat. Excellent whiteness and coverage.

Substrate: Construction works. Wood. Plaster. Cement.

Finish with: Same product. Family 4.



Brush: 5-15%
 Roller: 5-15%
 Spray gun: 20-30%

	4L	750ml	375ml
502340 White 800	XX,XX	XX,XX	XX,XX

Floors



Imprimación Epoxi Suelos + Cat.

Water based epoxy primer, universal adhesion promoter on low porous substrates, on floors, walls and non-ferrous metals. Repaintable with epoxy, polyurethane and acrylic paints. High performance.

Substrate: Construction works. Metal. Cement, concrete, tiles.

Finish with: Montoepox, Poliumont, Pavimont, Clorocaucho, Montonature, Fam. 8

Mixture ratio: 2 (Imprimación Epoxi Suelos) : 1 (Cat. Imp. Epoxi Suelos). Mixture life: 1 h.



Brush: 30-60%
 Roller: 30-60%

	12Kg(8+4) ^{a+b}	4 Kg ^b	3 Kg (2+1) ^{a+b}	1 Kg ^b
502187 Transparente 800	XXX,XX	---	XX,XX	---
502189 Catalizador	---	XXX,XX	---	XX,XX

The catalyst is shipped automatically when ordering part A

*(a+b) The price includes the base plus the catalyst

6. Sealants, Primers and Fixatives

Walls — Facades

Fijamont



Fixative primer with maximum penetration on porous, painted or newly built surfaces. Damp-proofing. Maximum adherence. Prevents saltpeters and streaks. Hardens and repairs surfaces in bad condition.

Substrate: Construction works. Wood. Degradable surfaces, paintwork in poor condition.

Finish with: Family 1, 2 and 3. Luxury Decoration. Consult finishing product.

* (Avoid glossiness by thinning according to the absorption of the support: from 20% to 80%).



Brush: 20-60%
Roller: 20-60%
Spray gun: 40-100%

	15L	4L	750ml
502360 Transparent 900	XXX,XX	XX,XX	XX,XX

Fijamont Acqua



Water-based fixative primer with maximum penetration on porous, painted or newly built surfaces. Damp-proofing. Maximum adherence. Prevents saltpeters and streaks by repairing and hardening surfaces in bad condition.

Substrate: Construction works. Wood. Degradable surfaces, paintwork in poor condition.

Finish with: Family 1, 2 and 3. Luxury Decoration. Consult finishing product.

* (Avoid glossiness by thinning according to the absorption of the support: from 30% to 100%).



Brush: 30-70%
Roller: 30-70%
Spray gun: 30-100%

	15L	4L	750ml
502364 Transparent 900	XXX,XX	XX,XX	XX,XX

Emulsión Fijadora



Single-component universal adhesive sealant primer. Odourless. For surfaces that are difficult to adhere to. Free of toxic pigments and aromatic solvents. Can be repainted with any paint.

Substrate: Construction works. Wood. Degradable surfaces, paintwork in poor condition.

Finish with: Family 1, 2 and 3. Luxury Decoration. Consult finishing product.

Dilute with: 1 (Emulsión Fijadora) : 4 (Water).

* (Avoid glossiness by thinning according to the absorption of the substrate).



Brush
Roller
Spray gun

	12L	4L	750ml
502370 Transparent 900	XXX,XX	XX,XX	XX,XX

6. Sealants, Primers and Fixatives

Walls — Facades

Emulsión Fijadora Blanca



Penetrating fixative primer for porous surfaces. It hardens the substrate, regulates absorption and provides coverage.

Substrate: Construction works.

Finish with: Family 1, 2. Consult finishing product.



Brush: 20-50%
Roller: 20-50%
Spray gun: 30-60%

12L

4L

502373 White 103

XXX,XX

XX,XX

Látex V



Concentrated vinyl emulsion with a milky appearance and multiple uses in the field of decoration.

Substrate: Construction works. Wood. Reinforcing paints, sealing, priming.



Brush
Roller
Spray gun:


4L

750ml

502380 Transparent 900

XX,XX

XX,XX



Specific Use

Montomix
Manual dye
Fire retardants
Sports facilities. Swimming pools
Ball Courts
Montoplac
Anti-radiation
Water-based epoxy
Paint thinners
Anti-graffiti system
Heat retardant
Additives

7. Specific-use products

Montomix Line

Etiquetas Adhesivas

22 X 70 MM CONTINUOUS PAPER LABEL ROLL FOR TINTOMETRIC SYSTEMS.

	PVP
E00455 Label roll	XX,XX
E03253 Thermal paper label roll	XX,XX

Disolvente Limpieza Máquinas Montomix

(Only for versions with solvent-based dyes).

	5L
503498 900 Metal Tin	XX,XX

053898 Color@ Universal Dye 1L	504100 Color@ Water-based Dyes 1L	504101 Color@ Solvent-based Dyes 1L	03853 Color@ Wood Dyes 1L
UAV XXX,XX	AAV XXX,XX	ARP XX,XX	DNE XX,XX
UPV XX,XX	APV XX,XX		DBA XX,XX
UVC XXX,XX	AVC XXX,XX	AVR XX,XX	DOE XX,XX
UTO XXX,XX	ATO XXX,XX	AAZ XX,XX	DPA XX,XX
UNG XX,XX	AVL XX,XX	AVL XX,XX	DAU XX,XX
UOC XX,XX	ANG XX,XX	ARJ XX,XX	DVE XX,XX
UPR XX,XX	AOC XX,XX	AAM XX,XX	DR1 XXX,XX
UBN XX,XX	APR XX,XX	ANL XXX,XX	DR2 XXX,XX
URP XX,XX	ABN XX,XX	AMG XXX,XX	DVI XXX,XX
UVR XX,XX			DR3 XX,XX
UAZ XX,XX	AA3 XX,XX	AAL XXX,XX	DT4 XX,XX
UVL XX,XX	AVS XXX,XX	ANR XXX,XX	DA3 XX,XX
URJ XX,XX	ANV XXX,XX	ARL XXX,XX	DT3 XXX,XX
UAM XX,XX	AVI XXX,XX		DA4 XXX,XX
UNL XXX,XX	AA2 XXX,XX		DMA XXX,XX
UMG XXX,XX	AOM XX,XX		
	AA1 XXX,XX		
	APA XX,XX		
			MAØ XX,XX
			MRØ XX,XX
			MNØ XX,XX
			503850 Univ. Wood Dyes 1L
			CS XX,XX
			DS XX,XX



7. Specific-use products

Manual Dye



Montotinte Universal

Concentrated universal liquid colourant for all types of water-based and solvent-based paints. Please refer to the colour chart for the light fastness of each colour.

Uses: Dyeing of plastics, tempera, enamels.

Mixture: Max. 5%.

Specific Weight: Variable according to colour.

Resistance to light: Depending on colour and quantity. Consult chart.

Cleaning: Water or Solvent.

	1L	200ml	50ml
503300 Ochre 162 (indoor/outdoor)	XX,XX	X,XX	X,XX
503300 Black 101, Oxide Red 152, Beige 164 (indoor/outdoor)	XX,XX	XX,XX	X,XX
503300 Yellow 131, Medium Yellow 132, Vivid Red 150, Blue 186, Green 124, Olive 123 (indoor)	---	XX,XX	X,XX

Montotinte Al Agua



Concentrated paste of dispersed pigments for colouring water-based paints.

Uses: Water-based paint.

Mixture: Max. 5%.

Specific Weight: Variable according to colour.

Resistance to light: Depending on colour and quantity. Consult chart.

Cleaning: Water.

	1L	200ml	50ml
503350 Ochre 162, Black 101, Oxide Red 152, Beige 164 (indoor/outdoor)	XX,XX	X,XX	X,XX
503350 Yellow 131, Mid-Yellow 132, Bright Red 150, Blue 186, Green 124 (indoor)	XX,XX	X,XX	X,XX

Fire retardants



Montofoc Agua

Single-component water-based intumescent paint, which under intense heat will generate a protective foam to thermally insulate the substrate, preventing the spread of fire and delaying substrate deterioration.

Substrate: Metal. Beams and pillars of iron/primed steel.

Prime with: Impriepox M10.

Finish with: Montosintético; Ovaldine; Montonature.

Certified: Certified European Standard EN 13381-8:2010.



Brush: 0-5%
Roller: 0-5%
Airless: 0-15%

	20 Kg
503610 White 103	XXX,XX

Which product should I choose?

1. See the options according to the substrate

	Waterproofing Cement	Mortar Cement	Solvent paint	Water-based paint	Polyester
Poseidón	✓	✓	✓	✗	✗
Montosport Agua	✗	✓	✓	✓	✗
Acropol Piscinas	✗	✗	✗	✗	✓

2. Now choose according to characteristics

	Nature	Chemical resistance	Elasticity	Waiting time for filling	Watertightness	Durability
Poseidón	Modified Chlorine-Rubber	****	***	8 days	***	****
Montosport Agua	Acrylic	**	****	8 days	****	***
Acropol Piscinas	Polyurethane	*****	*****	5 days	*****	*****

General considerations and product comparisons. The final result of any swimming pool paint is determined by the treatment it is subjected to, the condition and insulation of the substrate and the atmospheric conditions.

Chemical resistance: Ability of the paint to withstand maintenance treatment (chlorine).

Elasticity: Ability to resist blistering, cracking and crazing.

Filling time: Time needed to fill the pool after painting.

Watertightness: Insulating capacity to prevent water from reaching and damaging the substrate.

Durability: Marks the necessary maintenance times.

Products



ACRIPOL PISCINAS POLIESTER

- Especially for polyester paints
- Maximum adhesion and waterproofing



POSEIDÓN STANDARD

- Good overall performance
- Good durability and resistance



MONTOSPORT AL AGUA

- Easy to apply; odourless
- Economic

7. Specific-use products

Sports facilities. Swimming pools



Acripol Piscinas Poliéster + Catalizador a p

Two-component polyurethane paint for the maintenance and protection of polyester swimming pools. It is recommended to sand the polyester before applying the product.

Substrate: Polyester swimming pools.

Prime with: A diluted form of the same product.

Filling: 5 days.

Mixture ratio: 4:1.4 (Acripol): 1 (Cat. Acripol Piscinas). Mixture life: 4 h.



Brush: 0-15%
Roller: 0-15%
Spray gun: 10-30%

4L(3,2+0,8) a+b 800 ml b

502057 Blue 183

XXX,XX

502072 Acripol Swimming Pool Catalyst

XX,XX



Montosport Piscinas Poseidón Plus Al Clorocaucho cc

Paint for the maintenance and protection of concrete swimming pools. 100% chlorinated rubber. Maximum resistance to chemicals, fungi, alkalinity and humidity.

Soporte: Construction works; Cement and concrete swimming pools.

Prime with: Fijamont diluted A diluted form of the same product.

Filling: 3 days.



Brush: 5-15%
Roller: 5-15%
Spray gun: 10-20%

15L

4L

502213 Azul 283

XXX,XX

XX,XX



Montosport Poseidón Standard cc

Paint for the maintenance and protection of concrete swimming pools. Very good resistance to chemicals, fungi, alkalinity and humidity.

Soporte: Construction works; Cement and concrete swimming pools.

Prime with: Fijamont diluted A diluted form of the same product.

Filling: 8 days.



Brush: 5-10%
Roller: 5-10%
Spray gun: 10-20%

15L

4L

502210 Blue 183, White 102

XXX,XX

XX,XX

7. Specific-use products

Sports facilities. Swimming pools



Montosport Piscinas Al Agua

Water-based paint for the maintenance and protection of concrete swimming pools.

Substrate: Construction works; Concrete swimming pools.

Prime with: Emulsión Fijadora; Fijamont; same diluted product.

Filling: 8 days.



Brush: 10-20%
Roller: 10-20%
Spray gun: 10-30%

	12L	4L
502220 Blue 183, White 102	XXX,XX	XX,XX

Sports facilities. Ball Courts



Montosport Frontón

Water-based paint for the maintenance, protection and marking of ball courts. Highly resistant to atmospheric agents and impacts.

Substrate: Construction works; Ball Courts, facades, party walls.

Prime with: Emulsión Fijadora; Fijamont.



Brush: 10-20%
Roller: 10-20%
Spray gun: 5-30%

	12L
502200 Green 128	XXX,XX

Montoplac



Montoplac 2 En 1

Single-coat product used for the simultaneous preparation and finishing of smooth new interior construction surfaces. Ideal for drywall finishing in Q2 installations and ceilings.

Substrate: Construction works. Plasterboard drywall. Projected plaster.

Finish with: Family 1 products.



Airless with nozzle pitch 21-23, fan nozzle 4 and 5.
Spray gun: 0-5%

	25Kg
502332 White 103	XX,XX

7. Specific-use products

Montoplac



Montoplac Aparejo v

Preparation spray for regulating prefabricated plasterboard. It evens out the surface, covers boards, joints and fillers. Easy sanding to finish later by painting. Ideal as a first layer in Q2, Q3, Q4 installations

Substrate: Plasterboard partition walls: Laminated plasterboard, fibre plaster, plasterboard.

Certified: EPD | Contributes to: LEED®, BREEAM® AND VERDE.



Airless projection equipment with passage nozzle 27, 29, 31, fan nozzle 4 and 5.

	25 Kg.
502280 White	XX,XX

Anti-radiation



Smart Antirradiaciones a

Natural graphite-based acrylic paint. High electrical conductivity, after application its shielding effect reduces electric fields and electromagnetic waves by up to 99%.

Substrate: Construction works.

Tested by: National Institute for Aerospace Technology (INTA).

Certified: Certificado de apantallamiento. EPD | Contributes to: LEED®, BREEAM® AND VERDE.



Brush: 5-10%
Roller: 5-10%
Spray gun: 10-20%

	15L	4L	750ml
502230 Black 101	XXX,XX	XXX,XX	XX,XX

Water-based epoxy



Montoepon Acqua Sanitario + Catalizador e

Dual-component water-based epoxy. For fixed drinking water tanks, hospitals, operating theatres, etc. Resistant to washing with chemicals.

Substrate: Construction works. Metal. Hospitals, operating theatres.

Prime with: Construction works: A diluted form of the same product. Metal: Impriepox M10.

Mixture ratio: 4 (Montoepon Acqua Sanitario) : 1 (Cat. Montoepon Acqua San.). Mixture life: 1 h.



Brush: 0-20%
Roller: 0-20%
Spray gun: 0-30%

	15L(12+3) ^{a+b}	3 L ^b	5L(4+1) ^{a+b}	1 L ^b
502164 White 102	XXX,XX	---	XXX,XX	---
502173 Catalyst Only	---	XXX,XX	---	XX,XX

The catalyst is shipped automatically when ordering part A

*(a+b) The price includes the base plus the catalyst

7. Specific-use products

Paint thinners

Quitamont Gel



Biodegradable, non-toxic paint stripper. Removes paints and varnishes effectively. Free of methylene chloride.

Substrate: Metal. Wood. Removes paints.

State: Gel.

Working time: 10-20 minutes.



	4L	750ml	375ml
503512 Colourless transparent 800	XX,XX	XX,XX	XX,XX

Anti-graffiti system

Quitamont Limpia-Pintadas*

* Producto a extinguir. Disponible hasta fin de existencias



Liquid paintwork cleaner, easily removes spray, synthetic enamels, plastic paints applied on top of the paint protection (Barniz Acripol).

Substrate: Construction works. Metal. Wood. Stone, brick, rendering.

Dilute with: Ready to use



	4L
503530 Colourless transparent 800	XX,XX

Heat retardant

Montosintétic Anticalórico



Anticaloric paint. Designed to withstand temperatures of up to 400° C in continuous operation. Provides closed pore finishes.

Substrate: Wood. Construction works. Chimneys, boilers.

Prime with: Anchoring and finishing product.



Brush: Ready-to-use
Roller: Ready-to-use
Spray gun: 5-10%

	4L	750ml	375ml	125ml
503650 101 Black 400°	XXX,XX	XX,XX	XX,XX	X,XX

7. Specific-use products

Additives

Converplus Matizador



Matting additive to be added to solvent based products in general. It is advisable to carry out preliminary tests.

Mixable with: Montó solvent-based products.

Finish: Depending on the percentage added.

Mixture: Maximum 20%.



750ml

503220 White 103

XX,XX

Converplus Antisiliconas*



Additive to be added to lacquers, varnishes, polyurethanes, enamels and solvent-based products in general to prevent cratering.

Mixable with: Montó solvent-based products.

Finish: That of the base paint.

Mixture: Recommended 1-2%.



750ml

503247 Transparent 800

XX,XX

*Product to be discontinued. Available while stocks last



Paving

Parking and industrial floors
Road signalling
Floor varnishes
Sports flooring
Additives

8. Paving

Product map. Recommended uses.



PRODUCT	Pavikril	Paviolor	Montoepon S/M	Montoepon Acqua Suelos	Pavimont / Pavimont Acqua	Barniz Pavimont Acqua
Sports facilities.	●	○	—	—	●	○
Horizontal signage	○	●	—	—	●	○
Pedestrian crossing areas	●	●	●	●	●	●
Private garages (do-it-yourself application)	○	●	●	●	○	●
Private garages professional application)	—	●	●	●	○	●
Garages with high requirements (public parking)	—	—	●	●	—	—
Industrial floors	—	●	●	●	○	—
Industrial floors, high requirements, chemical resistance (chemical warehouse)	—	—	●	●	—	—
Industrial floors, high physical demands/ resistance to abrasion (passage of heavy forklift trucks...)	—	—	●	●	—	—
Industrial floors with high physical-chemical requirements (petrol stations...)	—	—	●	●	—	—
Indoor application in general (solvent free)	●	—	—	●	—	—
Outdoor application (UV resistance)	●	●	—	—	●	●

— Not recommended use ○ Possible use ● Recommended use ● Ideal for this application

Generic recommendations that may vary depending on the state of the floor, particularities present, type of specific use for which it is intended, specific requirements of the property; always consult the product Technical Data Sheets.

8. Paving

Product map. Type.



PRODUCT	Pavikril	Paviclor	Montoepox S/M	Montoepox Acqua Suelos	Pavimont / Pavimont Acqua	Barniz Hormigón	Barniz Pavimont Acqua
Chemical based	Acrylic	Chlorinated rubber-based	Epoxy	Epoxy	Acrylic	Acrylic	Acrylic
	Single-component	Single-component	Dual-component	Dual-component	Single-component	Single-component	Single-component
Nature	Water	Synthetic	Synthetic	Water	Synthetic / Water	Synthetic	Water-based
Use	Outdoor/Indoor	Outdoor/Indoor	Indoor	Indoor	Outdoor/Indoor	Outdoor/Indoor	Outdoor/Indoor
Primary use	Sports pitches	Private garages	Maximum resistance, especially mechanical	Maximum resistance, especially mechanical	Road Signs and Signals	Transparent concrete protector	Road Signs and Signals
Substrates	concrete, cement, asphalt	concrete, cement	concrete, cement	concrete, cement	concrete, cement, asphalt	concrete, cast concrete,	concrete, cement, asphalt
Finish	Semi-matt	Semi-gloss	Semi-gloss	Satin	Semi-matt	Semi-gloss	Semi-matt
Consumption	9-13m2/l	3-8m2/l	5-6m2/kg	6-9 m2/l	6-8 m2/l	8-12 m2/l	8-12 m2/l
Mixture life	---	---	6h	60 min	---	---	---
Touch-dry	15-45 min.	5-15 min.	1 hour	1-3h	15-30 min.	30 min	30-60 min.
Colours	Red, Green, Grey SSTT	White, SSTT	White, SSTT	Red, Grey, Green, RAL Chart	White, SSTT	Transparente	White, Colours
Transitability	24 h	24 h	48 h	48 h	2-4 h	2-4 h	2-4 h
Min. application temperature	>10°	>10°	>5°	>15°	>5°	>5°	>5°
Max. relative humidity	<75%	<75%	<85%	<75%	<75%	<75%	<75%
Repainting between coats	3-6 h	4 h	2 h	2-3 h	2 h	2 h	2 h

8. Paving

Car parks and industrial floors



Montoepox S/M + Catalizador e

Dual-component paint for floors and metals with high mechanical and chemical resistance. Long life, flexibility and adhesion.

Substrate: Construction works; Metal; Floors, car parks, structures.

Prime with: Suelos: Montoepox S/M diluted. Imprimación Epoxi Suelos. Iron: Impriepox M-10.

Mixture ratio: 4 (Montoepox S/M): 1 (Cat. Montoepox S/M). Mixture life: 6 h.



Brush: 0-5%
Roller: 0-5%
Spray gun: 10-15%

20Kg(16+4) a+b

4 Kg b

5Kg(4+1) a+b

1 Kg b

503868 ■ White 102, Chart for industrial applications: 184 Blue Area, 152 Red, 128 Green and colours from the RAL chart group C	XXX,XX	---	XXX,XX	---
503868 Colours from the RAL chart Group B	XXX,XX	---	XXX,XX	---
503868 Colours from the RAL chart Group A	XXX,XX	---	XXX,XX	---
502092 Catalyst Only	---	XXX,XX	---	XX,XX
■ 503868 TR	XXX,XX	---	XXX,XX	---

Montomix Line



The catalyst is shipped automatically when ordering part A

*(a+b) The price includes the base plus the catalyst.catalyst



Montoepox Acqua Suelos + Catalizador* e

Dual-component paint for floors. Excellent adhesion, hardness and chemical resistance.

Substrate: Construction works. Car parks, floors, industries, warehouses.

Prime with: Epoxy Primer Floors, Montoepox Acqua Suelos diluted mixture.

Mixture ratio: 5 (Montoepox A.S): 1 (Cat. M.A.S). Mixture life: 60m.



Brush: 0-20%
Roller: 0-20%
Spray gun: 10-30%

18Kg(15+3) a+b

3 Kg b

4,5Kg(x,xx+x,xx) a+b

x,xx Kg b

502163 White 102, Red 152, Medium Grey 179, RAL chart colours groups C	XXX,XX	---	XXX,XX	---
502163 Colours from the RAL chart Group B	XXX,XX	---	XXX,XX	---
502163 Colours from the RAL chart Group A	XXX,XX	---	XXX,XX	---
502172 Catalyst Only	---	XXX,XX	---	XX,XX
■ 502163 BL	XXX,XX	---	XXX,XX	---
■ 502163 TR	XXX,XX	---	XXX,XX	---

Montomix Line



The catalyst is shipped automatically when ordering part A

*(a+b) The price includes the base plus the catalyst.catalyst

*Product to be discontinued. Available while stocks last

8. Paving

Car parks and industrial floors



Paviclor

Floor and metal paint. Good chemical resistance to alkalis and acids.

Substrate: Construction works; Metal; Street signs, car parks, structures.

Prime with: Suelos: Paviclor diluted. Iron: Minio Blanco, Imprim. Antioxidant.



Brush: 5-10%
Roller: 5-10%
Spray gun:
5-15%

15L 4L

503865  White 102 and RAL chart colours, Group C	XXX,XX	XX,XX
503865 Industrial applications chart: 184 Blue Area, 152 Red, 128 Green and RAL chart colours Group B	XXX,XX	XXX,XX
503865 RAL chart colours Group A	XXX,XX	XXX,XX
 503865 TR	XXX,XX	XX,XX

Montomix Line



Road signalling



CE

Pavimont

Single-component paint for floors. Quick-drying, good adherence and hardness for the painting of terraces, floors, signs, garage entrances, etc.

Substrate: Construction works; Signage in car parks, roads, garage entrances.

Prime with: Pavimont diluted.

Certified: Horizontal signage. Road markings. CE Marking.



Brush: 0-10%
Roller: 0-10%
Spray gun: 10%

15L 4L 750ml

 502155 White 102, Red 152, Grey 189, Green 128, Blue Area 184, Signal Yellow 130	XXX,XX	XX,XX	XX,XX
502155 Colours from the RAL chart, Group C	XXX,XX	XX,XX	---
502155 Colours from the RAL chart Group B	XXX,XX	XX,XX	---
502155 Colours from the RAL chart Group A	XXX,XX	XXX,XX	---
 502155 TR	XXX,XX	XX,XX	---

Montomix Line



8. Paving

Road signs (water)



Pavimont Acqua a

Single-component paint for floors. Quick-drying, good adherence and hardness for the painting of terraces, floors, signs, garage entrances, etc.
Substrate: Construction works; Signage in car parks, roads, garage entrances.
Prime with: Pavimont acqua diluted.



Brush: 0-15%
 Roller: 0-15%
 Spray gun: 10-25%

	15L	4L	750ml
502182 White 102, Red 152, Grey 189, Green 128, Blue Area 184, Signal Yellow 130	XXX,XX	XX,XX	XX,XX
502182 Colours from the RAL chart, Group C	XXX,XX	XX,XX	---
502182 Colours from the RAL chart Group B	XXX,XX	XX,XX	---
502182 Colours from the RAL chart Group A	XXX,XX	XX,XX	---
502182 TR	XXX,XX	XX,XX	XX,XX

Floor varnishes



Barniz Pavimont Acqua a

Single-component, clear finish varnish. Direct use on concrete as a protective, anti-dust and curative impregnating agent. It also complements Pavimont and Pavimont Acqua. It provides semi-gloss finishes, scratch resistance and minimal dirt retention.

Substrate: Construction works; Signage in car parks, roads, garage entrances.
Prime with: Direct on substrate or Pavimont.



Brush: Ready-to-use
 Roller: Ready-to-use
 Spray gun: Ready-to-use

	15L	4L
502183 Transparent 900	XXX,XX	XX,XX



Barniz Hormigón a

Single-component, clear finish varnish. Direct use on concrete as a protective, anti-dust and curative impregnating agent.

Substrate: Construction works; Floors, exposed concrete, tiles, exposed brick.

Prime with: Direct on substrate.

Certified: CE Marking.



Brush: 0-10%
 Roller: 0-10%
 Spray gun: 0-20%

	15L	4L
502154 Transparent 900	XXX,XX	XX,XX



8. Paving

Sports flooring



CE

Pavikril

Water-based paint for the maintenance, protection and marking of floors. High resistance to rubbing, light and atmospheric agents. For painting stripes use Massima Fachadas Liso.

Substrate: Tennis courts, cement mortars, asphalt.

Prime with: A diluted form of the same product.



Brush: 10-20%
Roller: 10-20%
Spray gun: 10-30%

	12L	4L
512100 Red 152	xxx,xx	xx,xx
512100 Green 128; Blue 190; Grey 189	xxx,xx	xx,xx
 512100 BL	xxx,xx	xx,xx
 512100 IN	xxx,xx	xx,xx
 512100 TR	xxx,xx	xx,xx

Montomix Line



Additives



Aditivo Antideslizante

Powder additive to convert floor paints into anti-slip treatments. It can be mixed directly with the paint or sprinkled while it is still wet.

Substrate: Construction works; stairs, pool surrounds.

Coverage per coat: Mixed with Chlorinated Rubber. Montoeпок.

Prime with: The base paint.



That of the base paint.

	20 Kg	5 Kg
502180 Beige 800	xx,xx	xx,xx

Pigmento Reflectante



Transparent glass spheres that, sprinkled on the wet paint, remain fixed and cause light reflection.


Substrate: Construction works; Horizontal signs, roads, car parks.

Granulometry: 0.84 - 0.25 microns.

Refractive index: Exceeding 1.5.



	5 Kg	1 Kg
502190 Crystalline 800	xx,xx	xx,xx



UNLIMITED PROTECTION.

Montó ind. Is the new division of Pinturas Montó for **solutions in industrial painting** for productive processes, facility maintenance, floors...

We offer a great variety of versatile products, ratified by the most advanced technology to satisfy any need.



ind. ind. ind. ind. ind.

Suelos M-Thane 80-B



Dual-component aliphatic polyurethane gloss finish of high resistance. Suitable for painting concrete, cement, fibre cement, etc. floors. Excellent colour and gloss resistance.

Substrate: Construction works; Car parks.



Brush: 5-25%
Roller: 5-25%
Spray gun: 5-25%

	20L (15CA + 5CB)	5L
788065 White and IND chart colours	*	---
782079 Catalyst Only	---	*

* Check prices, sale conditions and full range in the IND product catalogue

Suelos M-Epox 60 Autonivelante



Self-levelling fluid mortar based on solvent-free resin and selected aggregates for pavements. Self-levelling. 100% solid, high performance, based on dual-component epoxy resin. Achieves smooth, decorative and highly resistant finishes.

Substrate: Floors; Pavements; Car parks.



Brush: Ready-to-use
Roller: Ready-to-use

	25Kg (21,1CA+3,8CB)	3,8Kg
782165 Colours from the IND chart	*	---
782174 Catalyst Only	---	*

* Check prices, sale conditions and full range in the IND product catalogue

Vial M-Acrl 30



Paint for horizontal road marking and street marking. Based on very fast drying solvent-based acrylic resins. High resin-to-pigment ratio in the segment of matt signalling paints.

Substrate: Floors; Pavements; Concrete, asphalt.


Prime with: The same product.



Brush: 0-10%
Roller: 0-10%
Spray gun: 0-15%

	20Kg
782169 White 103, grey 189 and yellow 130	*

* Check prices, sale conditions and full range in the IND product catalogue



**10
Solvents**

Turpentine
Synthetics and
Greases
Odourless
Universal
Chlorinated rubber-
based
Nitro
Polyurethane
Epoxy
Cleaning
Anti-streaking

10. Solvents

Product map. Characteristics. Compatibility



	Aguarrás Símil 1417, 1413	Sint. y Gr. 1401	Sin Olor 1412	Univ. 1405	Cloroc. 1403	Nitro 1407	Poliur. 1410	Epoxy 1411	Antivelo 1415	Ferrorite
Drying time	**	**	*	****	***	*****	***	***	*	***
Purity of components	***	***	***	**	****	*****	*****	****	*****	****
Solubility power	**	**	*	****	***	*****	*****	***	****	***
Compatibility										
Montosintético, Marisma	○	●	—	○	○	—	—	—	—	—
Montosint.Anticalórico	—	—	—	●	○	—	—	—	—	—
Acropol	—	—	—	○	○	○	●	—	○	—
Ferrorite	○	○	—	○	○	—	—	—	—	●
Martelé	—	—	—	●	○	○	—	○	—	—
Esmalte Secado rápido	—	—	—	○	●	○	—	—	—	—
Montorapid	—	○	—	○	●	—	—	—	—	—
Montoxyl Classic	—	●	—	○	○	—	—	—	—	—
Barniz Sintético	—	●	—	○	○	—	—	—	—	—
Barniz Parquet	—	—	—	○	—	—	●	—	—	—
Montolac	—	—	—	○	—	●	—	—	○	—
Montopol	—	—	—	○	—	—	●	—	○	—
Aceite Teca	○	●	—	○	○	—	—	—	—	—
Aceite Teca Linaza	○	○	—	○	○	—	—	—	—	—
Selladora Sellalux	—	●	—	○	○	—	—	—	—	—
Imprimación Sintética	○	●	—	○	●	○	—	○	—	—
Imprimación Industrial	—	—	—	●	○	○	—	○	—	—
Minio	—	●	—	○	○	—	—	—	—	—
Montoprimer Total	—	—	—	●	●	○	—	○	—	—
Fijamont	—	—	—	○	●	○	—	○	—	—
Tixoway	—	—	●	○	—	—	—	—	—	—
Poseidón Piscinas	—	—	—	○	●	—	—	○	—	—
Montoeпок	—	—	—	○	—	—	—	●	—	—
Clorocaucho	—	—	—	○	●	—	—	○	—	—
Pavimont	—	—	—	○	●	—	○	○	—	—

— Not recommended use ○ Possible use ● Ideal for this application

Drying time: Fast solvents reduce handling time. Slow solvents allow for brushability.

Purity of components: Eliminate possible streaking, incompatibilities and side reactions.

Solubility power: Less solvent is needed to reduce viscosity. They allow applications with higher solids and layer thicknesses.

Compatibility: Avoids deposits, lumps, glazes, gelling. All compatibilities shown are not a substitute for ideal use. Pinturas Montó S.A.U. recommends the use of the specific solvent for each product.



Aguarrás Simil Premium 1417

Equivalent to turpentine. It gives the product excellent brushability.
Uses: Synthetic Enamels, Varnishes.



Container Material	Plastic	Plastic	Plastic
	1L	500ml	250ml
503404 Transparent 900	See current prices		



Aguarrás Símil 1413

Terpene hydrocarbons. It gives the product excellent brushability.
Uses: Synthetic Enamels, Varnishes.



Container Material	Metal	Plastic	Plastic
	5L	1L	500ml
503415 Transparent 900	See current prices		



Sintéticos y Grasos 1401

Substitute for turpentine. It gives the product excellent brushability.
Uses: Synthetic Enamels, Varnishes.



Container Material	Plastic	Plastic	Metal	Metal	Metal
	25L	5L	1L	750ml*	250ml
503400 Transparent 900	See current prices				



Sin Olor 1412

Odourless solvent for synthetic and Tixoway enamels.
Uses: Synthetic Enamels, Varnishes, Tixoway.



Container Material	Metal	Metal	Metal	Metal
	25L	5L	1L	750ml*
503480 Transparent 900	See current prices			



Universal 1405

For spray and brush use in fast drying enamels, chlorinated rubber, primers.
Uses: Enamels, primers, chlorinated rubber, hammertone paints.



Container Material	Metal	Metal	Metal	Metal	Metal	Metal
	Plastic	Plastic				
	25L	5L	1L	750ml	500ml	250ml
503440 Transparent 900	See current prices					



Clorocaucho 1403

Suitable for chlorinated rubber and solvent-based acrylic paints.
Uses: Chlorinated rubber.



Container Material	Metal	Metal	Metal	Metal
	25L	5L	1L	750ml*
503420 Transparent 900	See current prices			



Nitro 1407

Solvent for nitrocellulose lacquers.

Uses: Nitro lacquers.



Container Material	Metal	Metal	Metal	Metal
	25L	5L	1L	750ml*
503435 Transparent 900				See current prices



Poliuretano 1410

Specially formulated for polyurethane paints.

Uses: Polyurethanes.



Container Material	Metal	Metal	Metal	Metal
	25L	5L	1L	750ml
503465 Transparent 900				See current prices



Epoxi 1411

Specially formulated for epoxy paints.

Uses: Epoxies.



Container Material	Metal	Metal	Metal
	25L	5L	1L
503470 Transparent 900			See current prices

10. Solvents



Limpieza 1406

Solvent for tool cleaning.

Uses: Cleaning.



Container Material

Plastic

Plastic

25L

5L

503450 Transparent 900

See current prices



Antivelo 1415

Highly compatible solvent for improved extensibility. It slows down the drying process by keeping the surface open, thus avoiding water retention or absorption.

Uses: Polyurethanes.



Container Material

Metal

Metal

5L

1L

503491 Transparent 900

See current prices



High Decoration

MicroCement
Stucco
Stucco Complements
Rustic Fades

Iridescent Metallic
Veiled And Buffered
Finishes

Looking for a beautiful tile,
*or creating
an infinite
canvas?*



ó
deco

Unique spaces

MicroCement®

- Over 40 colours.
- 7 finishes.
- High durability and resistance.
- Exterior and interior.
- Floors, walls or ceilings.

MicroCement system

Cementitious coatings

Primer ABS



Single-component transparent acrylic primer for the MicroCement system. Bonding bridge between different types of substrate and the first layer of cementitious mortar. Suitable for absorbent substrates.

Substrate: Concrete mortar, cement, plaster, etc.



Brush: Ready-to-use
Roller: Ready-to-use
Spray gun: Ready-to-use

4L

241921 Transparent

XX,XX

CA Primer N-ABS + Catalizador



Dual-component transparent epoxy primer for the MicroCement system. Bonding bridge between different types of substrate and the first layer of cementitious mortar. Suitable for both non-absorbent and absorbent substrates.

Substrate: Concrete mortar, cement, tiles, ceramics, plaster, etc.

Mixture ratio: 2CA(N-ABS primer) + 1CB (Catalyst). Mixture life: 60 min.



Brush: 25-100%
Roller: 25-100%

3Kg (2+1) ^{a+b}

1 Kg ^b

242187 Transparent

XX,XX

242189 Catalyst Only (CB Primer N-ABS Hardener)

XX,XX

The catalyst is shipped automatically when ordering part A

*(a+b) The price includes the base plus the catalyst

Resin

CB Resin



Water-based acrylic emulsion. It is part of the MicroCement system product range. It acts as a binder for cementitious products. It is also used to add the colour. It is applied mixed with MicroCement Base, Floors or Walls.

Mixture ratio:

-MicroCement Base CA (15Kg), mix with 5Kg of coloured MicroCement Resin CB.

-MicroCement Walls CA (12Kg), mix with 5Kg of coloured MicroCement Resin CB.

-MicroCement Floors CA (13Kg), mix with 5Kg of coloured MicroCement Resin CB.



5 Kg

242289 [Transparent](#)

XX,XX

242289 Colours

XX,XX

MicroCement system

Cementitious coatings



CA Base

It is a cementitious coating that is part of the MicroCement system set of products. Its function is to regularise the substrate prior to the application of MicroCement Walls or Floors. It can be used as a finishing microcement with a rustic finish.

Mixture ratio: MicroCement Base CA (15Kg) + MicroCement Resin CB (5Kg).

Mixture life: 2-3h at 20°C.



15 Kg

242287 White

XX,XX



CA Walls

A cementitious finishing coating for walls; it is one of the MicroCement system products. They are used to obtain a decorative finish.

Mixture ratio: MicroCement Walls CA(12Kg) + MicroCement Resin CB(5Kg).

Mixture life: 1-2h at 20°C.



12 Kg

242288 White

XX,XX



CA Floors

Cementitious floor finishing coating; part of the MicroCement system product range. They are used to obtain a decorative finish.

Mixture ratio: MicroCement Floors CA(13Kg) + MicroCement Resin CB(5Kg).

Mixture life: 1-2h at 20°C.



13 Kg

242203 White

XX,XX

Sealer



Acrylic sealer that regulates absorption and provides hardness to MicroCement Walls, Floors and Base (rustic finish). It is applied on cementitious mortars (after 24h).

Substrate: Cementitious mortars.

Dilute with: Shake; do not dilute.



Brush: Ready-to-use
Roller: Ready-to-use
Spray gun: Ready-to-use

4L

241927 Transparent

XX,XX

Dual-component protectors

CA Protector + CB Catalizador



Dual-component PUR gloss varnish. Final coating of the MicroCement Ó Deco system. Ideal for varnishing floors, walls and furniture.

Substrate: Floors, walls and furniture.

Mixture ratio: 2.4Kg CA (Protector) + 0.8Kg CB (Catalyst). Mixture life: 2h.

Trafficable: allow at least 24h.

Final resistance: 8 days.



Brush: 15-20%
Roller: 15-20%
Spray gun: 10-20%

3,2Kg (2,4+0,8) ^{a+b}

0,8 Kg ^b

242283 Protector Gloss

XXX,XX

242284 Protector Satin

XXX,XX

242285 Protector Matt

XXX,XX

242282 Catalyst Only (CB Protector Hardener)

XX,XX

The catalyst is shipped automatically when ordering part A

*(a+b) The price includes the base plus the catalyst

Single-component protectors

Protector Deco



Single component acrylic varnish. Final coating of the MicroCement Ó Deco system. Ideal for varnishing decorative furniture and walls.

Substrate: Decoration and walls.



Brush: 5-15%
Roller: 5-15%
Spray gun: 5-15%

4L

242183 Protector Deco Gloss

XXX,XX

241441 Protector Deco Satin

XXX,XX

241442 Protector Deco Matt

XXX,XX

12. High decoration

Stucco



Palladio

Classic Venetian stucco, with synthetic resins. High gloss. No waxes. Easy to handle, with trowel or spatula. *If varnishing is desired, use Barniz Brillante Acabado Estucos.

Substrate: Construction works; Wood. Imitation marble, on plaster, wood.

Prime with: Emulsión Fijadora; Fijamont.

Polishing: 2-10 minutes.



Trowel
Spatula

Montomix Line



	20 Kg	5 Kg	1 Kg
■ 501000 White 400	XXX,XX	XXX,XX	XX,XX
501000 Colours from the chart	XXX,XX	XXX,XX	---
■ 501000 Neutral 410	XXX,XX	XXX,XX	XX,XX

Grasello



Lime (mineral) wall coating. Highly Breathable. Petrifies. For decorative effects, marble imitations, spatulate, etc...

Substrate: Construction works; Multitude of effects according to application. On plaster, cement, plasterboard.

Prime with: 1st Coat: Emulsión Fijadora; 2nd Coat: Marmorino or Grasello.

Polishing: 2-10 minutes.



Trowel: Ready-to-use
Spatula Ready-to-use



	20 Kg	5 Kg	1 Kg
■ 501010 White 400	XXX,XX	XX,XX	XX,XX
501010 Colours from the chart	XXX,XX	XXX,XX	---

Marmorino



Lime-based (mineral) wall coating, highly breathable, which petrifies under the action of CO₂. To achieve marble effects and the classic marmorino effect.

Substrate: Construction works; Facades, columns, on plaster or cement.

Prime with: Emulsión Fijadora.

Dilute with: Ready to use



Trowel
Spatula



	20 Kg	5 Kg	1 Kg
■ 501020 White 400	XXX,XX	XX,XX	XX,XX
501020 Colours from the chart	XXX,XX	XX,XX	---

12. High decoration

Stucco Complements



Cera Especial Estucos

To achieve water repellency and gloss in: PALLADIO, GRASELLO and MARMORINO.

Dilute with: Ready to use



750ml

501040 Transparent 900

XX,XX

Rustic faded



Muros Mediterráneos Nuovo Capri

Product ready to use in one coat. Very easy to apply, it allows different effects to be obtained and shades coloured and blurred with white tones of maximum elegance. Manual stirring. Colour the product just before application (once coloured it may destabilize in about one week).

Substrate: Construction works; wood; cement or plaster walls.

Prime with: Construction works: Fondo Muros Mediterráneos. Wood: Selladora Sellalux.

Spatula: 5-10 minutes.

Montomix Line



Paint brush.
Diffused: Trowel AD

2,5L

750ml

501067 Colours from the chart

XX,XX

XX,XX

■ 501067 BL

XX,XX

XX,XX

Muros Mediterráneos Capri Due



Paint ready-to-use, with new brown particles that provide shades with more richness in colour and contrasts. Single-coat application. Manual stirring. Colour the product just before application (once coloured it may destabilize in about one week).

Substrate: Construction works. Wood. Cement or plaster walls.

Prime with: Construction work: Fondo Muros Mediterráneos. Wood: Selladora Sellalux.

Dilute with: Ready to use

Spatula: 5-10 min.



Paint brush.
Diffused: Trowel AD

2,5L

750ml

501068 Colours from the chart

XXX,XX

XX,XX

■ 501068 BL

XXX,XX

XX,XX

12. Luxury decoration

Iridescent and metallic



Velato Terciopelo

Finishing product with fine texture and metallic, pearly reflections, original and decorative with a feeling of luxury and elegance.

Substrate: Construction works.

Prime with: Ovaldine Mate.



Brush: Ready-to-use
Roller: Ready-to-use
Spray gun: Ready-to-use

	2,1L	620ml
501080 Silver 900	XXX,XX	XX,XX
501080 Gold 720	XXX,XX	XX,XX
501080 Colours 620 to 641 from the chart	XXX,XX	XX,XX
501080 Colours 721 to 725 from the chart	XXX,XX	XX,XX

Veiled and Buffered Finishes



Rasato Vivos

Matt paint in bright semi-transparent tones, very easy to apply to obtain a multitude of decorative effects. Completely washable.

Substrate: Construction works. Wood. High decoration.

Prime with: Ovaldine Matt.



Brush: 0-15%
Roller: 0-15%
Spray gun: 0-15%

	2,5L	750ml
501260 TR 900	XX,XX	XX,XX
501260 Finishes from the chart	XX,XX	XX,XX



Color in all, its glory

There are experiences that go far beyond colour.
They involve a different kind of advice.
Tailored service.
Or technologies that genuinely make your work easier.
These are experiences that present to you the world's largest chromatic library.
And it's not just about handing you one, two, or three colour cards.
It's about choosing from over 30,000 colours.
It's colour. But it's colour in all its glory.

MONTÖ
mix system

The Colorteca (Check prices in the Montoshop catalogue)

Tintometric Corner




La Colorteca is the on-site presentation of Montomix System. This staging is composed of two main elements: the space for the tintometric machine and the shaker, and the space dedicated to decoration and colour.

La Colorteca Module 5.30m.



M01272 Exhibitor La Colorteca module 5.30M

La Colorteca Module 3.30m.



M01273 Exhibitor La Colorteca module 3.30M

La Colorteca Module 2.30m.



M01274 Exhibitor La Colorteca module 2.30M

Mini Colorteca Module 1m.




M01351 Exhibitor La Colorteca module 1M

M01686 Exhibitor La Colorteca facades module 1M

(For colour samples of 55 mm. x 183 mm.)

La Colorteca tintometric system



M01278 Exhibitor La Colorteca sstt 2.30M With portico

M01279 Exhibitor La Colorteca sstt 2.30M Without portico

Mueble Auxiliar La Colorteca



M01280 La Colorteca work table 1.80M + stools

M01281 La Colorteca work table 2.10M + stools

Appendix

Colour Cards (See other cards in the Montoshop catalogue)



Taco La Colorteca Chart

Chart book with the 160 colours of La Colorteca.

C00834

Consult Montoshop rates for prices



Fachadas Eterna Chart

Exclusive Pinturas Montó colour chart with 400 facade colours. Includes novel shades not available on the market until now, with guaranteed lightfastness outdoors (100% lightfast colours).

C00356 Drop-down Fachadas Eterna Chart

Consult Montoshop rates for prices

C00357 Fachadas Eterna Chart Book



Ovaldine Fachadas Chart

Exclusive chart from Pinturas Montó for facades. Designed with a wide range of colours, including new shades on the market with guaranteed resistance to outdoor light.

C00607 Ovaldine Fachadas Chart (128 colours)

Consult Montoshop rates for prices



Ovaldine Fachadas 60 Aniversario Chart

Exclusive chart from Pinturas Montó for facades, commemorating the company's 60th anniversary. This new colour chart introduces new contemporary colours to the market which are guaranteed to be fully resistant to sun damage.

C00872 COF 60th Anniversary Chart

Consult Montoshop rates for prices



Taco Ovaldine Fachadas 60 Aniversario Chart

60th anniversary Colour Chart Book with 128 colours for the Ovaldine Facades Chart.

C00874 COF 60th Anniversary Chart

Consult Montoshop rates for prices

C00875 Ovaldine Fachadas Selecta Chart (20 colours)

Appendix

Colour Cards (See other cards in the Montoshop catalogue)



NCS Chart

NCS Natural Color System is a logically arranged colour sorting system based on the way people perceive colour. NCS makes it easy to analyse, specify, describe, produce and control colours.

C00912 Chart NCS 2050 

C00190 NCS 980 Chart

Consult Montoshop rates for prices



RAL Chart

The most widely used colour chart in the industrial sector.

509500 230 1

Consult Montoshop rates for prices



2024 Chart

The most extensive chart for decoration and do-it-yourself.

509500 211 1

Consult Montoshop rates for prices



720 Chart

Chart summary with the 720 colours most used from the 2024.

509500 210 1

Consult Montoshop rates for prices



Temática 447 Chart

Pinturas Montó's exclusive colour chart includes 447 colours classified in nine thematic families: Whites, Neutrals, Pastels, Blues, Greens, Warm, Vivid, Extreme and Shades. These families have suggestions and connotations on their dividers, which facilitate the choice of colour, according to the environment for which it is intended.

C00179

Consult Montoshop rates for prices

Appendix

Colour Cards (See other cards in the Montoshop catalogue)



Carta Montoxyl Barnices

21 x 21 cm card. With 8 samples applied to wood for the entire Montoxyl varnish product line.

C00975

Consult Montoshop rates for prices



Carta Montoxyl Lasures

21 x 21 cm chart. With 54 samples applied to wood for the entire Montoxyl wood stain product line.

C00973

Consult Montoshop rates for prices



Ovaldine Chart

The Ovaldine chart is the definitive selection of colours (102) for decorating and renovating interior spaces. Definitive because the colours have been selected to adapt to the passing of time, trends and different styles. And also because only with Ovaldine, the colours will last longer in perfect condition.

C00802

Consult Montoshop rates for prices



Montonature Colecciones Colour Chart

This chart contains a selection of colours (167) from the main Montó charts: Montosintetic, Temática, La Colorteca,...and the most widely used in the market, such as the RAL chart. We can expand the colour palette by consulting the original charts formulated in Montomix.

The colours are grouped in 16 ranges that can be combined with each other. Try using them on different substrates: walls, furniture, metal substrates. You can also add a touch of distinction by using some of the metallic colours or combine the different finishes in which the product is presented: gloss, satin or matt.

C00821

Consult Montoshop rates for prices



MONTÓ
bricolovers

ECONATURA

Quality Matt Paint for Walls and Ceilings

Taking care of you and the environment

Monolayer | Highly washable | Odourless | Organic and sustainable



Discover 44 colours in 6 different chromatic palettes.





N

MONTÓ Efecto Cemento

Water-based paint that simulates unfinished concrete or cement walls. Ideal for interiors with a decorative finish, matt and customisable through polishing. Highly breathable.

Substrate: Construction works, cement, concrete, plaster, brick, plasterboard dry-wall.

Prime with: Montó Imprimación Universal, Emulsión Fijadora, Fijamont.



	2,5L	750ml
681953 Grey 3129, Light Grey 3133	XX,XX	XX,XX
681953 Grey 3129, Light Grey 3133. Recommended retail price (inc. VAT)	XX,XX	XX,XX

Water based paint



MONTÓ Respira

Matt plastic paint for interior decoration in general. Washable and covering. Very white, it brings brightness to rooms. Odourless.

Substrate: Construction works, cement, concrete, plaster, brick, plasterboard drywall.

Prime with: Emulsión Fijadora; Fijamont.

Certified: Indoor emissions (A+). EPD | Contributes to: LEED®, BREEAM® AND VERDE.



	12L	4L
682253 White 103	XX,XX	XX,XX
682253 White 103. Recommended retail price (inc. VAT)	XX,XX	XX,XX



MONTÓ Econatura

Plastic matt paint for walls and ceilings. Ecological and sustainable one-coat formula with maximum washability, coverage and performance. No unpleasant odours are generated.

Substrate: Construction works, cement, concrete, plaster, brick, plasterboard drywall.

Prime with: Emulsión Fijadora; Fijamont.

Certified: Ecolabel.



	12L	4L
681929 White 103	XX,XX	XX,XX
681929 White 103. Recommended retail price (inc. VAT)	XX,XX	XX,XX
681929 Colours	---	XX,XX
681929 Colours. Recommended retail price (inc. VAT)	---	XX,XX

Montó Bricolovers

Water based paint

MONTO bricolovers Techos



Matt plastic paint specifically formulated for painting ceilings. With anti-mould preservative. High coverage and easy to apply. Does not drip, or splash (tixotex technology).

Substrate: Construction works, cement, concrete, plaster, brick, plasterboard drywall.
Prime with: Emulsión Fijadora; Fijamont.



2,5L

682452 White 103

XX,XX

682452 White 103. Recommended retail price (inc. VAT)

XX,XX

MONTO bricolovers Cocinas y Baños



Sanitising plastic paint designed for areas prone to humidity and where special hygiene is required. It contains an anti-mould and antibacterial preservative that kills up to 99.99% of all bacteria, certified.

Substrate: Construction works, cement, concrete, plaster, brick, plasterboard drywall.

Prime with: Fixative emulsion, Fijamont.

Certified: Antimicrobial efficacy. Certified antibacterial activity: reduction up to 99.99% in 24h. ISO 22196. Antiviral activity of plastics and non-porous surfaces.



2,5L

682580 White 103

XX,XX

682580 White 103. Recommended retail price (inc. VAT)

XX,XX

Facades

MONTO bricolovers Revestimiento de fachadas



Smooth matt facade coating. Resistant to outdoor conditions. Breathable and waterproof.

Substrate: Construction works, facades, party walls, staircases.

Prime with: Fixative emulsion, Fijamont.



12L

4L

682820 White 103

XX,XX

XX,XX

682820 White 103. Recommended retail price (inc. VAT)

XX,XX

XX,XX



MONTÓ Pinta Balaustradas

A special water-based coating for balustrades and building surfaces that provides long-lasting protection against the elements, including sunlight, temperature extremes, rainwater, environmental dirt, micro-organisms and mould. It is an easy-to-apply solution with high-quality results that helps to keep balustrades in excellent condition.

Substrate: Construction works; concrete, facades, cement mortar, porous brick.
Prime with: Fixative emulsion, Fijamont.



2,5L 750ml

682821 White 103	XX,XX	X,XX
682821 White 103. Recommended retail price (inc. VAT)	XX,XX	XX,XX



MONTÓ Esmalte Azulejos

Polyurethane lacquer paint, high adherence, levelling, hardness and scratch resistance. Low odour.

Substrate: Kitchen and bathroom tiles.
Prime with: Same product diluted.



Brush: 0-10%
Roller: 0-10%
Spray gun: 15-25%

2,5L * 750ml

501979 White 100 and Colours. Recommended retail price (inc. VAT)	XX,XX	XX,XX
501979 White 100 TRE01 Mist Grey, TRE07 Broken White, TRE05 Aquamarine, Cherry Red 218, Warm Beige 303 and Natural Sienna 310.	XX,XX	XX,XX

*White only



MONTÓ Esmalte Efecto Madera

Smooth polyurethane lacquer enamel of great hardness and resistance, specially designed to achieve finishes that simulate wood and achieve different decorative effects depending on the method of application.

Substrate: Construction works; metal; wood.
Prime with: Emulsión Fijadora, Fijamont, Montoprimer, Selladora Acqua.



Brush: 0-5%
Roller: 0-5%

500ml

501970 Oak, Embero, Walnut, Iroko, Sapele, Mahogany, Wenge	XX,XX	XX,XX
501970 Oak, Embero, Walnut, Iroko, Sapele, Mahogany, Wenge Recommended retail price (incl. VAT)	XX,XX	XX,XX



MONTÓ Aditivo con conservante antimoho

Anti-mould additive for water-based paints.

Substrate: Construction works. Wood. Preventive action.

Mix with: Plastic paint and coatings. Mixture %: 1 part additive + 20 parts plastic paint.



	1L	200ml
683210 Translucent 800	XX,XX	X,XX
683210 Translucent 800. Recommended retail price (inc. VAT)	XX,XX	X,XX

Preparation



MONTÓ Masilla Superligera

Lightweight filler for imperfections and cracks and repair of concrete walls and ceilings, cement mortar, plaster, plasterboard..

Substrate: Concrete, cement mortars, plaster, plasterboard.

Prime with: Imprimación Universal.



	4L	750ml
682298 White	XX,XX	X,XX
682298 White. Recommended retail price (inc. VAT)	XX,XX	X,XX

Swimming pools



MONTÓ Pintura al agua piscinas

Water-based acrylic paint for the protection and painting of swimming pools. Suitable for salt chlorinated pools.

Substrate: Cement; concrete; mortar; swimming pools.

Prime with: A diluted form of the same product.

Filling: 8 days.



	12L	4L
682222 White 102. Recommended retail price (inc. VAT)	XX,XX	XX,XX
682222 Blue 183. Recommended retail price (inc. VAT)	XX,XX	XX,XX



MONTÓ Pintura al clorocaucho piscinas

Chlorinated rubber swimming pool paint with perfect adherence and high breathability. Suitable for salt chlorinated pools.

Substrate: Cement; concrete; mortar; swimming pools.

Prime with: A diluted form of the same product.

Filling: 7 days.



	12L	4L
682214 White 102. Recommended retail price (inc. VAT)	xxx,xx	xx,xx
682214 Blue 183. Recommended retail price (inc. VAT)	xxx,xx	xx,xx
682214 Intense Blue 384. Recommended retail price (inc. VAT)	xxx,xx	xx,xx



MONTÓ Renovador de Bordes de Piscinas

Special paint for the maintenance and renovation of natural stone used in swimming pool surrounds. Maintains roughness and absorption of the substrate.

Substrate: Construction works, unpainted artificial stone.

Filling: 7 days



	4L
682439 Bone White 437	xx,xx
682439 Bone White 437. Recommended retail price (inc. VAT)	xx,xx

Decorative effects



MONTÓ Efecto Óxido

Matt paint that produces a rust effect on any surface, even non-metallic ones, without damaging them. Washable.

Substrate: Construction works; wood, metal (after priming).

Prime with: Emulsión Fijadora; Fijamont; Montoprimer Total Acqua.



	2,5L	750ml	250ml
681951 Rust colour 741	xx,xx	xx,xx	x,xx
681951 Rust colour 741. Recommended retail price (inc. VAT)	xx,xx	xx,xx	xx,xx



MONTÓ Efecto Wabi-Sabi

Mineral lime paint with an imperfect or aged appearance. Different application effects: natural, worn or rustic.

Substrate: Construction works, cement, concrete, plaster, brick, plasterboard drywall.

Prime with: Emulsión Fijadora, Fijamont.



2,5L

682234 Grey 810 and Intense Grey 815

XX,XX

682234 Grey 810 and Intense Grey 815. Recommended retail price (inc. VAT)

XX,XX



MONTÓ Efecto Magnético

Slightly textured water-based paint. It gives the painted surface magnetic properties (attracts magnets). Ideal for offices, children's rooms, schools, nursery schools, shop windows.

Substrate: Construction works; wood, metal (after priming).

Prime with: Emulsión Fijadora; Fijamont; Selladora Acqua; Montoprimer Total.

Finish with: Family 1, Montosintético, Montonature, Family 12, Montó Bricolovers Fresh & Clean, Econatura.



750ml

683536 Grey 906

XX,XX

683536 Grey 906. Recommended retail price (inc. VAT)

XX,XX



MONTÓ Efecto Pizarra

Water-based paint with excellent hardness and cleanability that turns the surface into a chalkboard. Ideal for offices, children's rooms, schools, nursery schools, shop windows.

Substrate: Construction works, wood.

Prime with: Emulsión Fijadora; Fijamont; Selladora Acqua.

Certified: Complies with the UNE EN 71-3 safety standard for toys.



500ml

681986 Black 104, Green 109, Blue 110

XX,XX


681986 Black 104, Green 109, Blue 110 Recommended retail price (inc. VAT)

XX,XX

i. Certified Products

Products / Certificates / Standards

Family/Product	Certificate	Standard
1-Massima +	Fire classification	UNE EN 13501-1
1-Massima +	Safety for toys	EN71/3
1-Massima +	Indoor emissions	EN ISO 16000
1-Massima +	EPD	ISO 14025; UNE-EN 15804
1-Smart Aire Puro	Indoor air emissions	EN ISO 16000
1-Smart Aire Puro	Antiviral activity of plastics and non-porous surfaces	ISO 21702
1-Smart Aire Puro	EPD	ISO 14025; UNE-EN 15804
1-Magnum Ecológico	Environmental label ECOLABEL	Desición 2014/312/UE
1-Magnum Ecológico	EPD	ISO 14025; UNE-EN 15804
1-Magnum Ecológico	Indoor air emissions	EN ISO 16000
1-Nevada +	Reaction to fire classification	UNE EN 13501-1
1-Nevada +	EPD	ISO 14025; UNE-EN 15804
1-Uno Zero	Determination of Antimicrobial Activity	ASTM E-2180-07
1-Uno Zero	Indoor air emissions	EN ISO 16000
1-Uno Zero	Safety for toys	EN 71.2019
1-Uno Zero	Euroclasses - Reaction to fire	UNE EN 13501.1
1-Uno Zero	Antiviral activity of plastics and non-porous surfaces	ISO 21702
1-Uno Zero	EPD	ISO 14025; UNE-EN 15804
1-Uno	Euroclasses - Reaction to fire	UNE EN 13501-1
1-Uno+	Euroclasses - Reaction to fire	UNE EN 13501-1
1-Uno+	Indoor emissions	EN ISO 16000
1-Uno+	EPD	ISO 14025; UNE-EN 15804
1-Magnum+	Euroclasses - Reaction to fire	UNE EN 13501-1
1-Magnum+	Indoor emissions	EN ISO 16000
1-Magnum+	EPD	ISO 14025; UNE-EN 15804
1-Ovaldine +	Euroclasses - Reaction to fire	UNE EN 13501.1
1-Ovaldine +	Safety for toys	EN 71-3:2013 + A1 2014
1-Ovaldine +	Indoor emissions	EN ISO 16000
1-Ovaldine Velour	Euroclasses - Reaction to fire	UNE EN 13501-1
1-Ovaldine Velour	Indoor air emissions	EN ISO 16000
1-Ovaldine Velour	EPD	ISO 14025; UNE-EN 15804
1-Ovaldine	Fire classification	UNE EN 13501-1
1-Ovaldine Matt 50	Indoor air emissions	EN ISO 16000
1-Ovaldine Matt 50	EPD	ISO 14025; UNE-EN 15804
1-Vinilmat SB Lisos	Euroclasses - Reaction to fire	UNE EN 13501.1
1-Vinilmat SB Lisos	EPD	ISO 14025; UNE-EN 15804
1-Ovaldine SemiGloss	EPD	ISO 14025; UNE-EN 15804
1-Ibersat	EPD	ISO 14025; UNE-EN 15804
1-Montoplac Matt	EPD	ISO 14025; UNE-EN 15804
1-Montoplac Aparejo	EPD	ISO 14025; UNE-EN 15804
1-Montoplac ExtraMatt +	EPD	ISO 14025; UNE-EN 15804
2-Massima Fachadas	CE marking	UNE EN 1504-2 (UNE-EN 1062-6, EN ISO 7783-1, EN ISO 7783-2, UNE EN 1062-3, UNE EN 1542, UNE EN 2409)
2-Massima Fachadas	CO2 permeability (anti-carbonation)	UNE-EN 1062-6
2-Massima Fachadas	Coating is effective against fungi	UNE-EN 15457
2-Massima Fachadas	Coating is effective against algae	UNE-EN 15458
2-Massima Fachadas	Euroclasses - Reaction to fire	UNE-EN 13501-1
2-Massima Fachadas	EPD	ISO 14025; UNE-EN 15804
2-Ovaldine Fachadas	CE marking	UNE EN 1504-2 (UNE-EN 1062-6, EN ISO 7783-1, EN ISO 7783-2, UNE EN 1062-3, UNE EN 1542, UNE EN 2409)
2-Ovaldine Fachadas	CO2 permeability (anti-carbonation)	UNE-EN 1062-6
2-Ovaldine Fachadas	Euroclasses - Reaction to fire	UNE-EN 13501-1
2-Ovaldine Fachadas	EPD	ISO 14025; UNE-EN 15804
2-Ovaldine Silicato	EPD	ISO 14025; UNE-EN 15804
2-Ovaldine Siloxano	CE marking	UNE EN 1504-2 (UNE-EN 1062-6, EN ISO 7783-1, EN ISO 7783-2, UNE EN 1062-3, UNE EN 1542, UNE EN 2409)
2-Ovaldine Siloxano	CO2 permeability (anti-carbonation)	UNE-EN 1062-6
2-Ovaldine Siloxano	EPD	ISO 14025; UNE-EN 15804
2-Ovaldine Montolite Acqua	CE marking	UNE EN 1504-2 (UNE-EN 1062-6, EN ISO 7783-1, EN ISO 7783-2, UNE EN 1062-3, UNE EN 1542, UNE EN 2409)
2-Ovaldine Montolite Acqua	CO2 permeability (anti-carbonation)	UNE-EN 1062-6
2-Ovaldine Montolite Acqua	EPD	ISO 14025; UNE-EN 15804
2-Ovaldine Antifisuras	CE marking	UNE EN 1504-2 (UNE-EN 1062-6, EN ISO 7783-1, EN ISO 7783-2, UNE EN 1062-3, UNE EN 1542, UNE EN 2409)
2-Ovaldine Antifisuras	CO2 permeability (anti-carbonation)	UNE-EN 1062-6
2-Ovaldine Antifisuras	Cracking resistance	UNE-EN 1062-7
2-Ovaldine Antifisuras	EPD	ISO 14025; UNE-EN 15804
2-Montokril+ Siloxano	CO2 permeability (anti-carbonation)	UNE-EN 1062-6
2-Montokril+ Siloxano	CE marking	UNE EN 1504-2 (UNE-EN 1062-6, EN ISO 7783-1, EN ISO 7783-2, UNE EN 1062-3, UNE EN 1542, UNE EN 2409)



i. Certified Products

Products / Certificates / Standards

Family/Product	Certificate	Standard
2-Montokril+ Siloxano	EPD	ISO 14025; UNE-EN 15804
2-Montokril Liso	CE marking	UNE EN 1504-2
2-Montokril Liso	EPD	ISO 14025; UNE-EN 15804
2-Montokril Rugoso	CE marking	UNE EN 1504-2 (UNE-EN 1062-6, EN ISO 7783-1, EN ISO 7783-2, UNE EN 1062-3, UNE EN 1542, UNE EN 2409)
2-Hormimont acrílico	CE marking	UNE EN 1504-2 (UNE-EN 1062-6, EN ISO 7783-1, EN ISO 7783-2, UNE EN 1062-3, UNE EN 1542, UNE EN 2409)
2-Hormimont acrílico	Anti-carbonation	UNE EN 1062-6
2-Hormimont acrílico	Indoor emissions	EN ISO 16000
2-Hormimont acrílico (White)	EPD	ISO 14025; UNE-EN 15804
MTH - Sistema MONTÓ Therm	ETE14-0373; ETE 16-0255; ETE 11-0333	ETAG 004
MTH - Sistema MONTÓ Therm	Reaction to fire classification	UNE EN 13501-1
MTH - Sistema MONTÓ Therm	CE marking	ETAG 004
MTH - Mortero Acrílico 70-120-150 Rayado	EPD	ISO 14025; UNE-EN 15804
MTH - Mortero Siloxano 70-120-150 Rayado	EPD	ISO 14025; UNE-EN 15804
MTH - Primer	EPD	ISO 14025; UNE-EN 15804
3-Koraza Membrana 100% PU	CE marking	UNE EN 1504-2 (UNE-EN 1062-6, EN ISO 7783-1, EN ISO 7783-2, UNE EN 1062-3, UNE EN 1542, UNE EN 2409)
3-Koraza Membrana 100% PU	Cracking resistance and tensile strength	UNE EN 1062-7, UNE EN ISO 527-3
3-Koraza Membrana 100% PU	Determination of the transmission rate of liquid water	UNE EN 1062-3
3-Koraza Membrana 100% PU	Determination of the water vapour transmission rate	UNE EN ISO 7783
3-Koraza Membrana 100% PU	Determination of adhesion	UNE EN 1542
3-Koraza Membrana 100% PU	Watertightness	UNE EN 1928
3-Koraza Membrana 100% PU	Solar Reflectance Index (SRI)	ASTM E1980-11
3-Koraza Membrana 100% PU	Waterproofing of roofs under ceramic tiles	UNE EN 14891:2017
3-Koraza Membrana 100% PU	CO2 permeability (anti-carbonation)	UNE-EN 1062-6
3-Koraza Antigoteras con PU	CE marking	UNE EN 1504-2 (UNE-EN 1062-6, EN ISO 7783-1, EN ISO 7783-2, UNE EN 1062-3, UNE EN 1542, UNE EN 2409)
3-Koraza Antigoteras con PU	CO2 permeability (anti-carbonation)	UNE-EN 1062-6
3-Koraza Antigoteras con PU	CE marking	EAD 030350-00-0402
3-Koraza Top Cover	EPD	UNE EN 1504-2 (UNE-EN 1062-6, EN ISO 7783-1, EN ISO 7783-2, UNE EN 1062-3, UNE EN 1542, UNE EN 2409)
3-Koraza Top Cover	Cracking resistance and tensile strength	ISO 14025; UNE-EN 15804
3-Koraza Top Cover	EPD	UNE EN 1062-7, UNE EN ISO 527-3
3-Koraza Cubiertas Termoaislante	Determination of resistance and thermal conductivity	ISO 14025; UNE-EN 15804
3-Koraza Cubiertas Termoaislante	CO2 permeability (anti-carbonation)	UNE EN 12667
3-Koraza Cubiertas Termoaislante	Solar Reflectance Index (SRI)	UNE-EN 1062-6
3-Koraza Cubiertas Termoaislante	Cracking resistance and tensile strength	ASTM E1980-11
3-Koraza Cubiertas	Determination of carbon dioxide permeability	UNE EN 1062-7, UNE EN ISO 527-3
3-Koraza Cubiertas	CE marking	UNE EN 1062-6-2003
3-Ovaldine Elastic	EPD	UNE EN 1504-2 (UNE-EN 1062-6, EN ISO 7783-1, EN ISO 7783-2, UNE EN 1062-3, UNE EN 1542, UNE EN 2409)
3-Ovaldine Elastic	Cracking resistance	ISO 14025; UNE-EN 15804
3-Ovaldine Elastic	Cracking resistance	UNE-EN 1062-7
3-Montokril Elastomero	EPD	UNE-EN 1062-7
3-Montokril Elastomero	CE marking	ISO 14025; UNE-EN 15804
3-Impersil	Determination of SRI (Solar Reflectance Index)	UNE EN 1504-2 (UNE-EN 1062-6, EN ISO 7783-1, EN ISO 7783-2, UNE EN 1062-3, UNE EN 1542, UNE EN 2409)
3- MTH Anticóndensación	Sound absorption in reverberation chamber	ASTM E-1980-11
3- MTH Anticóndensación	Determination of resistance and thermal conductivity	UNE EN ISO 354:2004
3- MTH Anticóndensación	Determination of resistance and thermal conductivity	UNE EN 12667:2001
3- MTH Anticóndensación + Plasmont Anticóndensación	Salt spray corrosion	UNE EN 12667:2001
4-Acripol Esmalte (Gloss y Satin)	Chemical Resistance	UNE EN ISO 9227
4-Acripol Esmalte (Gloss y Satin)	Abrasion	UNE 48027
4-Acripol Esmalte (Gloss y Satin)	Solar Reflectance Index (SRI)	UNE 48250
4-Acripol Esmalte White	EPD	ASTM E1980-11
4-Acripol Satin + Catalizador	EPD	ISO 14025; UNE-EN 15804
4-Acripol Gloss + Catalizador	Salt spray corrosion	ISO 14025; UNE-EN 15804
4-Ferrorite Acqua	Euroclasses - Reaction to fire	UNE EN ISO 9227
4-Ferrorite Acqua	Humidity resistance	UNE EN 13501-1
4-Ferrorite Acqua Satin	EPD	UNE EN ISO 6270-1
4-Ferrorite Acqua Satin	EPD	ISO 14025; UNE-EN 15804
4-Ferrorite	Salt spray corrosion	ISO 14025; UNE-EN 15804
4-Ferrorite Forja	Salt spray corrosion	UNE EN ISO 9227
4-Ferrorite Forja Liso	EPD	UNE EN ISO 9227
4-Luxatín	Chemical Resistance	ISO 14025; UNE-EN 15804
4-Montoeopox S/M	Reaction to fire classification	UNE 48027
4-Montosintético Brillante	EPD	UNE EN 13501-1
4-Montosintético Brillante	EPD	ISO 14025; UNE-EN 15804
4-Montosintético Satin	Reaction to fire classification	ISO 14025; UNE-EN 15804
4-Montosintético Matt	Reaction to fire classification	UNE EN 13501-1
4-Montonature	Indoor emissions	UNE EN 13501-1
4-Montonature	Safety for toys	EN ISO 16000
4-Montonature	Seguridad en juguetes	EN 71. 1994-3

i. Certified Products

Products / Certificates / Standards

Family/Product	Certificate	Standard
4-Montonature Matt	EPD	ISO 14025; UNE-EN 15804
4-Montonature Satin	EPD	ISO 14025; UNE-EN 15804
5-Montoxyl Classic	Reaction to fire classification	UNE EN 13501-1
5-Montoxyl Classic	EPD	ISO 14025; UNE-EN 15804
6-Imprimación Industrial	Reaction to fire classification	UNE EN 13501-1
6-Montoprimer Total Acqua	Adherence	UNE EN ISO 2409
6-Montoprimer Total Acqua	Reaction to fire classification	UNE EN 13501-1
6-Montoprimer Total	Adherence	UNE EN ISO 2409
6-Montoprimer Total	Salt spray corrosion	UNE EN ISO 9227
6-Imprimación Sintética	Reaction to fire classification	UNE EN 13501-1
7-Montofoc Esmalte Al Agua	Determination of contribution to fire resistance of structural elements	UNE EN 13381-8
7-Smart Antirradiaciones	Shielding	IEC 61000-4-21
7-Smart Antirradiaciones	EPD	ISO 14025; UNE-EN 15804
8-Barniz Hormigón	CE marking	UNE EN 1504-2 (UNE EN ISO 5470-1; UNE EN ISO 1062-6; EN ISO 7783-1; EN ISO 7783-2; UNE EN 1062-3; UNE EN ISO 6272-1; UNE EN 1542; UNE EN 13578)
8-Montoeпок S/M	Slip-resistance	UNE EN 12633
8-Pavikril	CE marking	UNE EN 1504-2 (UNE EN 1062-6/3; EN ISO 7783-1/2; UNE EN 1542; UNE EN 2409)
8-Pavimont	CE marking	UNE EN 1504-2 (UNE EN ISO 5470-1; UNE EN ISO 1062-6; EN ISO 7783-1; EN ISO 7783-2; UNE EN 1062-3; UNE EN ISO 6272-1; UNE EN 1542)
8-Pavimont + Arido	Slip-resistance	UNE EN 12633
8-Pavimont Acqua	Slip-resistance	UNE EN 16165
8-Poliumont	Chemical resistance	UNE 48027:1980
21-HTM Zero	Indoor air emissions	EN ISO 16000
12-MicroCemento O Deco Base	Slip-resistance	UNE EN 12633
12-MicroCemento O Deco Floors	Slip-resistance	UNE EN 12633
21-HTM Pintura Pizarra	Safety for toys	EN713:2013+A1
Montó Bricolovers techos	Indoor emissions	EN ISO 16000

i. Product Warranty **5** **7** **10** **12** **15**

Facades

Product	Product Warranty	Minimum Applied Quantity
Massima Fachadas	Up to 15 years	0.30 Litres/m ²
Ovaldine Fachadas	Up to 12 years	0.30 Litres/m ² *
Ovaldine Silicato	Up to 12 years	0.40 Litres/m ²
Ovaldine Montolite Acqua	Up to 12 years	0.30 Litres/m ²
Ovaldine Siloxano	Up to 12 years	0.30 Litres/m ²
Ovaldine Antifisuras	Up to 12 years	0.30 Litres/m ²
Montokril + Siloxano	Up to 7 years	0.30 Litres/m ²
Koraza Antigoteras con PU	Up to 5 years	Horizontal: 1.5 Litres/m ²
Koraza Cubiertas	Up to 7 years	Horizontal: 1.5 Litres/m ²
Koraza Cubiertas Fibrado	Up to 7 years	Horizontal: 1.5 Litres/m ²
Koraza Cubiertas Termoaislante	Up to 7 years	Horizontal: 1.5 Litres/m ²
Koraza Top Cover**	Up to 10 years	1.5 Litres/m ²
Koraza Membrana 100PU**	Up to 15 years	1.5 Litres/m ²
Montokril SuperWhite	Up to 5 years	0.30 Litres/m ²
Montokril Liso	Up to 7 years	0.30 Litres/m ²
Montokril Texturado	Up to 7 years	0.30 Litres/m ²
Montokril Rugoso	Up to 7 years	0.70 Litres/m ²
Montokril Elastómero (coating)	Up to 7 years	0.30 Litres/m ²
Montokril Elastómero (applied as water-proofing)	Up to 7 years	0.75 Litres/ m ² (cracks up to 1mm) 0.4 Litres/ m ² (substrates with cracks up to 0.5mm)
Ovaldine Elástico	Up to 12 years	0.75 Litres/ m ² (cracks up to 2mm) 0.4 Litres/ m ² (substrates with cracks up to 1mm)
Montothêrm Mortero Acrílico 70	Up to 5 years	2.10 kg/m ²
Montothêrm Mortero Acrílico 120 and 150	Up to 5 years	2.50 kg/m ²
Montothêrm Mortero Acrílico Rayado	Up to 5 years	2.70 kg/m ²
Montothêrm Mortero Siloxano 70	Up to 10 years	2.10 kg/m ²
Montothêrm Mortero Siloxano 120 and 150	Up to 10 years	2.50 kg/m ²
Montothêrm Mortero Siloxano Rayado	Up to 10 years	2.70 kg/m ²

Conditions of the Warranties:

**In order to obtain the certificate for the above products, it is necessary to apply the mesh as indicated in the technical data sheet. The required meshes are: Fibreglass fabric roll 1x50 m/l rega mt (656700/10/1) and (656700/10/2) Fibreglass fabric roll 1x50 ml visa mt.

·Warranties will not be extended with yields below the minimum required (see table).

·The colours obtained by TINTOMETRIC SYSTEMS at the point of sale must be previously authorised in order to obtain the warranty. Except those formulated in SISTEMA FACHADAS 16.

·Visible copies of the printed Tintometric System labels must be attached when coloured at the point of sale.

·Guaranteed colours of COF and Eterna facade charts

*On substrates prepared with Emulsión Fijadora or Fijamont, a yield of 0.25 L/m² is acceptable.

RAL Chart - Family 4 y 8

White C	RAL1023 B	RAL3002 A	RAL4003 A	RAL5013 B	RAL6009 C	RAL6032 B	RAL7023 C	RAL7047 B	RAL8028 C
RAL1000 B	RAL1024 C	RAL3003 B	RAL4004 B	RAL5014 C	RAL6010 B	RAL6033 C	RAL7024 C	RAL8000 C	RAL9001 B
RAL1001 B	RAL1027 B	RAL3004 B	RAL4005 B	RAL5015 C	RAL6011 C	RAL6034 B	RAL7025 C	RAL8001 C	RAL9002 B
RAL1002 C	RAL1028 B	RAL3005 B	RAL4006 A	RAL5017 C	RAL6012 C	RAL7000 C	RAL7026 C	RAL8002 C	RAL9003 B
RAL1003 B	RAL1032 B	RAL3007 B	RAL4007 B	RAL5018 B	RAL6013 C	RAL7001 B	RAL7030 C	RAL8003 C	RAL9004 C
RAL1004 B	RAL1033 B	RAL3009 B	RAL4008 A	RAL5019 C	RAL6014 C	RAL7002 C	RAL7031 C	RAL8004 C	RAL9005 C
RAL1005 B	RAL1034 B	RAL3011 B	RAL4009 B	RAL5020 C	RAL6015 C	RAL7003 C	RAL7032 B	RAL8007 C	RAL9010 B
RAL1006 B	RAL1037 B	RAL3012 C	RAL4010 A	RAL5021 C	RAL6016 B	RAL7004 B	RAL7033 C	RAL8008 C	RAL9011 C
RAL1007 B	RAL2000 B	RAL3013 B	RAL5000 C	RAL5022 B	RAL6017 B	RAL7005 C	RAL7034 C	RAL8011 C	RAL9016 B
RAL1011 C	RAL2001 A	RAL3014 B	RAL5001 C	RAL5023 B	RAL6018 B	RAL7006 C	RAL7035 B	RAL8012 C	RAL9017 C
RAL1012 B	RAL2002 B	RAL3015 B	RAL5002 B	RAL5024 C	RAL6019 B	RAL7008 C	RAL7036 C	RAL8014 C	RAL9018 B
RAL1013 B	RAL2003 B	RAL3016 B	RAL5003 C	RAL6000 C	RAL6020 C	RAL7009 C	RAL7037 C	RAL8015 C	RAL9021 C
RAL1014 B	RAL2004 B	RAL3017 B	RAL5004 C	RAL6001 C	RAL6021 C	RAL7010 C	RAL7038 B	RAL8016 C	
RAL1015 B	RAL2008 B	RAL3018 B	RAL5005 C	RAL6002 B	RAL6022 C	RAL7011 C	RAL7039 C	RAL8017 C	
RAL1016 A	RAL2009 B	RAL3020 A	RAL5007 B	RAL6003 C	RAL6024 B	RAL7012 C	RAL7040 B	RAL8019 C	
RAL1017 B	RAL2010 B	RAL3022 B	RAL5008 C	RAL6004 B	RAL6025 B	RAL7013 C	RAL7042 C	RAL8022 C	
RAL1018 B	RAL2011 B	RAL3027 A	RAL5009 C	RAL6005 B	RAL6026 C	RAL7015 C	RAL7043 C	RAL8023 C	
RAL1019 C	RAL2012 B	RAL3031 B	RAL5010 B	RAL6006 C	RAL6027 B	RAL7016 C	RAL7044 B	RAL8024 C	
RAL1020 B	RAL3000 A	RAL4001 B	RAL5011 C	RAL6007 C	RAL6028 C	RAL7021 C	RAL7045 B	RAL8025 C	
RAL1021 B	RAL3001 A	RAL4002 B	RAL5012 C	RAL6008 C	RAL6029 B	RAL7022 C	RAL7046 C	RAL8027 C	

Standard products in colours from the RAL chart

Acripol Esmalte	Montoeopox Acqua Suelos	Paviclór
Montorapid	Pavimont / Pavimont Acqua	Montoeopox S/M

i. Colour classification

Facades chart - Families 1, 2 and 7

Ovaldine Fachadas

401	E	469	C	608	E
402	E	470	B	609	D
403	D	471	E	610	E
404	E	472	E	611	D
405	E	473	E	612	C
406	D	474	E	613	E
407	E	475	E	614	E
408	E	476	B	615	E
409	E	477	C	616	E
410	D	478	E	617	*
411	*	479	E	618	E
412	*	480	E	619	E
413	*	481	E	620	E
414	E	482	*	621	*
415	E	483	E	622	E
416	E	484	*	623	E
417	E	485	D	624	E
418	E	486	C	625	E
419	E	487	C	626	E
420	*	488	C	RAL9004	E**
421	E	489	E		
422	*	490	*		
423	E	491	*		
424	E	492	A		
425	E	493	A		
426	*	496	A		
427	E	497	C		
428	E	498	C		
429	*	499	E		
430	E	500	E		
431	D	501	D		
432	E	502	E		
433	E	503	D		
434	E	504	D		
435	E	505	C		
436	E	506	*		
437	E	507	D		
438	E	508	C		
439	D	509	C		
440	E	510	B		
441	D	511	A		
443	D	512	B		
444	A	513	A		
445	C	515	E		
446	C	516	D		
447	E	517	B		
448	E	520	A		
449	E	523	E		
450	E	524	D		
451	E	525	D		
452	E	526	E		
453	D	527	*		
454	E	528	*		
455	E	530	E		
456	C	536	B		
457	E	537	B		
458	E	546	*		
459	E	547	*		
460	E	551	*		
461	E	552	*		
462	D	601	D		
463	E	602	E		
464	D	603	E		
465	D	604	E		
466	E	605	E		
467	E	606	E		
468	C	607	E		

Fachadas Eterna

FE1001	D	FE1068	A	FE1140	B	FE1207	D	FE1274	D	FE1341	E
FE1002	C	FE1069	D	FE1141	B	FE1208	C	FE1275	D	FE1342	*
FE1003	B	FE1070	C	FE1142	*						
FE1004	B	FE1071	B	FE1143	C	FE1210	B	FE1276	D	FE1343	D
FE1005	A	FE1072	*	FE1144	B	FE1211	B	FE1277	D	FE1344	E
FE1006	A	FE1073	*	FE1145	A	FE1212	D	FE1278	B	FE1345	E
FE1007	C	FE1074	*	FE1146	*	FE1213	C	FE1279	*	FE1346	E
FE1008	B	FE1075	D	FE1147	*	FE1214	B	FE1280	D	FE1347	E
FE1009	B	FE1076	B	FE1148	D	FE1215	B	FE1281	C	FE1348	D
FE1010	B	FE1077	*	FE1149	D	FE1216	B	FE1282	D	FE1349	E
FE1011	B	FE1078	*	FE1150	*	FE1217	D	FE1283	C	FE1350	E
FE1012	D	FE1079	*	FE1151	C	FE1218	C	FE1284	C	FE1351	E
FE1013	C	FE1080	D	FE1152	C	FE1219	B	FE1285	E	FE1352	E
FE1014	C	FE1081	C	FE1153	D	FE1220	B	FE1286	D	FE1353	D
FE1015	C	FE1082	*	FE1154	D	FE1221	B	FE1287	D	FE1354	E
FE1016	C	FE1083	*	FE1155	D	FE1222	D	FE1288	D	FE1355	E
FE1017	C	FE1084	*	FE1156	D	FE1223	C	FE1289	D	FE1356	E
FE1018	C	FE1090	B	FE1157	D	FE1224	B	FE1290	E	FE1357	E
FE1019	C	FE1091	B	FE1158	*	FE1225	B	FE1291	D	FE1358	D
FE1020	B	FE1092	A	FE1159	D	FE1226	B	FE1292	*	FE1359	E
FE1021	B	FE1093	A	FE1160	D	FE1227	D	FE1293	*	FE1360	E
FE1022	D	FE1094	*	FE1161	C	FE1228	C	FE1294	*	FE1361	E
FE1023	D	FE1095	*	FE1162	*	FE1229	B	FE1295	D	FE1362	E
FE1024	C	FE1096	A	FE1163	C	FE1230	A	FE1296	D	FE1363	C
FE1025	C	FE1097	A	FE1164	D	FE1231	A	FE1297	*	FE1364	D
FE1026	C	FE1098	*	FE1165	C	FE1232	D	FE1298	*	FE1365	E
FE1027	D	FE1099	*	FE1166	C	FE1233	B	FE1299	*	FE1366	E
FE1028	D	FE1100	*	FE1167	C	FE1234	A	FE1300	D	FE1367	*
FE1029	D	FE1101	B	FE1168	B	FE1235	A	FE1301	D	FE1368	*
FE1030	D	FE1102	A	FE1169	C	FE1236	A	FE1302	D	FE1369	*
FE1031	C	FE1103	A	FE1170	C	FE1237	D	FE1303	D	FE1370	D
FE1032	C	FE1104	A	FE1171	C	FE1238	C	FE1304	D	FE1371	E
FE1033	D	FE1105	A	FE1172	C	FE1239	C	FE1305	D	FE1372	E
FE1034	C	FE1106	D	FE1173	C	FE1240	B	FE1306	D	FE1373	E
FE1035	C	FE1107	D	FE1174	C	FE1241	B	FE1307	D	FE1374	*
FE1036	B	FE1108	D	FE1175	D	FE1242	C	FE1308	D	FE1375	*
FE1037	C	FE1109	D	FE1176	C	FE1243	D	FE1309	D	FE1376	E
FE1038	C	FE1110	D	FE1177	B	FE1244	C	FE1310	*	FE1377	E
FE1039	B	FE1111	*	FE1178	B	FE1245	C	FE1311	D	FE1378	E
FE1040	B	FE1112	E	FE1179	B	FE1246	B	FE1312	E	FE1379	*
FE1041	A	FE1113	D	FE1180	D	FE1247	B	FE1313	E	FE1380	*
FE1042	A	FE1114	D	FE1181	C	FE1248	D	FE1314	*	FE1381	E
FE1043	C	FE1115	D	FE1182	C	FE1249	C	FE1315	*	FE1382	E
FE1044	B	FE1116	D	FE1183	C	FE1250	C	FE1316	D	FE1383	E
FE1045	A	FE1117	D	FE1184	*	FE1251	B	FE1317	E	FE1384	*
FE1046	A	FE1118	E	FE1185	C	FE1252	B	FE1318	E	FE1385	*
FE1047	A	FE1119	E	FE1186	E	FE1253	C	FE1319	E	FE1386	D
FE1048	C	FE1120	E	FE1187	E	FE1254	D	FE1320	*	FE1387	E
FE1049	B	FE1121	E	FE1188	E	FE1255	D	FE1321	*	FE1388	E
FE1050	A	FE1122	D	FE1189	*	FE1256	D	FE1322	E	FE1389	*
FE1051	A	FE1123	E	FE1190	*	FE1257	D	FE1323	E	FE1390	*
FE1052	A	FE1124	E	FE1191	E	FE1258	C	FE1324	E	FE1391	D
FE1053	D	FE1125	E	FE1192	E	FE1259	D	FE1325	*	FE1392	D
FE1054	D	FE1126	E	FE1193	E	FE1260	D	FE1326	*	FE1393	D
FE1055	C	FE1127	D	FE1194	E	FE1261	C	FE1327	D	FE1394	D
FE1056	D	FE1128	E	FE1195	E	FE1262	C	FE1328	E	FE1395	*
FE1057	C	FE1129	E	FE1196	E	FE1263	C	FE1329	E	FE1396	E
FE1058	B	FE1130	E	FE1197	E	FE1264	D	FE1330	E	FE1397	D
FE1059	D	FE1131	E	FE1198	E	FE1265	D	FE1331	*	FE1398	D
FE1060	C	FE1132	D	FE1199	E	FE1266	C	FE1332	D	FE1399	*
FE1061	B	FE1133	D	FE1200	E	FE1267	C	FE1333	E	FE1400	*
FE1062	A	FE1134	D	FE1201	D	FE1268	B	FE1334	E	FE1401	C
FE1063	A	FE1135	E	FE1202	C	FE1269	D	FE1335	E	FE1402	C
FE1064	C	FE1136	E	FE1203	C	FE1270	D	FE1336	E	FE1403	B
FE1065	B	FE1137	D	FE1204	B	FE1271	D	FE1337	D	FE1404	B
FE1066	B	FE1138	C	FE1205	B	FE1272	C	FE1338	D	FE1405	A
FE1067	B	FE1139	B	FE1206	C	FE1273	D	FE1339	E	FE1406	A
								FE1340	E		



*See warranty terms and conditions for colours marked with this symbol

**RAL 9004 Only available in cold facades version

* Colour available in cold facades version: 10% increase to the RRP indicated in its colour group

i. Cold Facades Colours. TSR and HBU Listing

COF Chart - Ovaldine Fachadas						
Reference	% TSR Standard	% TSR Cold F.	Difference % TSR	HBU Standard °C	HBU Cold F. °C	Difference HBU °C
COF411	19	28	9	37	29	-8
COF412	8	22	14	40	30	-10
COF413	23	23	0	39	34	-5
COF420	16	22	6	39	34	-5
COF422	12	23	11	39	33	-6
COF426	20	28	8	35	24	-11
COF429	14	22	8	39	34	-6
COF482	27	37	10	36	29	-7
COF484	20	34	14	39	26	-12
COF490	15	27	12	39	33	-6
COF491	13	25	12	40	33	-7
COF496	14	20	6	40	35	-5
COF497	12	28	16	40	33	-8
COF498	10	19	9	40	34	-6
COF499	12	23	11	40	33	-7
COF506	15	26	11	39	33	-6
COF527	19	27	8	38	31	-7
COF528	5	17	12	42	34	-8
COF551	19	22	3	40	35	-5
COF617	19	26	7	42	30	-12
COF621	22	28	6	40	32	-8

Carta RAL 9004						
RAL 9004	4	19	15	42	28	14

Fachadas Eterna Chart						
Reference	% TSR Standard	% TSR Cold F.	Difference % TSR	HBU Standard °C	HBU Cold F. °C	Difference HBU °C
FE1111	20	27	7	35	30	-5
FE1142	13	24	10	40	32	-8
FE1146	15	24	9	39	32	-7
FE1147	22	28	6	34	29	-5
FE1150	22	28	6	34	29	-5
FE1158	13	23	10	41	33	-8
FE1162	21	27	6	34	29	-5
FE1184	16	25	9	38	31	-7
FE1189	20	27	7	35	30	-5
FE1190	23	28	5	33	29	-4
FE1279	17	25	8	38	31	-7
FE1294	16	25	9	38	31	-7
FE1310	19	26	7	36	30	-6
FE1314	16	25	9	38	31	-7
FE1315	13	23	10	41	33	-8
FE1320	23	28	5	33	29	-4
FE1321	13	23	10	41	33	-8
FE1325	22	28	6	34	29	-5
FE1326	14	24	10	40	32	-8
FE1331	20	27	7	35	30	-5
FE1342	21	27	6	34	29	-5
FE1367	19	26	7	36	30	-6
FE1368	15	24	9	39	32	-7
FE1369	22	28	6	34	29	-5
FE1374	12	23	11	42	33	-9
FE1375	4	19	15	48	36	-12
FE1379	19	26	7	36	30	-6
FE1380	8	21	13	45	35	-10
FE1384	22	28	6	34	29	-5
FE1385	5	19	14	47	36	-11
FE1389	17	25	8	38	31	-7
FE1390	6	20	14	46	35	-11
FE1395	15	24	9	39	32	-7
FE1399	23	28	5	33	29	-4
FE1400	20	27	7	35	30	-5

TSR % Total solar reflectance (ASTm E903-96)

HBU: Heat accumulation in building products according to ASTm 4803-97 (Solar Heat Gain Test)



i. Packaging and palletisation

Packaging	5 Kg 5 L	4 L 2,5 L	750 ml 1 Kg/L	400 gr/ml 600 gr	1/2 Kg 500 ml	300 gr/ml 375 ml	200 ml 250 ml	125 ml 150 ml	50 ml
Water based products		2	6			6			
Solvent based products	2	2	6			6			
Sprays				4 / 6	12				
Solvents: Plastic	2		6		6		6		
Solvents: Metal	2		6		6		6		
Plasmont: Paste	2	2	6		6				
Plasmont: Powder Montó	4		20						
Plasmont Bricolage			10						
Dye: In bottle			6				6		12
Converplus			6					8	
Other Products		2	6			6	6	6	

PALLETISING

Metal Container	25 L	16 L	15 L 25 Kg	8 L 10 Kg	5 L Solvents	5 L	4 L 5 Kg	750 ml 1 Kg
Units per pallet	22	33	33	56	144	96	120	756

Plastic Container	25 L Carafe	15 L	12 L	5 L Solvent	2.5 L 3.75 L - 4 L	750ml 1 Kg	750 ml - 1 L Bottle	500ml Bottle	250ml Bottle
Units per pallet	24	33	44	128	120	768 / 528	360	720	1680

Plastic Buckets							12 L	4 L	2,5 L
Units per pallet							36	96	128

Fillers					15 Kg Saco	5 Kg Caja	2,5 L - 4 L 5 Jg	1 Kg Caja	750 ml 1 Kg
Units per pallet					63	144	120	660	540

All our goods will be delivered in standardised pallets (0.80 x 1.20 m.) for orders weighing 150 kg and upwards.

i. General conditions of Sale

- 1• The goods shall always travel at the risk and expense of the buyer, even if they are carriage paid. It is very important to carry out an exhaustive inspection of the goods when they are unloaded from the transport vehicle. Customers must make a note on the company delivery document if there were any damages, shortages or delays during transit or unloading before signing for the delivery of the goods, and immediately notify our Logistics Department. No claims will be accepted unless stated on the delivery note.
- 2• If the goods need to be unloaded with a platform or any other specific equipment, the cost of this shall be covered by the customer. Providing this service may cause some delay in delivery.
- 3• It is our responsibility to choose the means of transport. If it is modified by the customer, they will have to pay the difference in cost.
- 4• No claims will be accepted more than four days after the goods have arrived at their destination. Any returns for reasons beyond the control of PINTURAS MONTÓ S.A.U. may not be refunded in full, depending on the cost of recovery. The costs may even be high enough for no refund to be offered at all.
- 5• Returns must be communicated in advance so that PINTURAS MONTÓ S.A.U. can determine the means of transport. We are not responsible for non-agreed means of transport. Refunds will always be paid in the manner determined by PINTURAS MONTÓ S.A.U.
- 6• No returns will be accepted for products that have passed their expiry date or that are less than two months away from their expiry date (the expiry date of the products is indicated in the Technical Data Sheet).
- 7• RETURNS ARE NOT PERMITTED for Family 12 products (Luxury Decoration).
- 8• RETURNS ARE NOT PERMITTED for colours included in the OVALDINE FACHADAS and FACHADAS ETERNA chart.
- 9• We are able to fulfil orders in shades other than our standard colours. The price will be quoted on a case-by-case basis. The quantity manufactured may fluctuate by $\pm 10\%$, due to adjustment requirements, and the customer must accept the quantity that results from the manufacture. NO REFUNDS WILL BE ACCEPTED IN THESE CASES.
- 10• We can fulfil orders for products in MONTOMIX and CROMISERVICE colours according to our standard charts, reducing the discount by 12% NO REFUNDS WILL BE ACCEPTED IN THESE CASES.
- 11• The discount and the means of payment for the orders do not imply commitment on our part for future transactions, these will need to be determined each time.
- 12• Taxes or duties levied on commercial transactions shall always be covered by the buyer.
- 13• The current prices quoted are subject to market fluctuations and may be altered without prior notice.
- 14• Dual-component products have different codes for the A-component and for the catalyst. In all cases (except Montopol), when ordering component A, the catalytic converter is automatically included in the order, so it is not necessary to include it in the order. If requested, twice as many catalysts will be shipped.
- 15• The inclusion of the MONTÓ therm, Montó Bricolovers, Crea, Montoplac, MontoSmart and Montó Industria products in this price list is for information purposes only. Please check their specific fares.
- 16• Orders will conform to the units included in each container. (Minimum quantity per order, indicated on each product, above sizes)
- 17• In accordance with the terms of Law 11/1997 and article 18.1 of the Regulation, THE PARTY RESPONSIBLE for the delivery of the packaging waste or used packaging SHALL BE THE FINAL OWNER of it.
- 18• In case of litigation, the parties expressly submit to the Courts of Llíria, expressly waiving any other jurisdiction.
- 19• The liability of PINTURAS MONTÓ, S.A.U. is limited to the value of the products.
- 20• The current prices cancel the previous ones.



PINTURAS MONTÓ S.A.U.

CENTRAL:

CTRA. DE LA BASE MILITAR 11
46163 MARINES-VALENCIA-ESPAÑA
Tels. 96 164 83 39 (Ext. 5100)
96 103 24 20
Fax 96 164 83 43
montopinturas.com

Customer service COLOURIMETRY + PRODUCT

Tel. 96 103 10 56 (Ext. 5509)
e-mail: sac@montopinturas.com

Customer Service TINTOMETRIC SYSTEMS

Tel. 600 946 168 (Ext. 5517)
e-mail: tintometricos@montopinturas.com

Customer Service COMMERCIAL Department

Tel. 96 103 10 53 (Ext. 5512)
Fax 96 164 83 43
e-mail: comercial@montopinturas.com

Customer Service ADMINISTRATION

Tel. 96 103 10 64 (Ext. 5501)
Fax 96 164 83 43
e-mail: administracion@montopinturas.com

Customer Service CREDITS

Tel. 96 103 10 61 (Ext. 5510)
Fax 96 164 83 43
e-mail: credits@montopinturas.com

MONTÓ BRANCH CUBA

Sta. A. N° 8404 e/84 y 86
Miramar Playa, Ciudad de la Habana, CUBA
e-mail Cuba: montopinturas@enet.cu
Tel y Fax: (00537) 204.20.50

LOGISTICS PLATFORM:

P.I. PLA DE CARRASES, 14 - CV-35 SALIDA 30
46160 LLIRIA-VALENCIA-ESPAÑA
Tels. 96 164 83 39
montopinturas.com

GENERAL CUSTOMERS

Teléfonos: 670500194 - 961031060 (EXT. 5503)
Email: logistica@montopinturas.com

MONTÓ STORE CUSTOMERS

Teléfonos: 662648288 - 961031067 (EXT. 5504)
Email: logistica.tiendas@montopinturas.com

